

85.12.31

dispar

680 g

APPAT A MOUCHES BLEUS  
BLUE FLY BAIT

HOMOGENEISE - HOMOGENISED

ATTIRE ET TUE LES MOUCHES  
ATTRACTS AND KILLS FLIES

AGRICOLE - AGRICULTURAL

AVERTISSEMENT/CAUTION: POISON

LIRE L'ETIQUETTE AVEC L'EMPLOI/READ LABEL BEFORE USING

GARANTIE - GUARANTEE

METHOMYL.....1.000%;  
Z-9 TRICOSENE.....0.025%

NO.D'ENR./REG.NO. 17630 P.C.P. ACT/L.P.A.

DISPAR VETERINARY PRODUCTS LTD.  
JOLIETTE, QUEBEC, CANADA J6E 3Z1

#### DIRECTIONS FOR USE

BLUE FLY BAIT is an improved formula containing Muscamone\* fly attractant which encourages both male and female flies to remain in the treated area, thus feeding on the bait. Bait should be scattered over specified fly feeding surfaces daily or as needed to provide initial knockdown and reduction of fly populations. Distribute bait from container or other device to avoid handling bait.

BARNY, POULTRY HOUSES: Scatter bait at the rate of 250 g per 100 sq.m to window sills and other areas where flies congregate. Apply only to areas out of reach of animals.

For caged poultry scatter bait on walkways.

DOG KENNELS: Scatter bait around outside areas of dog pens, runways, out of reach of animals at the rate of 250 g per 100 sq.m.

CAUTION: Hazardous to humans and domestic animals. Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing dust. Avoid contact with skin, eyes or clothing.

Do not contaminate feed, water, food or litter. Do not apply where poultry or animals can pick it up or lick the product. Do not use in homes or where food is processed or stored. Do not feed treated garbage to livestock. Use only in areas inaccessible to food producing animals.

TOXICOLOGICAL INFORMATION: Poisoning produces effects associated with anticholinesterase activity which may include weakness, blurred vision, headache, nausea, abdominal cramps, discomfort in the chest, constriction of pupils, sweating, slow pulse, muscle tremors. Atropine is an antidote.

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water. Get medical attention if irritation persists. If swallowed, induce vomiting with 1 tablespoon of salt in a glass of warm water.

STORAGE AND DISPOSAL: Keep bait in original container, tightly closed and store in a cool place. Do not contaminate water, food or feed by storage or disposal. Do not use empty container. Wrap container and put in trash collection or dispose of container in approved landfill or bury in a safe place.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to bees, wildlife and fish.

Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offense under the Pest Control Products Act to use a control product under unsafe conditions.

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace

the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+) )