

90.03.22

CARMILL

SPACE AND CONTACT INSECTICIDE

OIL SOLUTION

COMMERCIAL

CONTAINS PYRETHRUM AND PIPERONYL BUTOXIDE

READY TO USE - DO NOT DILUTE

GUARANTEE: PYRETHRINS .15%  
PIPERONYL BUTOXIDE 1.20%

REGISTRATION NO: 8214 PEST CONTROL PRODUCTS ACT

READ THE LABEL BEFORE USING

A READY TO USE EFFECTIVE INSECTICIDE FOR USE IN DAIRIES, DAIRY BARNs, HORSE STABLES AND PIG PENS. FOR THE CONTROL OF STABLE FLIES, MOSQUITOES, HORSE FLIES OR OTHER SMALL FLYING INSECTS.

NET CONTENTS 20 LITRES

CARDEL PRODUCTS LIMITED  
Box 126  
Brampton, Ontario  
L6V 2K7

DIRECTIONS FOR USE:

SPACE SPRAY - Apply at a rate of 100 - 200 millilitres per 100 cubic metres, through a Fogmaster or other similar fog generating equipment. For best results, close all doors and windows and shut off ventilating systems during treatment. Remove all animals from treatment area before using as a space spray. Direct spray upwards to all parts of the room especially windows and other light sources. Also direct mist into areas where insects are present. Spray only when temperature is under 32 degrees C. Keep area sealed for 30 minutes after each treatment. Do not remain in treated areas. Ventilate treated areas thoroughly for at least 30 minutes before animal re-entry. Ensure proper ventilation after sealed areas have been treated.

Following ventilation, clean up dead insects.

LIVESTOCK SPRAY - To treat dairy cattle or horses against stable flies, horse flies and mosquitoes, spray animal once only daily with a fine mist, using either a continuous hand operated sprayer or a Fogmaster on the lowest setting. Spray at the rate of 30 to 45 millilitres per animal, being very careful to wet ends of hair only. Do not use more often than once a day.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Flammable mixture. Product contains Petroleum Distillate. Do not store, pour or use near fire or flame. Wear mask or respirator when applying spray mist. Wear protective clothing. Harmful if swallowed, inhaled or absorbed through skin. Wash thoroughly with soap and water after handling. Do not contaminate feed, water or food stuffs. In food processing plants and food service establishments, apply only when plant is not in operation. Remove all food before treatment. Cover all food processing surfaces and thoroughly clean with potable water before resuming operations. Do not use in milk processing plants or milk parlours. KEEP OUT OF REACH OF CHILDREN. Do not use near birds, fish or pets. Do not spray closer than 1 m to fabric. Dispose of empty container in regular garbage.

FIRST AID: Product contains Petroleum Distillate, if swallowed DO NOT induce vomiting. Obtain medical attention immediately. If in eyes, flush with plenty of water. If on skin, wash with soap and water. If irritation persists, obtain medical attention.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

LIMITATION OF WARRANTY: Seller's guarantee shall be limited to the terms set out on the label and subject thereto the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

\*\*\*\*\*

This label transcript service is offered by the Pest Management

Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))