09-DEC-1996

C-I-L

CRABGRASS DOCTOR (R) WITH BETASAN (R)

DOMESTIC

Attach & Spray

1L Treats 100 m2

KEEP OUT OF REACH OF CHILDREN

READ THE LABEL BEFORE USING

REG. NO. 22853 P.C.P. ACT.

GUARANTEE: bensulide 145 g/L

C-I-L Products - A Division of Wilson Laboratories Inc. Dundas, Ontario L9H 3H3

C-I-L CRABGRASS DOCTOR (R) is a pre-emergent herbicide for use on established turf to control crabgrass. CRABGRASS DOCTOR (R) will not control established weeds.

DIRECTIONS: Apply C-I-L CRABGRASS DOCTOR (R) using the hose-end applicator attached. One container (1 L) will treat 100 m2. READ THE COMPLETE LABEL FOR APPLICATION INSTRUCTIONS AND PRECAUTIONS PRIOR TO USE.

- 1. Shake container thoroughly, then attach to garden hose.
- Turn water supply on at the source. Water pressure will build in hose since the sprayer is already in the "OFF" position.
- 3. To apply product, bend safety tab and turn the control valve clockwise to the "ON" position.

- 4. For best results, hold sprayer and bottle level, and direct sprayer in a sweeping side-to-side movement. Spray the contents of bottle (1 litre of product) evenly over 100 m2 of lawn. For smaller areas, spray at the rate of 100 mL over 10 m2. Do not overlap areas already sprayed.
- 5. To spray water only, turn the control valve clockwise so that the valve indicator arrow is pointing to the "WATER" position on the sprayer.
- 6. When spraying is complete, turn the control valve to "OFF" position. Turn water off. Disconnect hose from applicator and store product in original container.

DO NOT ALLOW SPRAY TO DRIFT ONTO DESIRABLE TREES AND SHRUBS, VEGETABLE GARDENS OR FLOWER BEDS. For control of crabgrass, apply C-I-L CRABGRASS DOCTOR® in the late fall or early spring before the crabgrass seed germinates. Spring application should be made before May 1 in most areas. For spring or fall applications ensure that all leaves, dead grass, and other debris is removed before application and no raking, dethatching or other soil disturbances occur after the application. If fall application (October or November) is made, do not rake the lawn or disturb the soil in the lawn in any way the following spring. Do not overlap areas already treated. Do not apply peat moss to lawn before treating. After application thoroughly water the lawn to move the product into the soil. Apply at least 1-2 cm of water evenly over the treated area.

C-I-L CRABGRASS DOCTOR (R) should only be applied to well established lawns. Do not apply to grass less than 3 months old. Use on mineral soil only. Do not reseed in treated areas for 1 year after application. (Should reseeding be desired, see below for details.)

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed. Avoid contact with skin and eyes. Avoid breathing spray mist. Wash thoroughly after use. In case of accident, obtain medical attention. Toxic to fish. Do not contaminate any body of water by direct application, cleaning of equipment, or disposal of wastes and container. When treating an area near a body of water leave a buffer zone of untreated ground.

DO NOT ALLOW CHILDREN OR PETS ON THE LAWN UNTIL THE PRODUCT HAS BEEN THOROUGHLY WATERED IN AND IS COMPLETELY DRY.

RESEEDING: Any material that provides effective control of annual grasses may affect new lawn grass seedlings which germinate after

treatment. Proper fertilization and watering will encourage the existing turf grass to fill in the thin or bare spots formerly occupied by crabgrass. Do not reseed within 1 year after application. Renovate the area to be reseeded by raking thoroughly to scarify the soil surface. When practical, mix peat in with the soil to provide an optimum seed bed. If reseeding must be done sooner than 1 year after treatment, remove top 5 centimetres of soil and replace with clean, untreated soil.

FIRST AID:

Ingestion may produce symptoms. DO NOT induce vomiting, contains petroleum distillate. Obtain medical attention immediately. Absorption through the skin or inhalation of quantities sufficient to produce poisoning is unlikely. If product gets on skin, wash thoroughly. If in eyes, flush with water and obtain medical aid.

DISPOSAL:

Dispose of empty container with household garbage.

NOTICE TO BUYER:

Seller's guarantee shall be limited to the terms set out in the label and subject thereto, the buyer assumes the risk to person or property arising from the use or handling of this product and accepts the product on that condition.

For additional product information or in case of emergency, spills or fire call toll-free 1-800-268-2806.

C-I-L AND CRABGRASS DOCTOR are trademarks of Zeneca Corp. BETASAN is a trademark of ICI PLC. Wilson Laboratories is a licensed user.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))