AB-787

DISINFECTANT - SANITIZER - FUNGICIDE - DEODORIZER WITH ORGANIC SOIL TOLERANCE FOR INDUSTRIAL, DAIRY USE

COMMERCIAL USE

GUARANTEE:

Alkyl (40% C12, 50% C14, 10% C16) dimethyl benzyl ammonium chloride 3.000% Octyl decyl dimethyl ammonium chloride 2.250% Dioctyl dimethyl ammonium chloride 0.900% Didecyl dimethyl ammonium chloride 1.350%

REGISTRATION NO. 24555
PEST CONTROL PRODUCTS ACT

READ LABEL BEFORE USING

CORROSIVE

NET CONTENT
3.6 L 4 L 20 L 204 L

Spécial P 1463, Cloutier, C.P. 382, Shawinigan (Québec) G9N 6V1 (819) 537-1831

SANITIZING OF FOOD PROCESSING EQUIPMENT AND OTHER HARD SURFACES IN FOOD CONTACT LOCATIONS.

For sanitizing food processing equipment, dairy equipment, food utensils, dishes, silverware, glasses, sink tops, countertops, refrigerated storage and display equipment and other hard non-porous surfaces. No potable rinse in required.

DIRECTIONS FOR USE: Wash and rinse all articles thoroughly, the apply a solution of 2 ml AB-787 in 1 liter of water (150 ppm active). Surfaces should remain wet for at least 1 minute followed by adequate draining and air drying. Fresh solution should be prepared daily or when use solution becomes visibly dirty. For mechanical application, use solution may not be reused for sanitizing applications.

Apply to sink tops, counter tops, refrigerated storage and display equipment and other stationary hard surfaces by cloth, brush, or mechanical spray device. No potable water rinse is required.

Dishes, silverware, glasses, cooking utensils and other similar size food processing equipment can be sanitized by immersion in a 2 ml/L solution of AB-787. No potable rinse is required.

PRECAUTIONARY STATEMENTS: KEEP OUT OF REACH OF CHILDREN. DANGER - Corrosive to eyes. Do not get in eyes, on skin or on clothing. Harmful if swallowed. Avoid contamination of food.

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are nota available, drink large quantities of water. Avoid alcohol. Call a physician immediately or poison control center.

TOXICOLOGICAL INFORMATION: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

NOTICE FOR USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

DISPOSAL:

- 1. Rinse the emptied container thoroughly and add the rinsings to the treatment site.
- 2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
- 3. Make the empty container unsuitable for further use.
- 4. Dispose of the container in accordance with provincial requirements.
- 5. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the Provincial Regulatory Agency or the Manufacturer.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))