

SLUG PELLETS

DOMESTIC

A READY-TO-USE BAIT THAT ATTRACTS AND KILLS SLUGS AND SNAILS

READ THE LABEL BEFORE USING
KEEP OUT OF REACH OF CHILDREN AND DOMESTIC PETS

REGISTRATION NO: 25421
PEST CONTROL PRODUCTS ACT

GUARANTEE: Metaldehyde... 2.75%
Warning, contains the allergen wheat.

[Update](#)

DOGS AND CATS ARE ATTRACTED TO THIS PRODUCT. FATAL POISONING
CAN RESULT FROM INGESTION.

READ PRECAUTIONS

Contains BITREX® to make pellets less palatable to birds and domestic animals.

King Home & Garden Inc.
3-304 Stone Road West
Suite 331
Guelph, Ontario
N1G 4W4

Net Contents: 750 g

DIRECTIONS FOR USE

SLUG PELLETS attract and kill slugs and snails. These destructive pests do their damage at night and are rarely seen in the daytime as they hide in dark, damp places. As slugs and snails travel around the garden searching for plants of their choice to eat, we recommend that the entire garden be treated.

The removal of bricks, boards, large rocks, trash piles or other material, which might shelter snails and slugs is helpful in their control. Evenings is the most appropriate time to apply as slugs and snails travel and feed mostly at night. Do not apply within 30 days of harvest of edible crops.

Place small mounds of bait around the garden and between plants, at the rate of 500 grams of pellets to 120 m². Be sure all pellets are on the ground and none are left on foliage of fruits and vegetables.

Moisten pellets slightly and cover with boards, bricks, Flat stones, etc. Covered bait stations are more attractive to slugs and keep pellets out of reach of dogs, cats and birds. Repeat applications at 10-14 day intervals if further control is required.

PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN AND DOMESTIC ANIMALS. Harmful if swallowed. Do not contaminate edible parts of food crops. Wash hands after use.

Dogs and cats are attracted to Metaldehyde baits and fatal poisoning may result. Keep pets from treated areas. Store in a dry place.

FIRST AID

If SWALLOWED cause vomiting by placing finger or blunt object at back of victim's throat and get medical attention immediately or contact a poison control centre. DO NOT TRY TO CAUSE VOMITING IF THE PATIENT IS UNCONSCIOUS OR IN A CONVULSIVE STATE. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION:Treat symptomatically.

DISPOSAL

Wrap empty container in newspaper. Dispose of with household garbage.

NOTICE TO BUYER

Seller's guarantee shall be limited to the terms set out on the label and, subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.