

95/2000

KA-35

COMMERCIAL

THE ONE PROCESS CLEANER

DISINFECTANT

DETERGENT

ODOR-COUNTERACTANT

GUARANTEE

n'AlKyl, dimethyl, benzyl, ammonium chloride
(40% C12, 50% C14, 10% C16)5%

REGISTRATION NO: 17050 PEST CONTROL PRODUCTS ACT

DIN 00526223

READ THE LABEL BEFORE USING.

CAUTION

POISON

CORROSIVE

NET CONTENTS

5, 20 and 200 liters

KAMERO ENTERPRISES INC
189 Ave. Labrosse, #200
Point Claire, QC
H9R 1A3
(514)426-8081

USE DIRECTIONS HOSPITAL DISINFECTION To disinfect floors,
furniture and other hard surfaces in hospital and nursing homes,
mop surface to be treated with a solution containing 15ml of KA-
35 per liter of water.

SANITIZATION To sanitize walls, floors and equipment in food processing plants, first clean thoroughly with a solution containing 6ml of KA-35 per liter of water. If surface is heavily soiled, use KA-35 at a rate of 18ml per liter to insure thorough cleaning. Sanitize cleaned surface with a rinse solution containing 4.5ml of KA-35 per liter of water. Food contact surfaces must be rinsed with potable water before reuse.

DEODORIZATION To deodorize surfaces during cleaning, mop or brush surfaces with a solution containing 15ml of KA-35 per liter of water, an effective disinfectant cleaner designed for use, in industrial and institutional cleaning. It may be relied upon to deodorize bathroom areas food processing plants, garbage pails and other areas where obnoxious odours may develop.

PRECAUTIONS KEEP OUT OF REACH OF CHILDREN Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Protect eyes and skin when handling. Harmful if swallowed. Avoid contamination of food.

FIRST AID In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. Call a physician. Remove and wash contaminated clothing before reuse. If swallowed drink promptly a large quantity of milk, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Never give anything by mouth to an unconscious person. Call a physician.

TOXICOLOGICAL INFORMATION Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

DISPOSAL:

1. Rinse the emptied container thoroughly and add the rinsings to the treatment site.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal or reconditioning.
3. Dispose of the container in accordance with provincial requirements.

4. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the regional office of Environment Canada.
5. For small spills. Recover free liquid. Soak up residue with solids absorbent. DO NOT FLUSH INTO SURFACE STREAMS. INFORM ENVIRONMENT CANADA AS IN #4.

NOTICE TO USER This control product is to be used only in accordance with the directions on this label. It is an offence under the PEST CONTROL PRODUCTS ACT to use a control product under unsafe conditions.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))