((BOX))

GREEN CROSS(R)

CREEPY CRAWLY (R) ROACH CONTROL SYSTEM

KILLS COCKROACHES AS LONG AS BAIT IS AVAILABLE.

CLEAN - EFFECTIVE - APPEALING BAIT

DOMESTIC

REG. NO.: 20471.01 P.C.P. ACT

KEEP OUT OF REACH OF CHILDREN

READ THE LABEL BEFORE USING

GUARANTEE: Propoxur....2%

NET CONTENTS: $12 \times 3 g = 36 \text{ grams}$

GREEN CROSS
Division of
CIBA-GEIGY CANADA LTD.
6860 Century Avenue
Mississauga, Ontario
L5N 2W5

DIRECTIONS FOR USE OF BAIT TRAYS:

- Do not remove from box until ready to use.
- Prior to use, remove all sources of food such as crumbs, sugar, syrup and grease spots.
- Snap trays out of plastic frame.
- Remove facing from adhesive pad on the underside of each bait tray and affix each tray to a dry surface.
- For maximum effectiveness, be sure to use all 12 trays at once.
- Use 12 trays to treat approximately 20 sq. metres (215 sq.

feet).

- Place where roaches have been seen: as under sinks, refrigerators, cabinets, pipes, baseboards and in pantries (NON-FOOD).
- Place majority of trays in kitchen (NON-FOOD areas only),
 bathroom and pantries (NON-FOOD).
- Never place in wide open areas always where roaches travel, as along edges where walls meet ceiling and floors especially near warm, damp areas and cracks and crevices.
- Roaches will feed and generally die in their hiding places.
- After using for 7-10 days the roach population will decrease.
- Replace trays when necessary (e.g. every 2-3 months) with fresh trays for continued effective control.
- Disposal wrap trays and put in garbage cans.
- Do not contaminate water with improper disposal.
- Place bait trays in areas not accessible to children and discard used trays in garbage.

PRECAUTIONS:

- KEEP OUT OF REACH OF CHILDREN AND PETS.
- Place bait trays in areas not accessible to children and pets.
- Do not remove bait from trays.
- May be harmful if swallowed.
- Avoid contamination with food, feed, dishes and food preparation surfaces.
- Do not place in food cupboards or over food preparation areas.

FIRST AID: If contents swallowed, administer water freely (2 glasses) and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person - get medical attention.

TOXICOLOGICAL INFORMATION: Contains propoxur, a carbamate cholinesterase inhibitor. Antidote is atropine sulfate. For additional antidote information call: MOBAY CHEM. (816) 242-2000 after 5 p.m. and weekends (816) 242-2582.

NOTICE TO BUYER: Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

Distributed by:
Green Cross Division of CIBA-GEIGY CANADA LTD.
6860 Century Avenue

Mississauga, Ont. L5N 2W5

(R) Registered trademark of CIBA-GEIGY CANADA LTD.

((PAMPHLET))

GREEN CROSS(R)

CREEPY CRAWLY (R) ROACH CONTROL SYSTEM

DOMESTIC

REG. NO. 20471.01 P.C.P. ACT

GUARANTEE: Propoxur 2%

NET CONTENTS: $12 \times 3 q = 36 qrams$

KEEP OUT OF REACH OF CHILDREN AND PETS

READ DIRECTIONS BEFORE USING

- A. Snap trays out of plastic frame.
- B. Use all 12 trays at once for the most effective results clean all areas of food sources.
- C. Place trays with printing up.
- D. For maximum results, the trays must be placed at key locations where roaches travel, feed and live. Generally in warm, dark, damp places and where food is available such areas are usually the kitchen, bathroom, pantries (NON-FOOD), basement, cabinets, shelving, closets, under appliances, drawers, dropped ceilings, water pipes, radiator pipes, cracked plaster walls and loose moldings.
- E. Recommended locations for trays.
- 1. Garbage can areas on floor on walls.
- 2. Under sink kitchen and bathrooms near pipes.
- 3. Under stove and behind stove or in storage space of stove.
- 4. Kitchens & pantries (NON-FOOD) on shelves place along walls and corners.
- 5. Refrigerator under and near drip pan.
- 6. Behind toilets near pipes entering toilet.
- 7. Dishwasher place on floor close to washer and near pipes leading to washer.
- 8. Microwave place behind oven.
- 9. Closets place on floors and shelves in corner.

- 11. Place near or in loose cracks and behind loose moldings.

HOW IT WORKS:

After feeding on bait, most roaches will die within 7-10 days in areas usually not visible. In some cases where heavy infestation exists it may take a month or more to achieve desired results. Additional trays should be used if heavy infestation exists.

Fresh bait trays should be used every 2-3 months for continuing effective control.

CONTROL RECORD

	Location Positioned	Date
Trap #1		
Trap #2		
Trap #3		
Trap #4		
Trap #5		
Trap #6		
Trap #7		
Trap #8		
Trap #9		
Trap #10		
Trap #11		
Trap #12		

PRECAUTIONS:

- 1. KEEP OUT OF REACH OF CHILDREN AND PETS.
- 2. Do not remove bait from trays.
- 3. Do not contaminate food, feed, dishes and food preparation surfaces.
- 4. Do not use in areas where food is processed.
- 5. Do not place in food cupboards or over food preparation surfaces.
- 6. Harmful if swallowed.

DISPOSAL:

Wrap trays in paper and place in garbage cans.

FIRST AID:

If contents swallowed, administer water freely (2 glasses) and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person, get medical attention.

TOXICOLOGICAL INFORMATION:

Contains propoxur, a carbamate cholinesterase inhibitor. Antidote is atropine sulfate. For additional antidote information call: MOBAY CHEM. (816) 242-2000 after 5 p.m. and weekends (816) 242-2582.

GREEN CROSS
Division of CIBA-GEIGY CANADA LTD.
6860 Century Avenue
Mississauga, Ont.
L5N 2W5

((TRAP))

GREEN CROSS(R)

CREEPY CRAWLY (R) ROACH CONTROL SYSTEM

DOMESTIC

REG. NO.: 20471.01 P.C.P. ACT

READ THE LABEL AND DIRECTIONS ON BOX BEFORE USING

KEEP OUT OF REACH OF CHILDREN

Place bait trays in areas not accessible to children or pets.

Discard used trays in garbage.

FIRST AID: If contents swallowed, induce vomiting.

Call MOBAY CHEM. (816) 242-2000 (816) 242-2582

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))