

95/2000

GERMEX
DISINFECTANT-SANITIZER
QUATERNARY AMMONIUM SOLUTION

NET CONTENTS: 4 L

FOR AGRICULTURAL USE ONLY-COMMERCIAL

For sanitizing poultry drinking water. For disinfecting livestock and poultry buildings and equipment for sanitizing hatchery equipment and dairy farm utensils.

GUARANTEE: N-Alkyl (C14-60%, C16-30%, C12-5%, C18-5%)
dimethylbenzyl ammonium chloride 20% (W)

REGISTRATION NO.: 12078 PEST CONTROL PRODUCTS ACT

READ THE LABEL BEFORE USING

POISON IRRITANT

Keep out of reach of children

LIST NO. 1896

Solvay Animal Health, Inc.
Kitchener, Ontario
N2C 114

DIRECTIONS FOR USE:

General Disinfectant: For use as a disinfectant on ordinary surfaces use 20 mL per 10 litres of water (400 ppm). For use on a porous surface or an area difficult to clean, use 40 mL per 10 litres of water.

Sanitizer: Can be used as a wash for pregnant sows prior to farrowing, cleaning dairy utensils, as an udder and flank wash, teat-cup rinse, dipping hatching eggs (immersing eggs in water maintained at 43EC - 49EC for 3 minutes) at a level of 10 mL per 10 litres (200 ppm). For sanitizing hatchery equipment, use 10 to 20 mL per 10 litres.

Poultry Drinking Water: For use in automatic proportioners, prepare

4 litres of stock solution containing 180 mL of Germex. Set proportioner to deliver approximately 30 mL per 4 litres of drinking water (65 ppm)

SPECIAL USE DIRECTIONS

1. Remove all poultry and feeds from premises, trucks and coops, crates.
2. Remove all litter and droppings from floors, walls, and surfaces of facilities occupied or traversed by poultry.
3. Empty all troughs, racks and other feeding and watering Appliances.
4. Saturate surfaces with recommended solution.
5. Ventilate buildings, coop and other closed spaces. Do not house poultry or employ equipment until treatment has been absorbed, set or dried.
6. All treated feed racks, mangers, troughs, automatic feeders, fountains and waterers must be thoroughly rinsed with potable water prior to reuse.
7. If soap is used in the cleaning process, rinse thoroughly before disinfecting.

CAUTION STATEMENTS

PRECAUTIONS: Can cause serious eye and skin damage. Do not get on skin and in eyes. Harmful or fatal if swallowed. Avoid contamination of food. Rinse empty container thoroughly with water before discarding.

FIRST AID: In case of contact, flush immediately with plenty of water for at least 15 minutes. For eyes - call a doctor. Remove and wash contaminated clothing before reuse. If ingested, promptly drink a large quantity of milk, egg whites, gelatin solution or, if these are not available, large quantities of water. Call a doctor immediately.

TOXICOLOGY: Probable mucosal damage may occur, therefore, do not induce vomiting. Measures against circulatory shock, respiratory depression and convulsions may be needed. Avoid alcohol.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

Protect from freezing.

KEEP OUT OF THE REACH OF CHILDREN

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))