

96.10.02

COSAN 160

CLEANER
DISINFECTANT
DEODORIZER
FUNGICIDE

GUARANTEE:

n-Alkyl (60%C14; 30%C16; 5%C12, 5%C18)
dimethyl benzyl ammonium chlorides 0.8%
n-Alkyl (60%C12, 32%C14) dimethyl
ethylbenzyl ammonium chlorides 0.8%

REGISTRATION NO. 21162
PEST CONTROL PRODUCTS ACT

D.I.N. 792527

FOR INDUSTRIAL USE ONLY

READ THE LABEL BEFORE USING

CAUTION
CORROSIVE

LOT NO.

4L 4.5L 22.7L 25L 205L

COBOL INDUSTRIES LTD.
9521 COTE DE LIESSE
DORVAL, QUEBEC
H9P 2N9

COSAN #160 is a heavy duty cleaner and disinfectant for all washable surfaces in food processing plants, hospitals, restaurants, schools and institutions.

COSAN #160 when used as directed, will remove heavy soils and grease from table tops, counters, floors, walls and processing equipment.

COSAN #160 will leave the surfaces sanitized and deodorized.

DIRECTIONS: To disinfect hard inanimate surfaces: in hospital operating rooms and patient areas, walls, floors, table tops, add

35 mL COSAN #160 per litre of water. Apply with mop, sponge or cloth. Wet thoroughly. Allow to soak for 10 minutes. Allow to air dry. For hospital disinfection, dilute 50 mL COSAN #160 to 1 litre of water. In food processing plants and food service areas rinse with potable water after disinfecting.

MILDEWCIDE

To control mildew or molds, add 25 mL COSAN #160 per litre of water. Apply solution with cloth, mop or sponge. Allow to air dry. Prepare fresh solution for each use. Repeat application weekly or when mildew reappears. To sanitize previously cleaned and rinsed non-porous food contact surfaces, flush the surfaces with a solution of 200 ppm COSAN #160. Allow at least 60 seconds contact, then air dry. To sanitize drinking glasses and eating utensils immerse completely in 200 ppm COSAN #160 solution for at least 60 seconds. Remove and air dry. Prepare fresh solution daily or when solution becomes cloudy. To prepare 200 ppm solution, add 13 mL COSAN #160 per 1 litre of water.

IMPORTANT

Do not mix COSAN #160 with soap or anionic solutions.

PRECAUTIONS: Keep out of reach of children. Concentrate is corrosive and could cause severe eye and skin damage. Protect eyes, skin and clothes when handling concentrate. Harmful if swallowed. Avoid contamination of food. Rinse empty container with water before discarding.

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, drink milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Do not induce vomiting. Call physician or poison control centre. A table of dilutions for complete kill against specific bacterial organisms usually found in hospitals and food processing plants is available from your supplier.

DISPOSAL:

1. Rinse the emptied container thoroughly and add the rinsings to the treatment site.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
3. Make the empty container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.
5. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the Provincial Regulatory Agency or the Manufacturer.

NOTICE TO USER: This control product is to be used only in

accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))