

97.06.02

GEM 12

HYPOCHLORITE DE SODIUM

SODIUM HYPOCHLORITE

FOR INDUSTRIAL INSTITUTIONAL AND SWIMMING POOLS USE

POUR USAGE INDUSTRIEL ET INSTITUTIONNEL ET POUR PISCINES

READ THE LABEL BEFORE USING

LIRE L'ETIQUETTE AVANT L'EMPLOI

REGISTRATION NUMBER 24738

PEST CONTROL PRODUCTS ACT

NO D'ENR. 24738

LOI SUR LES PRODUITS ANTIPARASITAIRES

GUARANTEE:

Sodium hypochlorite 10.8% w/w
Available chlorine 10.3% w/w when packed

GARANTIE:

Hypochlorite de sodium 10.8% p/p
Teneur en chlore libre 10.3% p/p à l'emballage

WARNING CORROSIVE

AVERTISSEMENT CORROSIF

20 L

PISCINES & ABRIS BELLE ETOILE INC.
266, Boul. L'Heureux
Beloeil, Québec
J3G 5P2

INSTRUCTIONS

Laundry: Dilute 40 to 50 mL of this product in 1 litre of water and pour in your wash water before adding laundry. Safe for nylon, orlon, terylene and for all fast colours. Do not use on wool, silk, unfast colours, leather or silverware.

Different uses: Removes stains, disinfects and deodorizes toilet bowls, baths, garbage cans, sick rooms, linoleum, woodwork, tiles, counter sinks, refrigerators, dish water, 15 mL per 1 litre of water.

On the farm: Normally: 20 mL of this product in 10 litres of water yields a solution containing 200 ppm available chlorine. The use of this product at a concentration equal or greater than 200 ppm available chlorine on materials or surfaces which come into direct contact with food should be followed by a rinse with potable water.

SWIMMING POOL:

1. Maintain recommended daily levels as determined by testing kit.

Free available chlorine:	1.0 - 3.0 ppm
pH:	7.2 - 7.8
Total Alkalinity:	100 - 120 ppm
Calcium Hardness:	200-300 ppm

2. Initially superchlorinate pool water by adding to the pool 1 L of this product per 10,000 L of pool water. For best results superchlorinate at dusk.
3. Chlorinate daily to maintain proper chlorine residual with 250 mL of this product per 10,000 L of pool water, or as needed.

NOTE: Hot weather, heavy pool usage, and rain may require higher usage rates to maintain proper chlorine residuals.

4. Superchlorinate weekly with 1 L of this product per 10,000 L of pool water when average daily temperature is 25°C - 32°C. Otherwise, superchlorinate every other week.

5. For visible algae superchlorinate using 2 L of this product per 10,000 L of pool water. Heavy algae infestation may require dosages up to 3 L per 10,000 L. Vacuum pool when dead algae settles.
6. For wading, pools, chlorinate daily to maintain a chlorine residual of 3 - 5 ppm by adding 45 mL of this product per 1,000 L of pool water, or as needed.

NOTE: For outdoor pools, chlorine residuals can be protected from destruction by sun's rays by addition of stabilizer (cyanuric acid).

PRECAUTIONS

- . Keep out of reach of children.
- . Dangerous gas formed when mixed with acid.
- . Do not mix with any other chemical.
- . Avoid contact with skin and eyes.
- . Harmful if swallowed.
- . Keep container closed and store in a cool location.
- . Rinse container thoroughly before discarding.
- . Do not re-use.

FIRST AID

If splashed in eyes or on skin, flush thoroughly with water for 15 minutes. For eye contact, get medical attention. If swallowed, drink one glass of milk or water. Call a physician or poison control centre immediately.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions. Keep upright in a cool dark place

DISPOSAL:

1. Rinse the emptied container thoroughly and add the rinsings to the treatment site.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
3. Make the empty container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.
5. For information on the disposal of unused, unwanted product

and the cleanup of spills, contact the Provincial Regulatory Agency or the Manufacturer.

Store upright in a cool dark place.
Product not affected by freezing.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))