GENI-SEP

Disinfectant - Cleaner - Sanitizer - Fungicide - Mildewstat - Virucide - Deodorizer for Hospitals, Institutional, Industrial use and Food Processing Establishments.

Effective in hard water up to 400 ppm hardness (calculated as CaCO3) in the presence of 5% serum contamination.

COMMERCIAL

WARNING

POISON

CORROSIVE

READ THE LABEL BEFORE USING

REGISTRATION NO.20296

PEST CONTROL PRODUCTS ACT

GUARANTEE:

OCTYL DECYL DIMETHYL AMMONIUM CHLORIDE	6.510%
DIOCTYL DIMETHYL AMMONIUM CHLORIDE	2.604%
DIDECYL DIMETHYL AMMONIUM CHLORIDE	3.906%
ALKYL (C12, 40%; C14, 50%; C16, 10%)	
DIMETHYL BENZYL AMMONIUM CHLORIDE	8.680%

DIN: 693766

NET LITRES

LOT NO:

EXPIRY DATE:

DIVERSEY INC.
2645 Royal Windsor Drive
Mississauga, Ontario
L5J 1L1

FOR INDUSTRIAL, INSTITUTIONAL AND FOOD PLANT USE

DESCRIPTION: Cross-contamination is of major housekeeping concern not only in hospitals, but in schools, institutions, and industry. GENI-SEP has been formulated to aid in the reduction of cross- contamination in these areas. GENI-SEP is a one-step disinfectant cleaner that is effective against a broad spectrum of bacteria, is virucidal, fungicidal, and will prevent the growth of mold and mildew and their odors when used as directed. GENI-SEP is an effective one-step sanitizer-cleaner for use on non-food contact surfaces. When used as directed, GENI-SEP will deodorize surfaces in toilet areas, behind and under sinks and counters, garbage cans and garbage storage areas, and other places where bacterial growth can cause mal odors.

DIRECTIONS: GENI-SEP is a proven "one-step" disinfectant-cleaner-sanitizer- fungicide-mildewstat-virucide which is effective in water up to 400 ppm hardness in the presence of 5% serum contamination. Apply GENI-SEP to walls, floors and other hard (inanimate) non-porous surfaces such as tables, chairs, countertops, sinks, tile, porcelain, and hospital bedframes with a cloth or mop so as to thoroughly wet surfaces. For heavily soiled areas, a preliminary cleaning is required. Prepare a fresh solution visibly dirty.

DISINFECTION - To disinfect hard, non-porous surfaces such as meat and food processing equipment, add 4 mL per Litre of water. Treated surfaces must remain wet for 10 minutes. Surfaces treated with GENI-SEP and which come into direct contact with food must be rinsed with potable water before re-use. The activity of GENI-SEP has been evaluated in the presence of 5% serum and 400 ppm hard water by the AOAC use dilution test and found to be effective against a broad spectrum of gram negative and gram positive organisms as represented by:

Pseudomonas aeruginosa Staphylococcus aureus Salmonella choleraesuis Escherichia coli Streptococcus pyogenes Klebsiella pneumoniae Enterobacter aerogenes Salmonella schottmuelleri Streptococcus faecalis Shigella dysenteriae Brevibacterium ammoniagenes Salmonella typhi Serratia marcescens

FUNGICIDAL PERFORMANCE-GENI-SEP is an effective fungicide against Trichophyton mentagrophytes (the athlete's foot fungus) when used on surfaces in areas such as locker rooms, dressing rooms, shower and bath areas, exercise facilities, etc., at 4 mL per Litre. MOLD AND MILDEW CONTROL-At 4 mL per Litre GENI-SEP will effectively inhibit the growth of mold and mildew and the odors

caused by them when applied to hard, non-porous surfaces (as indicated in general instructions above). Allow to dry on surface and repeat when mildew growth returns. VIRUCIDAL PERFORMANCE - At 4 mL per Litre use-level, GENI-SEP was evaluated in the presence of 5% serum and 400 ppm hard water and found to be effective against the following viruses: Influenza A/Brazil, Herpes Simplex and Vaccinia on inanimate environmental surfaces. SANITIZING-NON-FOOD CONTACT SURFACES (such as floors, walls, tables, etc.) - At 1.0 mL per Litre use-level, GENI-SEP is an effective sanitizer against Staphylococcus aureus and Klebsiella pneumoniae on hard porous and non-porous environmental surfaces. Treated surfaces must remain wet for 60 seconds.

PRECAUTIONS:

KEEP OUT OF REACH OF CHILDREN

CORROSIVE - Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Protect eyes and skin when handling. Harmful if swallowed. Avoid contamination of food.

FIRST AID - In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed drink promptly a large quantity of milk, egg whites gelatin solution or if these are not available, drink large quantities of water. Call a physician immediately.

NOTE TO PHYSICIAN - Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsion be needed.

NOTICE TO USER - This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

DISPOSAL:

- 1. Rinse the emptied container thoroughly and add the rinsings to treatment site.
- 2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal or reconditioning.
- 3. Dispose of the container in accordance with provincial requirements.
- 4. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the regional office of Conservation and Protection Service, Environment Canada.
- 5. For small spills. Recover free liquid. Soak up residue

with solids absorbent. DO NOT FLUSH INTO SURFACE STREAMS. INFORM ENVIRONMENT CANADA AS IN #4.

DO NOT STORE IN FOOD PROCESSING OR FOOD STORAGE AREAS

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))