

17-MAR-2003

FARNAM
PET PRODUCTS

2 Applicators - 1 dose box for large dogs
or 2 dose box for small dogs

A division of Farnam Companies, Inc.
301 W. Osborn Road • Phoenix, AZ 85013

bio
SPOT®

DO NOT USE ON CATS

FOR DOGS

DOMESTIC

Reg. No. 27056 P.C.P. ACT
U.S. Patent No.5,942,525

CAUTION POISON

READ THE LABEL BEFORE USING

KEEP OUT OF REACH OF CHILDREN

GUARANTEE: Permethrin.....45.0%
Pyriproxyfen.....5.0%

NET CONTENTS: 2, 4, 6 1.5 mL Applicators

Kills fleas, ticks and mosquitoes

Controls mosquitoes for 3 weeks

Controls fleas for 3 weeks

Inhibits flea egg development for 3 months

Controls ticks, including the blacklegged (deer) tick, which may carry the organism which causes Lyme Disease, for 3 weeks

Bio Spot® for Dogs is an effective and easy to use product. Bio Spot for Dogs inhibits flea eggs laid on treated dogs from developing into biting adults for 3 months. **Bio Spot for Dogs** controls fleas, brown dog ticks and American dog ticks for 3 weeks. **Bio Spot for Dogs** kills blacklegged (deer) ticks (which may carry the organism which causes Lyme Disease) for 3 weeks. Ticks present on the animal at the time of treatment may take several days to die.

For effective flea and tick control, treatment of the pet should be combined with the sanitation of any area used by the pet. Vacuum floors, carpets, furniture, etc. (discard vacuum bag after use) and wash the pet's bedding, living quarters, and surrounding areas. If pet problems persists, an insecticidal premise treatment may be required.

DIRECTIONS FOR USE: Use ONLY on dogs and puppies over 6 months of age. **DO NOT USE ON CATS OR OTHER ANIMALS. NOT TO BE USED ON DOGS OVER 30 KG.** Do not get this product in your dog's eyes or mouth. Repeat applications may be made if necessary (i.e. if the flea infestation persists) but do not apply more often than once every 3 weeks. **IF ONLY TICKS OR MOSQUITOES ARE A PROBLEM, IT IS NOT NECESSARY TO USE A PRODUCT WHICH CONTAINS PYRIPROXYFEN.** Efficacy of the product may be affected by washing the pet.

For Dogs Weighing Less Than 15 kg (One Applicator): Apply one tube (1.5 mL) of **Bio Spot for Dogs** solution to the dog's back at skin level between the shoulder blades.

For Dogs Weighing 15 to 30 kg (Two Applicators): Apply one tube (1.5 mL) of **Bio Spot for Dogs** solution to the dog's back at skin level between the shoulder blades and apply a second tube (1.5 mL) to the dog's back at skin level directly in front of the base of the tail.

HOW TO APPLY: Remove product tube from packaging by tearing along perforation. Holding tube with notched end pointed up and away from face and body, cut off notched end of tube. Invert tube over dog and use narrow end of tube to part dog's hair. Squeeze tube firmly to apply all of the solution to the dog's skin. Wrap tube and put in garbage.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Keep children and toddlers from touching the dog after application until the product has completely dried. Not for use of humans. Harmful if swallowed or absorbed through the skin. Avoid contact with skin, eyes or clothing. May cause eye irritation. Wear gloves when applying. Wash thoroughly with soap and water after handling.

For external use on dogs only. Consult a veterinarian before using on pregnant animals, sick animals or animal under drug or other pesticide treatment. Do not use on nursing animals or animals under 6 months of age. Discontinue use if adverse effects are observed. If condition persists, consult your veterinarian.

DO NOT USE ON CATS or animals other than dogs. Cats which actively groom or engage in close physical contact with recently treated dogs may be at risk of toxic exposure.

Adverse Reactions: Some animals may be sensitive to ingredients in this product. Reactions in

dogs may include skin sensitivity. Dogs may show lethargy , increased pruritus (itchiness) erythema (redness), rash and hair discolouration or hair loss at the application site. Observe the dog following treatment. If sensitivity to the product occurs, discontinue use and bathe the dog with a mild, non-insecticidal shampoo. Seek veterinarian advice.

FIRST AID: If Swallowed: Call a physician or Poison Control Centre immediately. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger or if available, by administration of syrup of ipecac. DO NOT INDUCE VOMITING OR GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

If In Eyes: Flush with plenty of water. Get medical attention if irritation persists.

If On Skin: Wash affected area with soap and water. If irritation persists, get medical attention.

Take container, label or product name and PCP Registration number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Treat symptomatically.

STORAGE AND DISPOSAL: Store in a cool, dry place. Do not use empty container. Wrap empty container and discard with household garbage.

In case of emergency or for product information, call (602) 285-1660, Monday - Friday, 7:00 AM - 3:45 PM MST.

Manufactured for
FARNAM
PET PRODUCTS

A division of Farnam Companies, Inc.
301 W. Osborn Road • Phoenix, AZ 85013

Nylar® is a registered trademark of McLaughlin Gormley King Company.

Visit our Website at www.biospot.ca

Product Code: 3003263
RM# XXXXX
©2002 Farnam Companies, Inc. • 02-1858
Resident Canadian Agent:
Farnam (Canada) Marketing, Inc.
#700, 10104 - 103 Avenue
Edmonton, AB T5J 0H8
602-285-1660

FRONT

BIO SPOT® FOR DOGS

GUARANTEE: Permethrin.....45.0%
Pyriproxyfen.....5.0%

REG. NO. 27056 P.C.P. ACT

BACK

READ BLISTER CARD LABEL BEFORE USING

CAUTION POISON

DOMESTIC

1,5 ml

Farnam 02-0810

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.