96.05.28

511

PRESSURIZED INSECTICIDE SOUS PRESSION

COMMERCIAL

GUARANTEE / GARANTIEPYRETHRINS0.5%PIPERONYL BUTOXIDE TECHNICAL1.0%N-OCTYL BICYLOHEPTENE DICARBOXIMIDE1.0%

REGISTRATION NO. 18724 PEST CONTROL PRODUCTS ACT NO. D'ENREGISTREMENT 18724 LOI SUR LES PRODUITS ANTIPARASITAIRES

NET CONTENTS 500g CONTENU NET

DANGER

EXTREMELY FLAMMABLE / EXTREMEMENT INFLAMMABLE

EXPLOSIVE / EXPLOSIF

READ THE LABEL BEFORE USING LIRE L'ETIQUETTE AVANT L'UTILISATION

> KEMSAN INC. C.P. 4835 Saint-Laurent, Québec H4L 425

KEMSAN INC. Box 727 Oakville, Ontario L6J 5C1

KEMSAN INC. Box 5264, Station E Edmonton, Alberta, T5P 4C5

An aerosol formulated for use in dwellings, food processing

plants, food service establishments, food storage areas and milk houses, for control of Angoumois moth, ants, beetles, cadelle, centipedes, cigarette beetle, confused flour beetles, crickets, cockroaches, dermestid beetles, and other beetles, firebrat, flies, fleas, Indian meal moth, Mediterranean flour moth, mosquitoes, moths, psocids, rice weevil, wasps, weevils. This product may also be used as an inspection flushing agent for all of the insects listed above.

DIRECTIONS: FOOD PROCESSING PLANTS, FOOD SERVICE ESTABLISHMENTS, FOOD STORAGE AREAS, FOOD TRANSPORTATION VEHICLES: Drosophila, flies, gnats, mosquitoes, wasps SPACE SPRAY: Close doors and windows. Spray upward to fill room with mist. Spray 5 to 10 seconds per 30 cu. metres. Leave the area closed for 10 to 15 minutes before ventilating. Ants, cockroaches, crickets, Spiders CONTACT SPRAY: Direct spray into cracks and crevices where insects hide; hit insects directly if possible. Angoumois grain moths, cadelle, confused flour beetle, dried fruit beetles, Indian meal moth, rice weevil, saw-toothed grain beetle. Apply to insects hiding and breeding areas. If possible hit insects directly. Repeat as necessary. Adults of almond moth, Indian meal moth SPACE SPRAY: Close doors, windows and ventilators, spray upwards to fill the room with mist. Direct spray to all parts of the room, especially into dark enclosures and around stored product containers where adults may be resting. Leave area closed for 30 minutes. Repeat weekly or whenever flying moths appear. NOTE: In food processing plants and food service establishments, apply only when plant is not in operation. Remove all food before treatment. Cover all food processing surfaces and utensils and thoroughly clean and rinse with potable water before resuming operation. DWELLINGS: Flies, Biting Midges, hornets, mosquitoes, wasps SPACE SPRAY: Close doors and windows. Spray upwards to dill the room with a fine mist. Leave the room closed for 15 minutes before ventilating.

Clothes moths SPACE SPRAY: Spray suspected enclosures, arranging clothing and other articles so that mist may circulate freely. Close for at least one hour after spraying. CAUTION: In dwellings, remove all pets and cover or remove aquaria before spraying. Remove or cover all exposed foods and cooking utensils before spraying. After spraying, wash and rinse surfaces that may contact food.

MILK PARLOURS, MILK HOUSES: Horn fly, stable fly, housefly SPACE SPRAY: Close all doors and windows. Spray upwards to will the room with a fine mist. Leave the room closed for 15 minutes before ventilating.

CAUTION: In milk parlours and milk houses, remove animals from treatment area before spraying. Do not spray over milk or

milking equipment. Do not contaminate feed or troughs.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Do not remain in treated areas. Product contains petroleum distillates. Do not store, pour, or use near an open flame. Wear a mask or respirator when applying spray mist. Avoid inhalation of spray mist. Avoid contact with skin and eyes, wash after using as a space spray. Contents under pressure, do not place in hot water or near radiators, stoves or other sources of heat. Do not puncture or incinerate container or store at temperatures over 50'C. May stain finished surfaces if sprayed too closely. Note special use precautions above.

FIRST AID: If inhaled, remove patient to fresh air. If sprayed in eyes, flush with clean water for at least 15 minutes. IF sprayed on skin, wash the contaminated area with soap and water. If irritation persists or symptoms occur, obtain medical attention immediately. If accidentally swallowed, contact a poison control centre and obtain medical attention immediately. Do not induce vomiting. Never give anything by mouth to an unconscious person.

DECONTAMINATION AND DISPOSAL:

When container is empty, press valve to release all remaining pressure. Dispose of empty container in accordance with provincial requirements. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the provincial regulatory agency or the manufacturer.

NOTICE TO BUYER: Seller's guarantee shall be limited to the terms set out on the label and subject thereto. The buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

CODE 8851

REV. 09/89

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))