

92.10.26

Burton's
COMMERCIAL
MAN AGAINST PESTS
QUATS DISINFECTANT

Disinfectant - Sanitizer - Fungicide
-Deodorizer for Hospital

Institutional, Industrial, School, Dairy and Other Farm Use
For Dishes, Glasswear, Cutlery and General Use

GUARANTEE:

Didecyl Dimethyl Ammonium Chloride 7.5%

REGISTRATION NO. 19478
PEST CONTROL PRODUCTS ACT

READ LABEL BEFORE USING

CAUTION POISON IRRITANT

Net Contents - 4.54 Litres

DIN 654582

SANITATION IS A WAY OF LIFE,
LET US KEEP IT THAT WAY.

BURTON'S SANITATION LTD.
661 Montreal Street,
P.O. Box 421,
Kingston, Ontario
K7L 4W2

PRECAUTION

DANGER: Keep out of reach of children. Corrosive. Causes eye

damage and skin irritation. Do not get in eyes, on skin, or on clothing protect eyes and skin when handling. Harmful if swallowed. Avoid contamination of food.

FIRST AID TREATMENT

In case of contact immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

DIRECTIONS FOR USE

Apply Quats Disinfectant with a cloth Mop Treated surfaces must remain wet for 10 minutes. Fresh solution should be prepared daily or when the solution becomes visibly dirty.

NOTICE TO USER:

This control product is to be used only in accordance with directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

Sanitizing of Food Processing Equipment and other Hard Surfaces in Food Contact Locations

For sanitizing food processing equipment, dairy equipment, food utensils, dishes, silverware, glasses, sink tops countertops, refrigerated storage and display equipment and other hard surfaces. Wash and rinse all articles thoroughly, then apply a solution of 30 mL of Quats Disinfectant to 20 litres of water (150 ppm active). Surfaces should remain wet for at least one minute. Do not rinse.

Disinfection in Hospitals. Nursing Homes and other Health Care Institutions

For disinfecting floors, walls, countertops, bathing areas, lavatories, bedframes, tables, chairs, garbage pails and other hard surfaces, add 100 mL of Quats Disinfectant to 20 litres of water. Do not rinse. At 100 mL 20 litres of water is effective against *Pseudomonas Aeruginosa*.

Disinfectant in Institution. Industry and Schools

For disinfecting floors, walls, bedframes, countertops, garbage pails, bathroom fixtures, etc. add 60 mL of Quats Disinfectant to 20 litres of water. This concentration is effective against Staphylococcus Aureus and Salmonella Choleraesuis and Trichophyton Interdigitale (The Athlete's Foot Fungus)

Disinfection of Barber Tools

Precleaned barber tools (such as combs, brushes, razors and scissors) can be disinfected by immersing in a 10 mL of Quats Disinfectant per 3 litres of water.

Disinfection of Poultry, Equipment, Animal Quarters and Kennels

Poultry brooders watering founts, feeding equipment and other quarters (such as stalls and kennels) can be disinfected after thorough clearing by applying a solution of 60 mL of Quats Disinfectant to 20 litres of water. Prior to disinfection, remove all poultry, other animals and their feed. This includes emptying all troughs, racks and other feeding and watering appliances. After disinfection, ventilated buildings, coops and other closed spaces. Do not expose poultry, or other animals, or employ equipment until treatment has been absorbed, set or dried. All treated equipment that will contact feed or drinking water must be rinsed.

Phone 546-6641

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))