

95.01.03  
2001E

(( BOTTLE ))

59-3830-8  
500 mL

LIQUID CONCENTRATE

GARDEN CLUB(TM)

Made in Canada

Malathion  
Insecticide

READ THE LABEL  
AND CARTON BEFORE USING

KEEP OUT OF REACH OF CHILDREN

GUARANTEE:  
Malathion 12.5%

REG. NO. 23634 P.C.P. ACT - DOMESTIC

DANGER          POISON

CANADIAN TIRE CORPORATION, LIMITED  
TORONTO, CANADA  
M4P 2V8

REFER TO AND RETAIN CARTON FOR "DIRECTIONS FOR USE".

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed. Avoid contamination of feed and foodstuffs. Avoid breathing of spray mists and contact with skin and eyes. Wash thoroughly after use. Highly toxic to fish and bees. Avoid contamination of ponds and streams. Spray flowers in late evening.

FIRST AID: DANGER: Product contains PETROLEUM DISTILLATES. If swallowed, DO NOT induce vomiting. If patient is unconscious, give him/her air. Remove patient to hospital. If on skin, wash thoroughly. If in eyes, flush with water for 15 minutes and get medical attention.

TOXICOLOGICAL INFORMATION: Malathion is a cholinesterase inhibitor. ATROPINE and 2-PAM are antidotal.

DISPOSAL: Dispose of empty container with regular garbage.  
Never re-use.

(( BOX ))

59-3830-8  
500 mL

LIQUID CONCENTRATE

GARDEN CLUB (TM)

Made in Canada

Malathion  
Insecticide

READ THE LABEL  
AND CARTON BEFORE USING

KEEP OUT OF REACH OF CHILDREN

GUARANTEE:  
Malathion 12.5%

REG. NO. 23634 P.C.P. ACT - DOMESTIC

DANGER POISON

CANADIAN TIRE CORPORATION, LIMITED  
TORONTO, CANADA  
M4P 2V8

DIRECTIONS FOR USE: 5 mL = 1 teaspoon; 15 mL = 1 tablespoon.  
For Vegetables, Fruits, Flowers and Ornamentals: To control  
Aphids, Bagworms, Beetles, Budmoths, Cabbageworms, Caterpillars,  
Codling Moths, Currant Fruit-worms, Fruit Moths, Lace Bugs,  
Leafhoppers, Leafminers, Leafrollers, Mealybugs, Mites, Pine  
Shoot Moth, Plum Curculio, Pear Psylla, Potato Beetle, Plant  
Bugs, Raspberry Fruitworm, Tent Caterpillars, Whiteflies. Mix  
13 mL concentrate in 1 litre of water and spray to wet all  
surfaces of foliage. Apply at first appearance of insects.  
Repeat application as required or at 7 day intervals. Do not  
apply within seven days of harvest of edible crops. For Leaf  
Lettuce do not apply within 14 days of harvest. For Spruce  
Budworm mix 27 mL concentrate in 1 litre of water and apply as  
soon as larvae appear. Injury may occur to African Violet,  
Crassula, Fern, Petunia, Sabina and Canaerti Juniper, Red Maple,

McIntosh and Courtland Apples, Bosc and Bartlett Pears, and Ribier Grapes. Clover Mites, Ants and Millipedes: Mix 250 mL concentrate in 1 litre of water and spray exterior walls and grass around buildings. Mosquitoes: Mix 80 mL concentrate in 3 litres of water and spray on 40 square metres of grass, weeds and shrubs.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed. Avoid contamination of feed and foodstuffs. Avoid breathing of spray mists and contact with skin and eyes. Wash thoroughly after use. Highly toxic to fish and bees. Avoid contamination of ponds and streams. Spray flowers in late evening.

FIRST AID: DANGER. Product contains PETROLEUM DISTILLATES. If swallowed, DO NOT induce vomiting. If patient is unconscious, give him/her air. Remove patient to hospital. If on skin, wash thoroughly. If in eyes, flush with water for 15 minutes and get medical attention.

TOXICOLOGICAL INFORMATION: Malathion is a cholinesterase inhibitor. ATROPINE and 2-PAM are antidotal.

DISPOSAL: Dispose of empty container with regular garbage. Never re-use.

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))