

85.12.31

DISPAR

PYRETHRIN SOLUTION (CONTAINING A HIGH CONCENTRATION  
OF PETROLEUM DISTILLATE)

SOLUTION DE PYRETHRINES (PRODUIT CONTENANT UNE HAUTE  
CONCENTRATION DE DISTILLAT DE PETROLE)

DISVAP 3-6-10

INSECTICIDE A VAPORISATION DIRECTE ET INDIRECTE  
SPACE AND CONTACT SPRAY

SOLUTION PRETE A ETRE UTILISEE POUR UTILISER DANS LES ENTREPOTS  
ET LES USINES DE TRANSFORMATION. AUSSI POUR USAGE EXTERIEUR.

READY TO USE SOLUTION FOR USE IN WAREHOUSES, STORAGE ROOMS, MEAT  
PROCESSING ESTABLISHMENTS. ALSO FOR OUTDOOR USE.

COMMERCIAL

GUARANTEE / GARANTIE

PYRETHRINS	3.0%
PIPERONYL BUTOXIDE	6.0%
N-OCTYL BICYCLOHEPTENE DICARBOXIMIDE	10.0%

LIRE L'ETIQUETTE AVANT L'EMPLOI / READ LABEL BEFORE USING

NO. D'ENR 18030 / REGISTRATION NO.

LOI SUR LES PRODUITS ANTIPARASITAIRES / PEST CONTROL PRODUCTS ACT

CONTENU NET / NET CONTENTS 20 L

Dispar, division of/de Vétoquinol Canada Inc.  
Joliette, Canada, J6E 8R8

DIRECTIONS: The product can be used undiluted or diluted. When  
dilution is required, dilute concentrate with a light mineral oil  
or an odourless light petroleum hydrocarbon at the rate of one  
part concentrate to two parts oil and mix well.

CONTACT SPRAY: Use undiluted to kill cockroaches, silverfish, earwigs, ants, spiders and beetles in sheltered situations. Use equipment such as ULV, to deliver a fine mist (droplets of 30 microns in diameter or less). Apply spray into cracks and crevices and hiding places such as baseboards moist areas, openings around sinks, drains and pipes, behind cabinets and storage areas. Spray and trails and around door sills, window frames, or in ant nests. Insects must be contacted to be killed. Use dosage rate of approximately 50 mL per 100 sq. m if room surface. Leave room closed for 20-30 minutes. Do not remain in treated areas. Do not allow spray to contact stored food.

SPACE SPRAY:

1. Use undiluted to kill: Indian Meal moth, Confused flower Beetle, Saw-toothed Grain Beetle and Cockroaches that infest dried fruit products in storage.
2. Use undiluted to kill: Rice Weevil, Yellow Meal Worm, Cadelle, Confused Flour Beetle, Saw-toothed Grain Beetle, Angoumais Grain Moth, Mediterranean Flour Moth and Indian Meal Moth of stored food)stored in multi-wallpaper bags or in cloth bags) in warehouses, storage rooms and similar location.
3. Use diluted (see directions for dilution) to kill flying and crawling insects in meat processing establishments.

Close room or warehouse and shut off ventilation system. Using a spraying device or ULV, to deliver a fine mist (droplets 30 microns in diameter or less), apply DISVAP 3-6- 10:

- a) undiluted, at a rate of 200 mL of spray per 100 cu. m of room space for case 1
- b) undiluted, at a rate of 100 mL of spray per 100 cu. m of room space for case 2
- c) diluted, at a rate of 100 mL of spray per 100 cu. m of room space for case 3.

Direct mist upwards to all parts of the room especially windows and other light sources. Repeat monthly if necessary. Wherever possible keep doors and windows closed for 30 minutes after treatment. Also direct mist into areas where insects are present. Do not remain in treated areas. Spray only when temperature is under 32°C.

Ensure proper ventilation after sealed areas have been treated. Following ventilation, clean up dead insects.

4. Use diluted (see directions for dilution) to kill flies, mosquitoes, and gnats in open areas. Use at a time when temperature is cool (24°C or less) and the wind velocity is approximately 8 km/hour. Using an equipment such as ULV, to deliver a fine mist (droplets of 30 microns in diameter or less), spray DISVAP 3-6-10 at the rate of 400 mL/minute upwind of the area to be controlled. If the equipment is truck mounted, keep the speed at approximately 8 km/hour. Repeat application as required.

PRECAUTIONS: Flammable mixture. Product contains Petroleum Distillate. Do not store, pour or use near fire or flame. Wear mask or respirator when applying spray mist. Wear protective clothing. Harmful if swallowed, inhaled, or absorbed through skin. Wash thoroughly with soap and water after handling. Do not contaminate feed, water or food stuffs. In food processing plants and food service establishments, apply only when plant is NOT in operation. Remove all food before treatment. Cover all food processing surfaces and thoroughly clean with potable water before resuming operations. Do not use in milk processing plants or milk parlours. KEEP OUT OF REACH OF CHILDREN. Do not use near birds, fish or pets.

Do not spray on plastic or varnished surfaces. Do not spray closer than 1 m to fabric. Do not re-use empty drum. Destroy by perforating or crushing and burying in a non-crop, non-graze area away from water supplies.

FIRST AID: Product contains petroleum distillate, if swallowed do not induce vomiting. Obtain medical attention immediately. If in eyes, flush with plenty of water. If on skin, wash with soap and water. If irritation persists obtain medical attention.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

NOTICE TO BUYER: Seller's guarantee shall be limited to the terms set out on the label and subject thereto. The buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))