

99.04.20

STA-BRITE P

LIQUID CONCENTRATE

FOR CONTROL OF SAPSTAIN IN FRESHLY CUT LUMBER
AND FOR CONTROL OF DECAY IN WOOD EXPOSED
ABOVE GROUND

COMMERCIAL

GUARANTEE:

3-Iodo-2-Propynyl Butyl Carbamate 6%

REGISTRATION NO. 25761
PEST CONTROL PRODUCTS ACT

NET CONTENTS: 18.93 LITERS
208.23 LITERS

DANGER POISON

CORROSIVE

READ THE LABEL BEFORE USING

MANUFACTURED BY:
IBC MANUFACTURING COMPANY
P.O. BOX 9158
416 EAST BROOKS ROAD
MEMPHIS, TENNESSEE 38109 USA
(901) 344-5350

PRINTED IN USA

PRECAUTIONARY STATEMENTS

CONCENTRATE IS FATAL IF SWALLOWED OR INHALED.
CORROSIVE. CAUSES IRREVERSIBLE EYE DAMAGE AND SEVERE SKIN BURNS.
Do not get in eyes, on skin or on clothing. Avoid breathing spray
mists or vapours. Use only in well ventilated areas. Wear goggles
or face shield and rubber gloves when handling this product and

rubber gloves and protective clothing when handling freshly treated lumber. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Once treated, wood can be handled with protective gloves.

Do not use indoors or in any confined area where spray mist and vapours may concentrate and cause injury to plants or animals. This product is toxic to domestic animals. Treated sawdust and other wood wastes should not come in contact with domestic animals. Avoid contamination of feed and foodstuffs.

DIRECTIONS FOR USE:

Use Limitations:

1. Treated wood is not to be used for construction of food handling containers, food storage facilities or food growing buildings (e.g., mushroom houses).
2. Not for use in drive-through dip tanks.

DILUTE BEFORE USING

For best results lumber should be treated immediately after it is sawn. A delay in treatment of 24 hours or more permits the start of stain, mould and decay growth which subsequently requires a stronger treatment to achieve control of surface growth. Delayed application and log borne infection can result in internal stain often under a bright surface. Freshly dipped or sprayed lumber should be protected from rain washing. Dip tanks and drip aprons must be roofed, paved and drained to prevent dilution and loss of the antistain solution. Anti-stain treatment concentrations must be geared to achieve protection of the thickest or most valuable item being treated. The concentration of the ready-to-use anti-stain solution must be adjusted to accommodate seasonal changes in the exposure and species being treated. Dip tanks and spray equipment must be properly maintained. Spray boxes must be equipped with mechanical means of preventing the escape of droplets or entrained aerosols.

MIXING INSTRUCTIONS:

Mix one litre of this concentrate per 150 litres of water to protect lumber against sapstaining organisms during protracted periods of storage and transit. Dilution rates will be influenced by seasonal conditions, exposure during storage and transit, treating methods and wood species. The operational target deposition level of 3-iodo-2-Propynyl Butyl Carbamate on the surface of treated lumber is 142 micrograms/cm² of active ingredient. This should be verified periodically using available analytical quality control techniques.

Lumber and logs should be totally immersed or sprayed so as to ensure that all surfaces are treated. Put about 1/3 of the water to be used in the mixing tank. Add the correct amount of this product and then rinse the container into the tank. Add the balance of water needed and mix thoroughly. In a dipping process, the agitation resulting from the movement of the wood will be sufficient to ensure a good mix. On standing unused for a period, re-mix thoroughly before use. When using proportioning pumps for mixing, this product should be maintained at temperatures above 10 degrees C to prevent inaccurate mixing due to viscosity changes. Minor proportioning rate changes can be affected by changing the setting of the pump dial.

NOTE: With normal dip or spray application long term control of decay cannot be achieved. This product is designed to provide blue stain, mould and decay control during storage and in transit.

FIRST AID

IF SWALLOWED: Drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol.

IF IN EYES: Immediately flush with large quantities of water and get medical attention.

STORAGE

Store unused product in a secure area.

DISPOSAL

1. Rinse the emptied container thoroughly and add the rinsings to the treatment site.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
3. Make the empty container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.
5. For information on the disposal of unused, unwanted product the cleanup of spills, contact the Provincial Regulatory Agency the Manufacturer.

TOXICOLOGICAL INFORMATION

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, wildlife and domestic animals. Do not apply directly to any body of water. Do not contaminate water by cleaning of equipment or disposal of waste. Treated sawdust, shavings and residues of the treatment process should be disposed of properly and should not come in contact with a domestic animal or be used in bedding or litter.

NOTE TO USER

This control product is to be used only in accordance with the directions on this label. It is an offense under the Pest Control Products Act to use a control product under unsafe conditions.

NOTICE TO BUYER

Seller's guarantee shall be limited to the terms set out on the label and subject thereto. The buyer assumes the risk to person or problems arising from the use and handling of this product and accepts the product on that condition.

Distributed by:
ISK Biocides, Inc.
416 East Brooks Road
Memphis, TN 38109 USA

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))