BETZ BETZ 41-J8 ANTIMICROBIAL AGENT

INDUSTRIAL

WARNING

CORROSIVE

READ LABEL BEFORE USING

GUARANTEE

CONTENTS: Liquid

₩t.%

5-Chloro-2-methyl-4-isothiazolin-3-one	1.158
2-Methyl-4-isothiazolin-3-one	0.35%

REGISTRATION NO. 18838
PEST PRODUCTS CONTROL ACT

NET WEIGHT AS MARKED ON CONTAINER

Betz Inc. 3026 Solandt Road Kanata, Ontario K2K 2A5

PRECAUTIONS: Corrosive. Causes eye damage and skin burns. May cause allergic skin reaction. May be harmful if inhaled. May be fatal if swallowed or absorbed thorough the skin. Do not get in eyes, on skin, or clothing. Wear goggles or face shield and rubber gloves when handling. Avoid breathing vapor or mist. Avoid contamination of food. Do not take internally. Wash thoroughly after handling.

FIRST AID: If swallowed, do not induce vomiting. Drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately. If inhaled, remove immediately to fresh air. If not breathing, apply artificial respiration. If breathing is difficult, give oxygen. Call a physician. If on skin, wash thoroughly with soap and water. Remove and wash contaminated clothing before reuse. If in eyes, flush with plenty of water for at least 15 minutes. Call a

physician.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsions may be needed.

ECOLOGICAL: This pesticide is toxic to fish and wildlife. Do not discharge into lakes, streams, ponds or public water unless in accordance with local regulations. Do not contaminate water by cleaning of container and equipment or disposal of waste. Apply this pesticide only as specified on this label. Do not reuse empty container. Send drum to reconditioner, or destroy by perforating or crushing and bury in a safe place.

DIRECTIONS FOR USE

OIL FIELD INJECTION WATERS: For the control of slime forming bacteria and sulfate reducing bacteria in oil field waters, slug treat with 67 to 332 parts per million BETZ 41-J8 depending on the severity of contamination.

INITIAL DOSE: Add 166 to 332 parts per million BETZ 41-J8 (166 to 332 litres to 1000 cubic meters of water) at a point in the system where it will be uniformly mixed. Repeat treatment after 3 days or as needed until control is achieved.

SUBSEQUENT DOSE: Add 67 to 166 parts per million BETZ 41-J8(67 to 166 litres to 1000 cubic meters of water) every 7 days or as needed to maintain control.

FOR INDUSTRIAL USE ONLY: Technical advice regarding specific site problems available from BETZ.

KEEP CONTAINER TIGHTLY CLOSED - STORE IN A DRY PLACE CORROSIVE LIQUID, NOS(CHLOROMETHYLISOTHIAZOLIN)UN 1760

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))