

06-APR-2000

CALLAWAY BX-45

GUARANTEE:
Sodium dimethyldithiocarbamate 40%

COMMERCIAL

CAUTION

POISON

READ THE LABEL BEFORE USING

REGISTRATION NO. 26122

PEST CONTROL PRODUCTS ACT

CALLAWAY
CHEMICAL COMPANY
a unit of Vulcan Chemicals
a division of Vulcan Materials Company
6003 Veterans Parkway,
Columbus, Georgia
31909-4663, USA
Telephone: 706 576-6412

Net Contents: Litres

See Markings on Top of Container
for Net Weight
in Kilograms

DIRECTIONS FOR USE

PAPER MILLS

Dosage will vary from 0.1 to 0.6 kg. (0.08 litres to 0.5 litres) of CALLAWAY BX-45 per ton of finished paper depending on the type of stock, complexity of the system, quality of raw water, and type and degree of contamination.

CALLAWAY BX-45 may be drip fed continuously from the drum or fed by suitable chemical pumps such as adjustable proportioning types; variable speed, positive displacement types; or by the

reciprocating type. This product should be fed as early as possible in the system at such points, including the hydropulper, machine chest or broke system.

PRECAUTIONARY STATEMENTS

Causes eye and skin irritation. Do not get in eyes, on skin or on clothing. Wear goggles or face shield, rubber gloves and protective clothing (hats, long sleeve shirt long pants and boots) when handling. Harmful if swallowed. Avoid contamination of food and feedstuffs.

DISPOSAL:

1. Rinse the emptied container thoroughly and add the rinsings to the treatment site.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
3. Make the empty container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.
5. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the provincial regulatory agency or the manufacturer.

FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg white, gelatin solution or if these are not available, drink large quantities of water. Call a physician or Poison Control Center immediately.

TOXICOLOGICAL INFORMATION

A. Symptoms of SDDC Poisoning

May cause skin and eye irritations. May cause depression, lethargy, and difficulty breathing.

B. Wash skin with soap and water. Flush eyes with copious amounts of water.

If substantial amounts of SDDC have been recently ingested, the stomach should be emptied by gastric intubation, aspiration, and lavage, after all measures have been taken to protect the airway. If small amounts have been ingested and/or several hours have

elapsed since ingestion, charcoal and a cathartic should be administered orally.

NOTICE TO USER:

This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))