

16-FEB-2006

29-JAN-2008 Notification - Change in Registrant

**WILSON
FRUIT PLUS⁽¹⁾**

INSECTICIDE / FUNGICIDE

Kills Insects • Controls Diseases
For apple, pear, peach,
cherry, plum, and grape.

DOMESTIC

REG. NO. 24092 P.C.P. ACT

GUARANTEE:

Phosalone 4%
Ferbam 15%

CAUTION



POISON

READ THE LABEL BEFORE USING
KEEP OUT OF REACH OF CHILDREN

500 mL (1 L)

Notification Change

~~Spectrum Brands IP Inc.
10 Craig St.,
Brantford, ON
N3R 7J1~~

Sure-Gro IP Inc.
P.O. Box 21001
Brantford ON
N3R 7W9

DIRECTIONS: SHAKE WELL BEFORE USING. This product controls most insects and diseases on apple, pear, peach, plum, cherry and grape, if used as directed. (Apple maggot is very difficult to control if unsprayed apple or hawthorn trees grow nearby.)

NOTE: For overwintering insects on fruit trees use Wilson Liquid Lime Sulphur Dormant Spray; for wood borers on peach and plum use Wilson Borer and Weevil Killer.

Rate: Mix 30 mL (2 level tablespoonfuls) per 3 litres of water or 250 mL per 25 litres. Use 30 mL (2 tablespoonfuls) per 2 litres (375 mL per 25 litres) for apple maggot on apple and prune from late June until mid-August. Stir well before spraying.

Time of Application: This product will give good results only if applied before insects and diseases attack fruit trees or grapes. On apple and pear apply when green leaflets show, repeat before first flower buds open, again when bloom is finished and thereafter at intervals of 10 to 12 days until mid-August. On peach, plum and cherry apply just as first few flower buds are opening, repeat when green shucks covering newly formed fruit begin to split and thereafter at 10 to 12 day intervals until August. On grapes apply just before and just after bloom and again 12 days later. Another application may be needed in late August. May be applied up to 7 days before harvest of apple, pear, cherry, 14 days for plum and grape, 21 days for peach. During hot weather, spray in early morning or evening.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. May be harmful if swallowed, inhaled or absorbed through skin. Wash with soap after use or before eating or smoking. Wash contaminated clothing. Moderately toxic to bees, do not spray when trees are in flower. Do not contaminate food, feed or water. Keep container from freezing.

FIRST AID: If swallowed, induce vomiting by taking warm water. If in eyes, flush with water for 15 minutes. Get medical attention or contact a poison control center. Take container, label or product name and P.C.P. Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Phosalone is a cholinesterase inhibitor, atropine is antidotal.

DISPOSAL: Discard empty container with household garbage.

For additional product information or in case of emergency, spills or fire, call toll-free 1-800-268-2806.
www.wilson.nu-gro.com

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.