

96.08.29

NET CONTENTS: 2 kg

WILBUR-ELLIS
IDEAS TO GROW WITH (R)

MALATHION 25-W

INSECTICIDE

WETTABLE POWDER

REGISTRATION NO. 14769

PEST CONTROL PRODUCTS ACT

AGRICULTURAL

GUARANTEE:

MALATHION 25%

WILBUR-ELLIS COMPANY
P.O. BOX 16458
FRESNO, CA
93755

DIRECTIONS FOR USE

For best results apply when the temperature is 20°C or higher. Use sufficient volume of spray per hectare for good coverage of all plant parts; for tree fruits approximately 3000 L of dilute spray or an equivalent amount of material as a concentrate spray per hectare; for vegetables 1000 L dilute spray per hectare. For proper timing of application, follow the Provincial Spray Guides. Repeat at 10-12 day intervals as necessary.

APPLE, PEAR: Aphids (rosy, green woolly), Scale crawlers (San José, Oystershell), Mealy bug, Red-banded leafroller, Eye-spotted budmoth, Plum curculio, Tent caterpillar, Pear slug, Fruit tree leafroller. Rate: 6.75 - 16.5 kg/ha

PEACH, PLUM, CHERRY: Oriental fruit moth, Plum curculio, Mealy

plum aphid, Black cherry aphid, Fruit tree leafroller. Rate:
8.25 - 12.5 kg/ha

STRAWBERRY: Aphids, Spider mites, Leafrollers, Thrips,
Leafhoppers, Strawberry weevil adults (B.C. only). For mites
apply in m~June or two weeks prior to picking. Rate:
2.75 - 4.25 kg/ha

RASPBERRY: Raspberry sap beetle, Rose chafer, Trips, adult Bud
weevil, Leafhoppers, Raspberry fruitworm. Rate:
13.25 - 16.5 kg/ha

CURRENT, GOOSEBERRY: Mites, Thrips, Aphids, Leafhoppers, Currant
fruitworm. Rate: 6.75 - 8.25 kg/ha

BLUEBERRY: Blueberry maggot, Cherry fruitworm, Cranberry
fruitworm, Mites, Thrips, Aphids. Rate: 2.25 kg in 2500 L/ha

ASPARAGUS: Asparagus beetle. Rate: 5.5 kg/ha

POTATO, TOMATO: Tomato russet mite, Spider mites, Aphids,
Cucumber beetle, Leafhoppers, Leafminers, Colorado potato beetle.
Rate: 2.75 - 4.25 kg/ha

CELERY, GARLIC, LEEK, ONIONS (BULB, GREEN, SPRING), PEA, SHALLOT:
Aphids, Pea weevil, Pea moth, Leafhoppers, Mites, Thrips,
Six-spotted leafhopper. Rate: 4.25 kg/ha

BEANS, ENDIVE, FIELD LETTUCE, (LEAF, HEAD), GREENHOUSE LETTUCE
(LEAF-HEAD), SALSIFY: Mexican bean beetle, Mites, Leafhopper,
Aphids, Cabbage looper, Six-spotted leafhopper, Thrips. On
greenhouse lettuce use no more than 2 applications. Rate:
2.75 - 5.5 kg/ha

BEEF, BROCCOLI, BRUSSELS SPROUTS, CABBAGE, CARROT, CAULIFLOWER,
EGGPLANT, KALE, KOHLRABI, PARSNIP, PEPPER, RADISH, RUTABAGA,
TURNIP: Imported Cabbage worm, Cabbage looper, Leafhopper,
Aphids, Mites, Six spotted leafhoppers, Leafminers, Flea beetles,
Pepper weevil (maggot). Rate: 2.25 - 5.5 kg/ha

CUCUMBER, MELON, PUMPKIN, SQUASH: Aphids, Mites, Leafhoppers,
Cucumber beetle, Leafminer. Do not spray unless foliage is dry.
Rate: 4.25 kg/ha (for melon 4.25 - 5.5 kg/ha)

SPINACH: Leafminers, Aphids. Rate: 5.5 - 7 kg/ha

ORNAMENTAL TREES AND SHRUBS, FLOWERS (outdoors and in
greenhouse): Aphids, Thrips, Lace bugs, Leafminers, Mealy bugs,
Bagworms, Spider mites, Tent caterpillars, White fly, Pine needle
scale, Tarnished plant bug, Leafhoppers, European pine shoot

moth. Apply at first appearance of pest. Repeat as needed. Do not apply on Crimson Maples. Rate: 2.5 - 5 kg/1000 L (in greenhouse 2.5 - 3 kg)

MUSHROOMS: Phorid and Sciarid flies, Mites. Apply 12 L/100 m² of bed surface immediately after picking and repeat about 2 times per week or as required but not later than 2 days before picking. Rate: 4 - 6 kg/1000 L

MUSHROOMS: Phorid and Sciarid flies. Spray or paint as needed on wooden surfaces to the point of run-off. Avoid spraying on the bed surface whenever the time of application or volume of spray is different from the use of pattern above. Rate: 4 - 6 kg/1000 L

DIRECTIONS FOR USE

DAYS BEFORE HARVEST: DO NOT APPLY TO CROP WITHIN THE FOLLOWING PRE-HARVEST INTERVALS.

- 1 Day- asparagus, blueberry, raspberry
- 2 Days- mushrooms
- 3 Days- apply, cherry, plum, pear, currants, gooseberry, strawberry, broccoli, beans, cucumber, eggplant, head lettuce (field grown), leek, garlic, melon, green onion, pea, pepper, potato, pumpkin, shallot, squash, tomato.
- 7 Days- peach, table beet, brussels sprouts, cabbage, carrot, cauliflower, celery, endive, head lettuce (greenhouse), horseradish, parsnip, radish, salsify, spinach, turnip (rutabaga), (kale, kohlrabi).
- 14 Days- leaf lettuce (field grown)
- 21 Days- leaf lettuce (greenhouse)

HAZARDOUS PROPERTIES: Highly toxic to fish and bees. May cause injury to ornamentals (Crassula, Holly, African violet, Petunia, Sabina and Canaerti Junipers, Boston, Maidenhair and Pteris ferns).

PRECAUTIONS:

KEEP OUT OF THE REACH OF CHILDREN.

Hazardous if swallowed, inhaled, or absorbed through skin. Avoid breathing spray mist or dust. Avoid contact with skin, eyes or clothing. Wash exposed skin areas thoroughly with soap and water after working and before eating or smoking. Remove and clean contaminated clothing before re-use. Use a respirator when spraying crops in greenhouses or other enclosed areas. Do not contaminate feed or food. Do not spray any plants while in bloom. Avoid contaminating any water body containing fish.

FIRST AID: If swallowed, induce vomiting by touching the back of the throat with a finger or blunt object. Repeat until vomit fluid is clear. Take patient to nearest hospital taking this labelled container with you. In case of skin contact, remove contaminated clothing and wash skin with soap and water. If in eyes, flush with plenty of water for 15 minutes and get medical attention.

TOXICOLOGICAL INFORMATION: Malathion is a cholinesterase inhibitor. Atropine is antidote. Do not use 2-PAM.

SYMPTOMS OF POISONING: Headache, weakness, blurred vision, nausea.

STORAGE: Store away from food and feed.

DISPOSAL:

1. Empty box completely.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
3. Make the empty container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.
5. For information on the disposal of unused, unwanted product and the cleanup of spills contact the Provincial Regulatory Agency or the Manufacturer.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Act to use a control product under unsafe conditions.

NOTICE TO BUYER: Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any

guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))