

91.08.16

SUMITHION (T) 20F
RESTRICTED

CAUTION POISON

KEEP OUT OF REACH OF CHILDREN

READ THE LABEL BEFORE USING

GUARANTEE:

Fenitrothion 200 g a.i./L

REGISTRATION NO. 19329
PEST CONTROL PRODUCTS ACT

NET CONTENTS 200 Litres

INSECTICIDE

FOR USE IN FORESTS, WOOD LOTS, TREE NURSERIES AND CHRISTMAS TREE PLANTATIONS FOLLOWING CONSULTATION WITH FEDERAL AND PROVINCIAL REGULATORY OFFICIALS AND IN ACCORDANCE WITH THEIR DIRECTIONS.

SUMITOMO CANADA LIMITED
Suite 7010, P.O. Box 258
1 First Canadian Place,
Toronto, Ontario, Canada M5X 1C8
Tel: (416) 860-3800

SUMITOMO CHEMICAL AMERICA, INC.
345 Park Avenue, New York, New York 10154, USA

NOTICE TO USER: RESTRICTED: This control product is to be used in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

NATURE OF RESTRICTION: This product is to be used only in the manner authorized; consult local pesticide regulatory authorities about use permits which may be required.

RESTRICTED USES: Sumithion 20 F provides control of larval stages of spruce budworm, jackpine budworm, and hemlock looper infesting forests, wood lots, tree nurseries, and Christmas tree plantations.

RECOMMENDED APPLICATIONS

DOSAGE	Jack Pine Budworm Spruce Budworm	Hemlock Looper
Single Application	210-280 g a.i./ha (max 280 g a.i./ha in one season)	180 g a.i./ha (max 180 g a.i./ha in one season)
Double Application	2 x 210 g a.i./ha (max 420 g a.i./ha in two treatments)	2 x 180 g ai/ha (max 360 g a.i./ha in two treatments)

NOTE: Consult federal and provincial forestry regulatory officials for specific recommendations regarding:

1. Timing of application with regard to the development of the insect pest.
2. Mixing and application of this product in your spray equipment.

MIXING DIRECTIONS: Do not mix this product with materials other than those listed below. Final spray mixtures should be thoroughly agitated before use, and should not be allowed to stand for extended periods without adequate agitation to ensure homogeneous mixture.

1.5 L/ha spray: 7 parts of Sumithion 20F in volume should be added to 3 parts water for Spruce Budworms and Jack Pine

Budworms. 0.9L/ha spray: Sumithion 20F undiluted for Hemlock Looper.

NOTE: Contact federal or provincial officials for exact mixing instructions. Federal or provincial forestry officials may recommend inclusion of water-soluble dye for purposes of monitoring spray deposit.

If a tracer dye is used, this should be added after Sumithion 20-F is thoroughly mixed with water.

PRECAUTIONS: Caution: Harmful if swallowed, or inhaled. Wash thoroughly with soap and water after handling. Avoid breathing vapours. Remove contaminated clothing and wash before reuse.

FIRST AID: In case of poisoning, call a physician or Poison Control Center. If swallowed, drink 1 to 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

TOXICOLOGICAL INFORMATION: Exposure may cause cholinesterase inhibition. Atropine by injection is antidotal. 2-PAM is also antidotal and may be administered early and in conjunction with atropine.

WILDLIFE PRECAUTIONS: Undiluted product may be toxic to wildlife. Exercise caution in handling the contents of the container, and in disposing of the container to prevent exposure of wildlife to the undiluted product.

DISPOSAL:

1. Rinse the emptied container thoroughly and add the rinsings to the spray mixture in the tank.
2. Follow the provincial instructions for any required additional cleaning of the container prior to its disposal.
3. Make the empty container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.
5. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the Provincial Regulatory Agency or the Manufacturer.

NOTICE TO BUYER: Seller's guarantee shall be limited to the terms set out on the label and, subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product in that condition.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))