

96.04.22

CHEMCOCIDE 1000

DISINFECTANT

DEODORIZER

MILDEWSTAT (on hard, inanimate surfaces)

NO RINSE SANITIZER

*VIRUCIDE

GUARANTEE:

N-Alkyl (5% C₁₂, 60% C₁₄, 30% C₁₆, 5% C₁₈) dimethyl benzyl
ammonium chloride 5.0%

COMMERCIAL

READ THE LABEL BEFORE USING

DIN # 02184397

REGISTRATION NO. 24365 PEST CONTROL
PRODUCTS ACT

NET CONTENTS 3.78 LITRES

LOT #

SORT #

EXPIRY DATE:

Burgess Wholesale, Ltd.
Newmarket, Ontario
905-853-6544

Manufactured by
CHEMCO CORP.
300 Canal St., Lawrence, MA 01840
(508) 687-9000

DIRECTIONS FOR USE

CHEMCOCIDE 1000 Solution is designed specifically for hospitals, food processing plants, dairies, restaurants, bars, animal quarters, kennels and institutions where disinfection,

sanitization and deodorization is of prime importance. When used as directed, this product is formulated to disinfect pre-cleaned inanimate, hard surfaces such as walls, floors, sink tops, tables chairs and bed frames.

This product deodorizes those areas which generally are hard to keep fresh smelling, such as garbage storage areas, empty garbage bins and cans, pet areas and any other areas which are prone to odors caused by microorganisms.

DISINFECTION - To disinfect pre-cleaned, inanimate, hard surfaces apply this product with mop, cloth, sponge or coarse (trigger) spray so as to wet all surfaces thoroughly. Allow to remain wet for 10 minutes, then remove excess liquid. Prepare a fresh solution for each use.

DILUTION RATES:

GENERAL DISINFECTION - Add 18 mL of this product per 4 Litres of water for disinfection against *Staphylococcus aureus*, *Salmonella choleraesuis*, *Listeria monocytogenes*, and *Yersinia enterocolitica*.

EFFICACY TESTS HAVE DEMONSTRATED THAT THIS PRODUCT IS AN EFFECTIVE BACTERICIDE AND VIRUCIDE IN THE PRESENCE OF ORGANIC SOIL (5% BLOOD SERUM).

SANITIZATION - For use in restaurants, dairies, food processing plants, and bars. When used as directed this product is an effective sanitizer against *Escherichia coli*, *Yersinia enterocolitica*, and *Staphylococcus aureus*.

Remove all gross food particles and soil from areas which are to be sanitized with good detergent, pre-flush, pre-soak or pre-scrape treatment. Rinse with a potable water rinse. To sanitize pre-cleaned and potable water-rinsed, non-porous, food contact surfaces, prepare a 200 ppm active quaternary solution by adding 8 mL of this product to 4 Litres of water.

To sanitize immobile items such as tanks, chopping blocks and counter tops, flood the area with 200 ppm active quaternary solution for at least 60 seconds making sure to wet all surfaces completely. Remove, drain the used solution from the surface and air dry. Prepare a fresh solution daily or more frequently as soil is apparent.

To sanitize mobile items such as drinking glasses and eating utensils, immerse in a 200 ppm active quaternary solution for

at least 60 seconds making sure to immerse completely. Remove, drain the used solution from the surface and air dry. Prepare a fresh solution daily or more frequently as soil is apparent.

When used for sanitization of previously cleaned food equipment or food contact items, limit the active quaternary to 200 ppm. NO POTABLE WATER RINSE IS REQUIRED. This product is an effective sanitizer when diluted in water up to 750 ppm hardness (CaCO₃).

PRECAUTIONS - KEEP OUT OF REACH OF CHILDREN.

WARNING - Skin and eye irritant. Harmful if swallowed. Do not mix with any other chemical. Avoid contact with undiluted product. Avoid contamination of food. Do not store in food processing or storage areas.

FIRST AID - If in contact with eyes or skin, flush thoroughly with water for 15 minutes. For eye contact, get medical attention, If swallowed drink two or three glasses of milk or water. Call a physician or poison control centre immediately.

NOTICE TO USER - This control product is to be used only in accordance with the directions on this label. It is an offense under the Pest Control Products Act to use a control product under unsafe conditions.

TOXICOLOGICAL INFORMATION - Probable mucosal damage may contraindicate the use of gastric lavage.

DISPOSAL:

1. Rinse the emptied container thoroughly and add the rinsings to treatment site.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal or reconditioning.
3. Dispose of the container in accordance with provincial requirements.
4. For information on the disposal of unused, unwanted product and the cleanup of spills contact the regional office of Environment Canada.
5. For small spills. Recover free liquid. Soak up residue with solids absorbent. DO NOT FLUSH INTO SURFACE STREAMS. INFORM ENVIRONMENT CANADA AS IN NO. 4.

05MAY95

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))