

95/2000

AGRICULTURAL

20 Litres

HOPPER-SPRAY

Emulsifiable Concentrate
Insecticide

For the control of grasshoppers on pasture, forage, cereal
crops and waste areas.

DANGER POISON

READ THE LABEL BEFORE USING

KEEP OUT OF REACH OF CHILDREN

GUARANTEE: dimethoate 400 g per litre

REGISTRATION NO. 11543
PEST CONTROL PRODUCTS ACT

ZENECA Agro, a business of ZENECA Corp.
Stoney Creek, Ontario
L8G 3Z1

A93/A-1

PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN. Vapour harmful. Avoid breathing vapour or spray mist. Use only with adequate ventilation. Harmful if swallowed. Avoid contact with skin. Concentrate may cause eye irritation. Wash thoroughly after handling and before eating and smoking. Avoid contamination of feed and foodstuffs. Keep out of reach of children. Keep away from heat, sparks and open flames. Do not store below 5°C.

FIRST AID INSTRUCTIONS

If on skin, wash thoroughly with soap and water. If in eyes, flush eyes with plenty of water for at least 15 minutes, get medical attention. If swallowed, do not induce vomiting; get medical attention immediately.

TOXICOLOGICAL INFORMATION

This product may cause cholinesterase inhibition. Atropine is antidotal. 1-2 mg. of atropine sulphate every 15-30 minutes may be required. Symptoms of poisoning are: anorexia (loss of appetite), nausea, vomiting, diarrhoea, excessive salivation, pupillary constriction, bronchoconstriction, muscle twitching, convulsions, coma, respiratory failure.

EMERGENCY TELEPHONE NUMBER

All hours, 1-800-263-0984 ONLY for health and environmental information.

ENVIRONMENTAL HAZARDS

May be fatal if inhaled, swallowed or absorbed through the skin. Highly toxic to birds, bees and other wildlife.

DISPOSAL

Rinse the empty container thoroughly and add the rinsings to the spray mixture in the tank. Follow provincial instructions for any required additional cleaning of the container prior to its disposal. Make the empty container unsuitable for further use. Dispose of container in accordance with provincial requirements. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the regional office of Environmental Protection, Environment Canada.

NOTICE TO USER

This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

DIRECTIONS FOR USE

TO CONTROL GRASSHOPPERS For the control of grasshoppers on pasture, forage, cereal crops and waste areas.

GRASSHOPPERS (nymphs): Apply 525 to 700 mL (200 to 275 g active ingredient per hectare) of HOPPER-SPRAY per hectare in sufficient water to give coverage. Do not graze or feed treated forage to dairy cattle within 48 hours.

GRASSHOPPERS (adult or winged): Apply one litre (425 g active ingredient per hectare) of HOPPER-SPRAY per hectare in sufficient water to give coverage. Do not graze or feed treated forage within 7 days of last application. Repeat applications as necessary. Remove cattle from grazing land before spraying. Do not apply to cereals with 21 days of harvest. Do not treat when alfalfa, red clover or sweet clover is in bloom.

FOR USE IN SASKATCHEWAN

Apply all rates of HOPPER-SPRAY with at least 45 L of water per hectare from ground equipment and with at least 11 L of water per hectare from aircraft.

NOTICE TO BUYER

Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))