

93.03.31

PROFESSIONAL/PROFESSIONNEL CONTROL

CONTROL\*

Disinfectant CLEANER/DEGREASER/Odor Counteractant

NETTOYANT/désinfectant DEGRAISSANT/NEUTRALISANT d'odeurs

COMMERCIAL

CAUTION/ATTENTION

CORROSIVE/CORROSIF

READ THE LABEL BEFORE USING/LIRE L'ETIQUETTE AVANT L'EMPLOI

REGISTRATION NO./NO. D'ENREGISTREMENT 22868

PEST CONTROL PRODUCTS ACT/LOI SUR LES PRODUITS ANTIPARASITAIRES

DIN 02011743

GUARANTEE/GARANTIE:

N-Alkyl (5% C12, 60% C14, 30% C16, 5% C18)  
dimethyl benzyl ammonium chloride.....0.8%

N-Alkyl (68% C12, 32% C14)  
dimethyl ethylbenzyl ammonium chloride.....0.8%

Chlorure N-Alkyl 5% C12, 60% C14, 30% C16,5% C18)  
dimethyl benzyl ammonium.....0.8%

Chlorure N-Alkyl 68% C12, 32% C14)  
dimethyl ethyl benzyl ammonium.....0.8%

NET CONTENTS/CONTENU NET

4 L

LOT #

\*TM Reg'd  
COLGATE-PALMOLIVE CANADA INC.  
Toronto, Canada M4G 2H6  
Made in Canada/Fabriqu  au Canada

DIRECTIONS:

Disinfection: GENERAL DISINFECTANT: to disinfect hard surfaces, industrial floors, walls, table tops and counters, add 1 part per 25 parts water. To disinfect toilet bowls, flush toilet, add 160 mL of disinfectant directly to bowl water. Swab completely making sure to get under rim. Let stand 10 minutes, flush. For heavily soiled surfaces, a pre-cleaning step is required and recommended.

FOOD PLANTS: display racks in meat and poultry processing and packing plants, supermarket meat rooms, kitchens and other food processing areas, add 1 part per parts water. Allow solution to wet all surfaces thoroughly and remain wet for 10 minutes.

HOSPITAL: to disinfect walls, floors, table tops and counters in parent, operating or examining rooms in Hospitals or nursing homes et., add 1 part per 21 parts water. Allow solution to wet all surfaces thoroughly and remain wet for 10 minutes. At 1 part disinfectant to 21 parts water, this product exhibits effective disinfectant activity against: Pseudomonas aeruginosa PRD-10.

Prepare a fresh solution for each use. All surfaces on which this product is used and which come in contact with food, are to be rinsed with potable water.

Mildewstat: To control mold and mildew on pre-cleaned, hard non-porous surfaces, add 1 part disinfectant to 25 parts water. Wet surfaces completely. Let air dry. Repeat application at weekly intervals or when mildew growth reappears.

Sanitizing: To sanitize pre-cleaned, rinsed non-porous food contact surfaces, prepare 200 ppm active QUAT solution by adding 1 part disinfectant to 80 parts water. Allow solution to contact surface for at least 60 seconds. Prepare fresh solution for each use.

Efficacy: At 1 part disinfectant to 25 parts water, this product exhibits effective disinfectant activity against Escherichia coli, Salmonella choleraesuis, Staphylococcus aureus. At this level the product is also fungicidal against the pathogenic fungi, Trichophyton mentagrophytes. Efficacy tests have demonstrated that this product is an effective Bactericide, fungicide and virucide in the presence of organic so (5% blood serum). Control Disinfectant Cleaner/Degreaser/Odor Counteractant is an effective sanitizer when diluted with water up to 250 ppm hardness (CaCO<sub>3</sub>).

Precaution: KEEP OUT OF REACH OF CHILDREN. Causes eye and skin damage. Do not get in eyes, or skin or clothing. Harmful if swallowed. Wear glasses or face shield and rubber gloves when handling. Avoid contamination of food. When disinfecting surfaces coming in direct contact with food, rinse thorough with potable water. Do not store in food processing or food storage areas.

Contains: Surfactants, silicate, phosphate, sequestrant and dye.

First Aid Instructions: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, contact a physician. Remove and wash all contaminated clothing before re-use. If swallowed, drink milk, egg whites, gelatin solution or if none of these are available, drink large quantities of water. Call a physician immediately.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

TOXICOLOGICAL INFORMATION: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

DISPOSAL:

1. Rinse the emptied container thoroughly and add the rinsings to treatment site.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal or reconditioning.
3. Dispose of the container in accordance with provincial

requirements.

4. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the regional office of Environment Canada.
5. For small spills. Recover free liquid. Soak up residue with solids absorbent. DO NOT FLUSH INTO SURFACE STREAMS. INFORM ENVIRONMENT CANADA AS IN #4.

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))