

85.12.31

BAYFOG FOGGING INSECTICIDE

COMMERCIAL

CONTAINS BAYGO INSECTICIDE

READ THE LABEL BEFORE USING GUARANTEE:

PROPOXUR 0.5%

REGISTRATION NO. 13949 PEST CONTROL PRODUCTS ACT

NET CONTENTS

KEMSAN INC.  
P.O. BOX 727  
OAKVILLE, ONTARIO L6J 5C1

A ready to use formulation of Baygon for use outdoors in thermal foggers for the control of adult mosquitoes and blackflies around camps, golf courses, resorts, outdoor theatres, motels, race tracks, outdoor commercial establishments, roadside stands, farms and warehouses. Bayfog maintains its killing efficiency at low temperatures.

This insecticide is a ready to use solution. For best results apply as a dense fog when the air is calm. Apply at the rate of 5.5 L per hectare. Allow the fog to drift over the area to be treated, contacting as many insects as possible. Larger areas will be more easily covered if applications are made when the winds are light and at right angles to the wind. Under these conditions, fog will drift 90 m downwind. The best time to fog is when most of the mosquitoes or blackflies are flying; that is evening or early morning. Also at this time there is generally little wind and rising air currents are at a minimum. When using a thermal fogging generator, the equipment must be operated and maintained in accordance with the manufacturer's manual.

PRECAUTIONARY STATEMENTS: May be harmful if swallowed. Keep out of reach of children. Avoid inhalation or skin contact. Wash thoroughly after using. Do not contaminate feed or food and do

not apply to croplands.

Avoid contamination of animal feeding areas such as pastures and other foraging areas.

Do not contaminate water supplies, streams, lakes or ponds. Do not use as an indoor space spray. Do not apply to animals or humans. Toxic to bees. Do not treat plants directly. Do re-use empty container. Dispose of with household garbage.

FIRST AID INSTRUCTIONS:

In case of poisoning call a physician immediately. If swallowed, induce vomiting. Administer milk or water freely and again induce vomiting until vomit fluid is clear. If on skin remove contaminated clothing and wash skin immediately with soap and water.

If eyes are contaminated, wash immediately with flowing water for at least 15 minutes.

TOXICOLOGICAL INFORMATION:

The compound inhibits cholinesterase resulting in stimulation of the central nervous system. The results in a sense of "tightness" in the chest, sweating, contracted pupils, stomach pains, vomiting and diarrhea. The antidote is atropine sulphate administered in large therapeutic doses repeated as necessary to the point of tolerance. Do not give morphine. Watch for pulmonary edema, which may develop in serious cases of poisoning even after 12 hours. At first sign of pulmonary edema, the patient should be placed in an oxygen tent and treated symptomatically.

NOTICE TO USER:

This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

NOTICE TO BUYER:

Seller's guarantee shall be limited to the terms set out on the label and subject thereto. The buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))