

86.06.21

SANBAR* R.T.U. READY-TO-USE LIVESTOCK SPRAY

AGRICULTURAL

INSECTICIDE

Ready-to-use spray for fly control on Non-lactating Dairy Cattle,
Beef Cattle, and Horses

Net Contents: 4 L / 20 L

GUARANTEE:

Permethrin 5.0 g per litre

READ THE LABEL BEFORE USING

REGISTRATION NO.: 18634 PEST CONTROL PRODUCTS ACT

Shell International Chemical Company
Agricultural Division
Shell Centre
London, England SE1 7PG

Sanbar is a very active compound which is used at low rates. It also has a low level mammalian toxicity. Sanbar provides fast knockdown and residual control of house flies, stable flies, face flies, horn flies and black flies on non-lactating dairy cattle, beef cattle and horses.

DIRECTIONS FOR USE:

This product is ready to use as it comes from the can. For non-lactating dairy cattle, beef cattle, and horses - For control of house flies, stable flies, face flies, horn flies, black flies:

Apply 100 mL of product per animal as a spray over body. For horn flies, stable, and face flies, apply to face and shoulders as needed, but not more than once every two weeks. Avoid direct contact with the animal's eyes. For

blackflies, repeat applications may be required every 7-10 days. Leave a 7-day interval between last spray and slaughter.

NOTE

Good sanitation is essential for good fly control. Eliminate fly breeding sites where possible.

CAUTION:

KEEP OUT OF REACH OF CHILDREN. Keep in original container during storage. Handle and apply only as recommended. Apply product only to animals listed on label. Do not contaminate or store with feed or foodstuffs, milk or milk-handling equipment. This product is very toxic to fish. Do not contaminate any source of water. Harmful if swallowed. Corrosive. Do not get in eyes, on skin, or on clothing. Avoid breathing vapour or mist. Wash thoroughly after handling. Wear rubber gloves when handling product.

FIRST AID:

If swallowed, do not induce vomiting or administer liquids. Keep patient prone and quiet. Transport immediately to nearest physician, taking container label for his attention. If eyes are splashed, immediately flush eyes continuously for 15 minutes with large amounts of water. If skin is contacted, remove all contaminated clothing at once. Wash clothing and decontaminate shoes before reuse. Thoroughly wash skin with soap and water.

TOXICOLOGICAL INFORMATION:

The treatment of systemic intoxication should be primarily symptomatic and supportive. In cases of ingestion, carry out gastric lavage with care to prevent aspiration. This product contains petroleum distillates.

STORAGE AND DISPOSAL:

Protect from temperatures under 0 deg Celsius. Keep container closed when not in use. Do not store near food or feed. In case of spill or leak on floor or paved surfaces, soap up with sand, earth or synthetic absorbent. Dispose with garbage. Do not reuse container. Dispose in normal garbage or according to municipal regulations.

ENVIRONMENTAL HAZARDS:

This product is very toxic to fish. Keep out of lakes, streams

or ponds. Do not allow spray to drift from application site. Do not contaminate water by cleaning equipment or disposal of wastes. This product is very toxic to bees; avoid spraying near where bees are foraging.

PHYSICAL OR CHEMICAL HAZARDS:

Do not use or store near heat or open flames.

NOTICE TO USER:

This control product is to be used on in the accordance with the directions in this label. It is an offense under the PEST CONTROL PRODUCTS ACT to use a control product under unsafe conditions.

*Registered trademark - Shell Canada Limited.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))