96/2001

COAL TAR CREOSOTE WOOD PRESERVATIVE

COMMERCIAL

For use ONLY in the preparation, and manufacture of Industrial Wood Preserving treating solutions, which are to be used at pressure and thermal wood preserving treatment facilities. For Industrial use only.

Harmful or fatal if swallowed or inhaled

DANGER

POISON

IRRITANT

CORROSIVE TO EYES AND SKIN

SENSITIZER

READ THE LABEL BEFORE USING

GUARANTEE:

Coal Tar Creosote 98.5 % water 1.5 %

REGISTRATION NO. 21884 PEST CONTROL PRODUCTS ACT

NET CONTENTS kilograms

Reilly Industries, Inc. 300 North Meridian Street, Suite 1500 Indianapolis, In. 46204 USA

Emergency Phone No. 317-247-8141

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

PRODUCT LIMITATIONS: For use ONLY in the preparation, and manufacture

of Industrial Wood Preservation treating solutions which are to be used only at pressure and thermal wood preservation treatment facilities. To be used only in the formulation of industrial treatment solutions at industrial treating facilities for the treatment of:

- 1. railroad ties
- 2. utility poles, and piling
- 3. outdoor construction materials

TREATED WOOD LIMITATIONS:

Working solutions should only be used for treatment of wood having NO opportunities for:

- 1. direct contact with, or becoming a deleterious component of drinking water.
- 2. use in: (a) residential construction
 - (b) food/feed storage/production or animal housing
 - (c) playground equipment.
- 3. prolonged skin contact.

DIRECTIONS FOR USE: Post a copy of this label at the treating site, and all other areas where workers may be exposed to creosote. Ensure that all transfer of creosote occurs through closed loading systems.

Apply at rates prescribed in Canadian Standards Association, .080 Standard or similar national or international standard to achieve penetration and retention levels required. Pressure treatment of wood with this product provides protection against wood decay fungi, insects and marine borers.

PREPARATION: Brand and machine wood prior to treatment.

PRECAUTIONS: Keep out of reach of children. Toxic if swallowed. May cause severe skin or eye irritation. Avoid contact with skin, eyes and clothing. Wear gloves impervious to creosote at all times.

Do not carry, store, or consume food or drink in areas where creosote is stored or used, or where freshly treated wood is stored. Do not carry or smoke cigarettes in working areas. Do not expose cuts or abrasions to creosote solutions. Get immediate first aid if eyes contact creosote solutions. Keep work area well ventilated. Keep away from open flame

I Operations carried on inside treatment cylinders.	High	Self-contained breathing apparatus with full face piece or supplied air respirator and full face piece. Coveralls and impervious gauntlets, (long sleeve gloves) impervious apron, head gear and impervious boots.
<pre>II Operations carried on outside treatment cylinders that entail opportunity for direct exposure to creosote e.g., a) transfer of creosote. b) cleaning /maintenance activities. c) opening cylinder after treatment. d) charging thermal tanks.</pre>	Medium	Half mask canister or cartridge-type respirator approved for polynuclear aromatics and organic vapours. Coveralls, chemical goggles or face shield (long sleeve gloves), impervious gauntlets impervious apron, head gear and impervious boots.
III Handling treated wood.	Low	Wear a respirator if treated wood is handled in enclosed areas,or where freshly treated wood is above ambient temperature. Coveralls, impervious gloves and impervious boots.

USE PROTECTIVE CLOTHING MADE FROM THE FOLLOWING MATERIALS:

Viton, neoprene, butyl rubber, nitrile, polyvinyl chloride, polyvinyl acetate.

FIRST AID TREATMENT: If swallowed, call a doctor. If on skin wash immediately with soap and water. If in eyes, flush with clear water. If irritation persists, obtain medical attention.

EYE CONTACT:

- Immediately flush eyes with flowing water, occasionally lifting the upper and lower lids.
- Flush eyes for at least 15 minutes.
- Wash contaminated skin with soap or mild detergent and water.
- If irritation develops, get prompt medical attention.

SKIN CONTACT:

- Immediately remove soaked clothing or articles in contact with

skin.

- Remove from skin with degrease hand cleaner.
- Wash contaminated skin with soap or mild detergent and water.
- If irritation develops, get prompt medical attention.

INHALATION:

- Immediately move the exposed person to fresh air.
- Apply artificial respiration if breathing has stopped.
- Keep the affected person warm and quiet.
- Get immediate medical attention.

INGESTION:

- Do not induce vomiting.
- Never cause an unconscious person to vomit.
- Get immediate medical attention.

DISPOSAL:

- 1. Rinse the emptied container thoroughly and add the rinsings to the treatment site.
- 2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
- 3. Make the empty container unsuitable for further use.
- 4. Dispose of the container in accordance with provincial requirements.
- 5. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the Provincial Regulatory Agency or the Manufacturer.

NOTE:

All operation procedures must be consistent with the recommendation in the Environment Canada, documents.

"Recommendations for the design and operations of creosote thermal treating wood preservation facilities" and "Recommendations for the design and operation of creosote pressure treating wood preservation facilities".

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))