

95.08.16

LOT NO. 5080

PACKAGE NO.

COMMERCIAL

OAKITE  
TRADE-MARK REGISTERED

SANITIZER 1

QUATERNARY AMMONIUM TYPE GERMICIDE-DISINFECTANT

READ THE LABEL BEFORE USING

WARNING

CORROSIVE          POISON

GUARANTEE:

Alkyl (60% C14, 30% C16, 5% C18, 5% C12)  
Dimethyl Benzyl Ammonium Chloride ..... 20%

REGISTRATION NUMBER 15425  
PEST CONTROL PRODUCTS ACT

DIN 02160536

NET CONTENTS:

OAKITE®

OAKITE CANADA, LIMITED  
OFFICE AND PLANT  
115 East Drive, Bramalea, Ontario L6T 1B7  
Offices and Warehouses in Principal Cities

PRECAUTION: CAUTION!

KEEP OUT OF REACH OF CHILDREN. Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

KEEP FROM FREEZING  
READ THE LABEL BEFORE USING

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg

whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

TOXICOLOGICAL INFORMATION: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

DISPOSAL:

1. Rinse the emptied container thoroughly and add the rinsings to treatment site.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal or reconditioning.
3. Dispose of the container in accordance with provincial requirements.
4. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the regional office of Environment Canada.
5. For small spills. Recover free liquid. Soak up residue with solids absorbent. DO NOT FLUSH INTO SURFACE STREAMS. INFORM ENVIRONMENT CANADA AS IN #4.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

HOW TO USE IT: Oakite Sanitizer 1 is effective against Staphylococcus aureus, Salmonella typhosa, Escherichia coli, and other similar gram positive and gram negative bacteria.

DIRECTIONS: Thoroughly clean and rinse all surfaces before applying this solution for sanitizing or germicidal treatment.

GENERAL DISINFECTION: For walls, floors, equipment, other surfaces. After proper cleaning, apply Oakite Sanitizer 1 by mop, brush or by flooding areas to be treated. Prepare solution by adding 8 ml. of Oakite Sanitizer 1 to 4 liters water. May be used in cold, warm and hot water. Disinfection more rapid with warm or hot water.

RESTAURANTS, LUNCHEON COUNTERS AND TAVERNS: For sanitizing glasses, dishes, utensils. Destroys many disease producing bacteria. After proper cleaning, apply solution of Oakite Sanitizer 1 (1 ml. per liter of water). Allow to drain thoroughly before reuse.

DAIRY FARMS, MILK PLANTS: For sanitizing milking machines and rubber parts, pails, strainers, separators, sanitary piping, coolers, pasteurizing equipment, etc. After proper cleaning of equipment, sanitize with solution of Oakite Sanitizer 1. Apply

by circulating, flooding or spraying. When spraying, circulating or flooding, make up solution at 1 ml. per liter water, which approximates 200 ppm (1 to 5000).

NOTE 1: Do not use with soap or anionic detergents.

NOTE 2: All treated surfaces in contact with food should receive a final rinse with water of drinkable quality whenever more than 200 ppm are used.

SANITIZING, MOLD CONTROL: For general sanitizing in bakeries, food and bottling plants, a solution containing 1 ml. per liter of water is applied by spraying or wiping to previously cleaned surfaces until they are moist. Residual solution will control mold and yeast growth on hard, smooth surfaces such as metal or tile, as well as on painted walls and ceilings. Application should be repeated every 7 days or as necessary depending on the severity of the mold problem.

ALGAE: To control algae in previously cleaning circulating water systems, apply an initial slug addition of Oakite Sanitizer 1 at the rate of 101 to 203 ml per 1000 liters of water in the system (20-40 ppm active ingredient). Subsequent slug addition of 31 to 62 ml per 1000 liters of water (6-12 ppm) should be applied every 2 to 5 days or as needed depending on the volume of bleed-off and the severity of the algae problem. Additions should be introduced gradually into the sump of the water cooling tower.

Oakite Sanitizer 1 does not require a potable water rinse on food contact surfaces when 200 ppm or less of active ingredient are used and allowed to drain thoroughly.

8/95

PTD. IN USA

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))