



# 3M Sectrol™ II

## Concentrate

Microencapsulated Pyrethrins Insecticide

**GUARANTEE E:** **COMMERCIAL**

Pyrethrins/Pyréthrine ..... 2.0%

Piperonyl Butoxide Technical

Contains 1,2-benzisothiazolin-3-one at 0.096% as a preservative

Registration No. .... 24300

Pest Control Products Act

**READ LABEL BEFORE USING**

500 mL

3M Canada Inc., London, Ontario N6A 4T1

CV-0000-0000-0 0110-ML-14546-a-B

**Update**

**NOTICE TO USER:** This control product is to be used in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

**NOTICE TO BUYER:** Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes all risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

Made in Canada

**3M**

**Health Care Products and Services Division**  
**3M Canada Inc.**  
Post Office Box 5757  
London, Ontario N6A 4T1

**READ THE LABEL BEFORE USING**  
**DO NOT USE UNDILUTED.**

"Sectrol" Insecticide may be applied as a GENERAL SURFACE SPRAY. Not for using undiluted.

**For General Treatment Control of:** Fleas, cockroaches, ants, crickets, silverfish, firebrats, moths, flies, wasps, weevils, psocids, spiders, beetles, centipedes, mosquitoes.

**And Stored Product Pests:** Granary weevils, rice weevils, confused flour beetles, red flour beetles, saw-toothed grain beetles, cigarette beetles, drugstore beetles, dermestid beetles, Indian meal moths, Angoumois grain moth, Mediterranean flour moths, grain mites, dried fruit beetles, cadelles, mealworms.

**Use Areas:** Bakeries, beverage plants, canneries, dairies, flour mills, food processing plants, food storage areas, grain mills, meat packing plants, railroad cars, restaurants, supermarkets, truck trailers, warehouses, hospitals, hotels and motels, industrial installations, nursing homes, office buildings, residences, schools, kennels, zoos.

**DILUTION INSTRUCTIONS:**

1. Shake "Sectrol" concentrate well before diluting.
2. Dilute concentrate with water.

General Use: **Add 19 parts water and 1 part concentrate to your spray bottle. At this dilution, this 200 mL bottle of concentrate will provide 1 treatment of an area of 100 sq. meters (1100 sq. ft.) Provide adequate ventilation during and after use. Keep pets and children away from surface until dry.**

TO PROPERLY TREAT FOR FLEAS, FOLLOW THESE INSTRUCTIONS:

1. Destroy or thoroughly clean your pet's bedding.
2. Thoroughly clean and vacuum your home. Tightly seal vacuum bag and dispose in the garbage.
3. Shake diluted "Sectrol" Insecticide container vigorously for 15-20 seconds to

disperse all the microcapsules before spraying.

4. Spray "Sectrol" Insecticide on any area that may be harbouring fleas. Pay special attention to cover pet resting areas and areas of frequent pet contact. Flooring, **particularly carpets**, should be sprayed thoroughly. **Do not apply directly to pets.**

NOTE: WE RECOMMEND PATCH TESTING CARPETS AND FURNITURE ON A HIDDEN AREA AND ALLOW THESE AREAS TO DRY BEFORE APPLICATION.

5. We recommend you limit vacuuming to high traffic areas for at least 30 days.

Vacuumed areas should be lightly retreated to help ensure that the flea cycle is broken. "Sectrol" Insecticide has extended residual activity. The product continues working up to 30 days against fleas when the above instructions are followed.

6. Repeat application as needed.

"Sectrol" Insecticide does not leave an excessive residue. If sprayed to run-off, "Sectrol" Insecticide may be easily removed by wiping with a damp cloth or vacuuming.

**IMPORTANT INFORMATION:**

- Pyrethrin insecticides are hazardous to fish. Cover your aquarium.
- "Sectrol" Insecticide products will not harm plants.
- "Sectrol" Insecticide products are virtually odourless. You do not have to leave your home after spraying.

**EXPECTATIONS:**

1. **How long does "Sectrol" Insecticide last?** "Sectrol" Insecticide Premises Spray begins working upon drying (approximately 24 hours) and remains active up to 30 days.
2. **Which flea stages will "Sectrol" Insecticide kill?** "Sectrol" Insecticide kills the adult flea only. Fleas lay hundreds of eggs that will hatch in a minimum of 3 weeks to 2 years.
3. **Are additional treatments of "Sectrol" Insecticide necessary?** If fleas

take longer than 30 days to hatch, additional treatments of "Sectrol" Insecticide will be necessary. Repeated use of "Sectrol" Insecticide can be used in regions of heavy flea infestation as a control measure.

4. **Will fleas die immediately after spraying?** "Sectrol" Insecticide capsules are inactive when wet. It may take 24-48 hours to see a significant reduction in the flea population. Once the flea picks up a significant number of dry "Sectrol" Insecticide capsules, it will die within hours. The flea will become noticeably sluggish before death.
5. **Will new fleas be seen in the home over the 30-day period?** In severe cases, new outbreaks may occur. This is a result of egg hatching. This new outbreak will be controlled by "Sectrol" Insecticide.

**FOR BEST RESULTS**

1. Follow all instructions carefully.
2. Keep your pet and home treated throughout flea season if necessary to prevent reinfestation from outdoors.

**"Sectrol"** Insecticide may be applied as a GENERAL SURFACE SPRAY. Direct this spray onto floors, walls, into hiding places, moist areas, harbourage areas, under pallets, around containers of stored food, around the base of machinery, behind shelves and drawers and on or around insect entry areas. Spray directly on insects where possible.

**Food Areas:** In meat packing and food processing plants, and food service establishments, only spray when plant is not in operation. No exposed meat products, ingredients or packaging materials to be left in the room and cover food handling equipment. Any treated surface that may contact meat food products or other food products should be washed and rinsed thoroughly with potable water after spraying and before re-use for food processing.

**Non-Food Areas:** Treat garbage rooms, lavatories, offices, machine rooms, boiler rooms, garages, closets and storage areas. Spray baseboard areas, around water pipes, surfaces behind and beneath sinks, tables, cabinets, pallets, and other areas where insects hide or through which they may enter. Repeat treatment as necessary.

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.