

85.12.31

Empire

EL 44

COMMERCIAL

Tertiary Formula 2,4-D

Mecoprop and Dicamba

Kills - Dandelion, Knotweed, Plantains, Ground Ivy, Poison Ivy,
and Most Other Broadleaf Weeds with a Three Way Formula.

A LANDSCAPING CONCENTRATE

ACTIVE INGREDIENTS:

Bromacil (5-bromo-3-sec-butyl-6-methyluracil.....0.61%

GUARANTEE

2,4-D amine (present as dimethyl amine salt/.....5.8%

Mecoprop (present as dimethyl amine salt/.....2.77%

Dicamba (present as dimethyl amine salt/.....0.635%

READ THE LABEL BEFORE USING

PRECAUTION

KEEP OUT OF REACH OF CHILDREN.

See Side Panel for Additions Cautions

Registration No. 18319
PEST CONTROL PRODUCTS ACT

Net Contents_____

MADE IN CANADA

EMPIRE INTERNATIONAL

C.P./Box 695, Streetsville, P.S.

Mississauga, Ontario L5M 2C2

ATLANTA, GEORGIA: SAN FRANCISCO, CALIFORNIA:

E. BRUNSWICK, NEW JERSEY: USA:

SAN JUAN, PUERTO RICO: SINGAPORE

DIRECTIONS FOR USE WHEN TO USE:

Spray at any time during the growing season when weeds are
actively growing. Treat Chickweed, Wild Orion and Garlic in the
fall or int spring, as needed. On new lawns wait until after two

mowing before making an overall spray treatment. "Spot spray" weed treatment, however, may be made at any time with a small pressure sprayer, spraying only the weeds at ground level. Wait 3 weeks before putting new grass seed or stolons down in the bare spots. Poor weed control may result if spray is applied during drought or just before rain. For best results mow before treating. Do not water lawn within 24 hours after treatment.

Do not allow spray to get on vegetables or ornamental plants, injury may result. Since injury may occur when used on Centipede or St. Augustine grass lawns, use as a "spot spray" only. Clover will be damaged if sprayed. Repeat if necessary on hard-to-kill weeds.

AMOUNT TO APPLY

Apply by means of a pressure sprayer (Halco 98) or watering can to get uniform coverage. Avoid sprays which are too fine because they can drift and damage ornamental or garden plants.

Measure indicated amount of EL 44 into tank and dilute with water according to the following chart:

Amt. of EL 44	Amount of water	Area to be covered
75 mL	8 L	50 m ²
150 mL	16 L	100 m ²
750 mL	40 L	500 m ²

For large areas apply 17 litres per hectare in 350 litres of water. For bent grass and St. Augustine, use at 1/2 above rates.

CAUTION: Keep out of reach of children. Harmful if swallowed. Avoid contact with skin, eyes, or clothing. Do not apply on or near desirable trees or plants, or in locations where chemicals may be washed or moved into contact with their roots. Prevent drift to spray to desirable plants. Do not contaminate any body of water. Avoid contamination of feed or foodstuffs. Do not store near seeds, feed, fertilizers, or pesticides including insecticides, fungicides and weed killers other than those containing 2, 4-D or brush killers. Thoroughly clean application equipment after use. DO NOT RE-USE EMPTY CONTAINER.

CAUTION: In case of contact, flush with water.

NOTICE TO USER: "This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions."

FOR INDUSTRIAL USE ONLY
NOT FOR RESALE

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))