

29-JAN-1998

ECC International

METASOL(R) RB-20-C

CONTROLS BACTERIA, FUNGI AND YEASTS IN PAPER MILLS

READ THE LABEL BEFORE USING

GUARANTEE:

2,2-Dibromo-3-Nitrilopropionamide 20%

REGISTRATION NO. 25365 PEST CONTROL PRODUCTS ACT

INDUSTRIAL

DANGER

CORROSIVE POISON

NET WEIGHT: 18 KG. (40 LB.)

MANUFACTURED BY

ECC INTERNATIONAL
PO BOX 1346
PITTSBURGH PA 15230

FOR

ECC INTERNATIONAL
7895 TRANMERE DRIVE
SUITE #213-214
MISSISSAUGA, ONTARIO L5S 1V9

MANUFACTURING USE

The directions and use precautions on this label may not be applicable to finished antimicrobial formulations made from

METASOL RB-20-C due to the different intended use and different properties of such formulations. Any formulator using METASOL RB-20-C should clearly label the intended use of the finished formulations and the precautions that must be used with such formulations in accordance with all pertinent laws and regulations. Formulators are responsible for registering their own formulations under the Pest Control Products Act.

Do Not Ship or Store with Food, Feeds, or Clothing.

DIRECTIONS FOR USE

NOTE: ADD METASOL RB-20-C SEPARATELY TO THE SYSTEM. DO NOT MIX IT WITH OTHER ADDITIVES IN ORDER TO AVOID DECOMPOSITION OF METASOL RB-20-C DUE TO THE HIGH pH OF MANY ADDITIVE FORMULATIONS.

PAPER MILLS

For the control of bacteria, fungal and yeast growth in pulp, paper and paperboard mills, add METASOL RB-20-C at the rate of 60-210 mL/tonne of pulp or paper (dry basis). Addition may be continuous or intermittent, depending upon the type of system and the severity of contamination. It should be made with a metering pump at a location that will insure uniform distribution of METASOL RB-20-C in the mass of fiber and water, such as the beaters, jordan inlet or discharge, broke chests, furnish chests, save-alls, and white water tanks.

Heavily fouled systems should be boiled out, then treated with 60-140 mL METASOL RB-20-C/tonne of paper (dry basis), as necessary for control.

Moderately fouled systems should be treated continuously with 140-210 mL METASOL RB-20-C/tonne of paper (dry basis) until the slime accumulation is controlled. Addition rates can then be reduced to 60-140 mL METASOL RB-20-C/tonne of paper on a continuous or intermittent basis, as needed for control. Dislodge slime may cause breaks in the paper and a clean-up of the paper machine may be advisable.

Slightly fouled systems should be treated continuously with 60-140 mL METASOL RB-20-C/tonne of paper (dry basis) until the slime is controlled, then added on an intermittent basis to maintain control.

PRECAUTIONS

DANGER
CAUSES SEVERE BURNS OF EYES

MAY BURN THE SKIN

MAY BE HARMFUL OR FATAL IF SWALLOWED

Do Not Get in Eyes, on Skin, or on Clothing.

Wear Chemical Worker's Goggles When Handling.

Wash Thoroughly After Handling.

To maintain product quality, store in a cool dark place at temperatures below 35'C. Keep package tightly closed when not in use.

DISPOSAL

1. Rinse the emptied container thoroughly and add the rinsings to the treatment site.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
3. Make the empty container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.
5. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the Provincial Regulatory Agency or the Manufacturer.

Stay away from smoke or fumes.

FIRST AID: In case of eye contact, flush eyes immediately with plenty of water for at least 15 minutes and get medical attention. In case of skin contact, wash with soap and plenty of water. Wash contaminated clothing before reuse.

If swallowed, induce vomiting by sticking finger down the throat, or by giving soapy or strong salty water to drink. Repeat until vomit is clear. Call a physician or poison control centre. Never give anything by mouth to an unconscious person.

NOTICE TO USER

This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

3082-12C/11-97

Made in the U.S.A.

CORROSIVE LIQUID,
ACIDIC, ORGANIC, N.O.S.

(Contains 2,2-Dibromo-3-nitrilopropionamide)
8,9.2 UN 3265 III

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))