

09-MAR-1995

(PAMPHLET)

CLEAN CROP®

SLUG LIQUID

COMMERCIAL

DANGER

POISON

KEEP OUT OF REACH OF CHILDREN

**KEEP AWAY FROM POULTRY AND DOMESTIC ANIMALS
(DOGS AND CATS ARE ATTRACTED TO THIS PRODUCT)**

READ THE LABEL BEFORE USING

**REGISTRATION NO. 6936
PEST CONTROL PRODUCTS ACT**

GUARANTEE: Metaldehyde 50%

NET: 3.78 L

**UNITED AGRI PRODUCTS
R.R. #2
Dorchester, Ontario
N0L 1G5**

38143

02/94

GENERAL INFORMATION

SLUG LIQUID IS EFFECTIVE BY KILLING SLUGS AND SNAILS WHICH CONTACT THIS MATERIAL BY CRAWLING OVER SPRAYED SURFACES. IT DOES NOT HAVE TO BE EATEN AS IN THE CASE OF BAIT; THEREFORE, GOOD RESULTS ARE OBTAINED BY APPLYING SPRAY TO AREAS ADJACENT TO SLUG AND SNAIL HIDING PLACES, OVER WHICH SLUGS AND SNAILS WILL BE MIGRATING TO FOOD SOURCES.

DIRECTIONS

LAWNS & ORNAMENTALS: Mix 15 mL of SLUG LIQUID to 5 L of water and apply with sprayer or sprinkling can, to each 10 m] of area frequented by slugs and snails. Foliage of ornamentals may be sprayed or sprinkled.

VEGETABLES, FIELD CROPS and HERBS - Apply by ground equipment to give even distribution, asparagus, beans, cabbage, carrots, celery, cucumbers, lettuce, melons, peas, peppers, potatoes, radishes, spinach, squash, tomatoes and turnips. Apply to soil surface at time of emergence, 12 L of SLUG LIQUID in 1000 L/ha of

water. Thoroughly spray headlands, field borders and along edges of rows. Apply at 10-14 day intervals. If subsequent invasions of slugs and snails require further spraying. DO NOT contaminate edible crops. In any case, do not spray after edible portions are formed, or within 30 days before harvest. DO NOT graze treated areas for 1 week after treatment. Control is most effective if SLUG LIQUID is applied to the soil surface. Spraying in the evening before a warm, dry day will increase the effectiveness of the spray.

FRUITS: apples, cherries, grapes, peaches, plums. Apply 12 L of SLUG LIQUID in 1000 L/ha of water. Apply by ground equipment to give even distribution. Make application when foliage and fruit are completely dry but soil is wet following an irrigation. Late afternoon or early evening applications are preferred. Do not apply within 30 days before harvest.

BERRIES: blackberries and strawberries. Apply 12 L of SLUG LIQUID in 1000 L/ha of water. Do not apply to strawberry beds within 30 days of harvesting.

FLOWERS and other ORNAMENTALS: This product should be applied directly on the surface of the soil at a rate of 12 L of SLUG LIQUID in 1000 L/ha of water.

GREENHOUSES and LATH HOUSES: Apply SLUG LIQUID on and beneath benches, but do not apply to pots or flats unless plants are well established. Keep SLUG LIQUID from coming in contact with plants. If soil is dry, irrigate prior to or sprinkle lightly after applying SLUG LIQUID. Apply at the rate of 12 L of SLUG LIQUID in 1000 L/ha of water. DO NOT contaminate edible crops.

PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN. Do not get in eyes. Do not allow animals to graze on treated areas for 1-2 weeks. Dogs, cats and other domestic animals are attracted to metaldehyde and poisoning, with fatality, may result from ingestion. Do not store in direct sunlight. Store at room temperature. Do not mix with other chemicals. Do not store with feed or food stuffs. Keep container closed when not in use. Do not contaminate lakes, streams, ponds or rivers.

FIRST AID

In case of accidental exposure: call a doctor (physician), clinic or hospital immediately. Explain the victim has been exposed to metaldehyde and describe his condition.

IF SWALLOWED, contact physician, Poison Control Centre, or emergency clinic before inducing vomiting. Give water or milk to drink and induce vomiting by touching back of throat with finger, or by administering syrup of ipecac. Do not induce vomiting or give anything by mouth to an unconscious person. If medical advice cannot be obtained, take person and product container to the nearest emergency treatment facility.

IF IN EYES, wash immediately with fresh water for at least 15 minutes. See a doctor if irritation persists.
IF ON SKIN, wash with plenty of soap and water.
IF INHALED, remove person from exposure area.

TOXICOLOGY

Ingestion may cause intestinal irritation, kidney and liver damage.

DISPOSAL

1. Rinse the emptied container thoroughly and add the rinsings to the spray mixture in the tank.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
3. Make the empty container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.
5. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the regional office of Environmental Protection, Environment Canada.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

NOTICE TO BUYER: Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

38143

02/94

(LABEL)

CLEAN CROP®

SLUG LIQUID

COMMERCIAL

DANGER

POISON

KEEP OUT OF REACH OF CHILDREN

KEEP AWAY FROM POULTRY AND DOMESTIC ANIMALS

(DOGS AND CATS ARE ATTRACTED TO THIS PRODUCT)

READ THE LABEL BEFORE USING

**REGISTRATION NO. 6936
PEST CONTROL PRODUCTS ACT**

GUARANTEE: Metaldehyde..... 50%

NET: 3.78 L

**UNITED AGRI PRODUCTS
R.R. #2
Dorchester, Ontario,
N0L 1G5**

PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN. Do not get in eyes. Do not allow animals to graze on treated areas for 1-2 weeks. Dogs, cats and other domestic animals are attracted to metaldehyde and poisoning, with fatality, may result from ingestion. Do not store in direct sunlight. Store at room temperature. Do not mix with other chemicals. Do not store with feed or food stuffs. Keep container closed when not in use. Do not contaminate lakes, streams, ponds or rivers.

FIRST AID

In case of accidental exposure: call a doctor(physician), clinic or hospital immediately. Explain the victim has been exposed to metaldehyde and describe his condition.

IF SWALLOWED, contact physician, Poison Control Centre, or emergency clinic before inducing vomiting. Give water or milk to drink and induce vomiting by touching back of throat with finger, or by administering syrup of ipecac. Do not induce vomiting or give anything by mouth to an unconscious person. If medical advice cannot be obtained, take person and product container to the nearest emergency treatment facility.

IF IN EYES, wash immediately with fresh water for at least 15 minutes. See a doctor if irritation persists.

IF ON SKIN, wash with plenty of soap and water.

IF INHALED, remove person from exposure area.

DISPOSAL

1. Rinse the emptied container thoroughly and add the rinsings to the spray mixture in the tank.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
3. Make the empty container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.
5. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the regional office of Environmental Protection, Environment Canada.

NOTICE TO USER: This control product is to be used only in

accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

NOTICE TO BUYER: Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

02/94

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))