04-JUN-2007 - Notification - Change in Registrant Name and Address.

## TRAVIS CHEMICALS

### T-397 Biocide

# FOR USE AS AN OIL FIELD BIOCIDE

#### **COMMERCIAL**

**GUARANTEE:** 1-alkyl(C<sub>6</sub>-C<sub>18</sub>)-1,3-propane-diamine diacetate......32.0%

#### REGISTRATION NO. 20519 PEST CONTROL PRODUCTS ACT

#### **DANGER**







**POISON** 

FLAMMABLE CORROSIVE

READ THE LABEL BEFORE USING

**NET CONTENTS - 173.0 KG** 

Notification Change

TRAVIS CHEMICALS
777—8<sup>th</sup> Avenue S.W., 19<sup>th</sup> floor
Calgary, Alberta T2P 3R5

BRENNTAG CANADA INC. 43 Jutland Road Toronto, ON M8Z 2G6

#### **PRECAUTIONS**

#### KEEP OUT OF REACH OF CHILDREN

**DANGER:** Corrosive. Causes eye and skin damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed Avoid contamination of food

#### ENVIRONMENTAL HAZARD

This pesticide is toxic to fish. Do not discharge into lakes, streams, ponds or public water. Not for use in marine or estuarine oil fields.

#### **FIRST AID**

**EYES:** Flush with plenty of water for at least 15 minutes. Get medical treatment IMMEDIATELY.

**SKIN:** Wash thoroughly with soap and water to ensure all material is removed. Remove and wash contaminated clothing before reuse.

**IF SWALLOWED:** Do not induce vomiting. Drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available drink large quantities of water. Avoid alcohol. Call a physician or Poison Control Centre IMMEDIATELY.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

#### TOXICOLOGICAL INFORMATION

Probably mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsions may be needed.

#### STORAGE AND HANDLING

Store drums in a sheltered area away from heat and cold. Use approved equipment for transport of drums to avoid puncturing or rupturing of container. Do not use air pressure to transfer.

#### **DISPOSAL**

- 1. Triple or pressure-rinse the empty container. Add the rinsings to the treatment site.
- 2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
- 3. Make the empty container unsuitable for further use.
- 4. Dispose of the container in accordance with provincial requirements.
- 5. For information on the disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.
- 6. FOR SMALL SPILLS: Recover the free liquid. Soak up residue into solids absorbent. DO NOT FLUSH INTO SURFACE STREAMS. CONTACT THE MANUFACTURER OR THE PROVINCIAL REGULATORY AGENCY.

#### **DIRECTIONS FOR USE**

#### SECONDARY OIL PRODUCTION

For the control of algae, slime forming and sulphate reducing bacteria in oil field waterflood, slug treat at a rate up to 600 ppm for up to 6 hours as needed to achieve control. Repeat treatment once a week or as needed to maintain control.

For continuous treatment, up to 200 ppm can be used initially to achieve control with maintenance levels of up to 100 ppm. Levels for effective control will vary depending on conditions at the site.

#### WELL COMPLETIONS, WORKOVER AND STIMULATION FLUIDS

For control of algae, slime forming and sulphate reducing bacteria, dosage levels of up to 1,000 ppm in normal situations and up to 2,000 ppm for severe contamination are suggested. In packer fluids, doses up to 200 ppm are recommended.

## PETROLEUM TRANSPORTATION AND STORAGE SYSTEMS, AND SURFACE EQUIPMENT

To control bacteria in crude oil pipelines, slug dose with up to six litres per centimetrediameter per kilometre of pipeline. Repeat weekly or as needed to control situation. The appropriate doses will depend on the severity of the problem.

Up to 100 ppm can be used in water for hydrostatic testing and in treatment of water and crude oil storage facilities. This water should be used in sub-surface injection systems only.

#### NOTICE TO USER

This control product is to be used only in accordance with the direction on this label. It is an offence under the PEST CONTROL PRODUCTS ACT to use a control product under unsafe conditions.

\*\*\*\*\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.