

85.12.31

IPCO (R)

Spike 5%G

Net Weight 7 kg

A preemergence and postemergence herbicide

COMMERCIAL

READ THE LABEL BEFORE USING

WARNING - EYE IRRITANT

GUARANTEE: Tebuthiuron 5%

WARNING POISON

REGISTRATION NO. 18031  
Pest Control Products Act

\*SPIKE is a registered trademark of Eli Lilly and Company.  
Elanco Division Eli Lilly Canada Inc. is a registered user.

Manufactured For:  
Interprovincial Cooperative Limited  
P.O. Box 1050  
Saskatoon, Saskatchewan S7K 3M9

CARRYING HANDLE

IPCO (R)

SPIKE 5%G

Net Weight 7 kg

CONVENIENT DISPENSER BOX

Open only prior to dispensing  
material on area to be treated.

TO OPEN:

1. Push front tab in.
2. Pull pre-cut flap out, tearing along sides of box.
3. Position deflector flap to provide even spreading.

See back panel for application directions.

#### General Weed Control

At 110 kg/ha, SPIKE 5G will control the following:

Alfalfa	
Anemona (Prairie Crocus)	Knapweed, spotted
Aster, New England	Kochia
Aster, Hoary	Lambs-quarters
Avens, Yellow	Mayweed, stinking
Bedstraw, Yellow	Medic, black
Bluegrass, annual	Mullein, common
Bluegrass, Canada	Oak, bur
Bluegrass, Kentucky	Pepper-grass
Bluestem, big	Pigweed, redroot
Blueweed	Plantain, narrow-leaved
Box-elder	Quackgrass
Brome, downy	Raspberry, wild red
Brome, smooth	Redtop
Carrot, wild	Ryegrass, Italian
Catnip	Sage, prairie
Cat's ear, spotted	Smartweed
Chicory	Snapdragon, dwarf
Cinquefoil, rough	Sow-thistle, perennial
Clover, red	St. John's wort
Crabgrass, large	Strawberry, wild
Dandelion, common	Sweet Clover, yellow
Dock, curled	Thistle, Bull
Dogbane, clasping-leaved	Thistle, nodding
Evening-primrose, yellow	Thistle, Russian
Fescue	Timothy
Fleabane, Canada	Toadflax
Foxtail	Velvetgrass
Goldenrod, Canada	Vetch
Grape, wild	Virginia Creeper
Hawthorn	Willow, slender
Heal-all	Yarrow

At 170 kg/ha. SPIKE 5G will control the following:

Aster, rayless	Mallow, roundleaved
Barley, foxtail	Mustard, dog
Beggarticks	Orchardgrass
Bouncingbet	Plantain, common
Canarygrass, red	Rose, prairie

Clover, alsike  
Fleabane, rough  
Field Bindweed  
(buckbrush) Gumweed  
Knotweed, prostrate  
Lettuce, prickly  
Lovegrass

Smartweed, swamp  
Sow-thistle, annual  
Snowberry, western  
Spurge, spotted  
Sweet-clover, white  
Thistle, Canada  
Witchgrass

At 225 kg/ha. SPIKE 5G will control the following:

Buttercup, tall  
Campion, bladder  
Goat's beard  
Horsetail, field

Milkweed, common  
Pennycress  
Poison Ivy  
Scouring-rush

#### STOP

Spike will kill desirable plants and trees. A distance measuring at least 1 1/2 times the height of desirable trees or shrubs, should not be treated with SPIKE.

#### CAUTION

#### HUMAN

Keep out of the reach of children. Harmful if swallowed. Avoid breathing dust. Avoid contact with skin, eyes, or clothing. In case of contact, wash skin with soap and water, and flush eyes with copious amounts of water.

#### DISPOSAL

Destroy container when empty. Do not reuse.

#### ENVIRONMENTAL

Do not contaminate any body of water. Do not use on locations where the product may be washed into streams, lakes, or other bodies of water. Use of this herbicide may result in bare ground and thus may subject the soil to erosion. Do not use on areas where a bare ground is undesirable or where soil erosion may be a problem.

Directions for Use - Read All Directions Carefully Before Applying

The contents of this carton (7 kg) will cover:

311 sq. m at the rate of 225 kg per hectare  
412 sq. m at the rate of 170 kg per hectare  
636 sq. m at the rate of 110 kg per hectare

SPIKE 5% Granular is a non-selective herbicide for controlling a wide range of annual and perennial weeds and grasses. It is

recommended for non-cropland areas, such as AIRPORT RUNWAYS, UTILITY SUBSTATIONS, TANK FARMS, RAILWAY ROADBEDS, LUMBER YARDS, RAILROAD YARDS, AT THE BASE OF HIGHWAY GUARDRAILS, SIGN POSTS AND MARKERS, FENCES, AND AT THE BASE OF TRANSMISSION TOWERS AND POLES for the control of most annual and perennial grasses and broadleaf weeds. Effects are slow to appear and will not become apparent until the chemical has been carried into the root zone of the weeds by moisture. Control will last for an extended period. The effectiveness and length of time control will last depends on type of soil, amount of rain and other conditions.

#### HOW TO APPLY:

1. Determine the rate of area to be treated and spread the contents accordingly in an even pattern.
2. Hold the carton at arms length and by using a slow turning action of the wrist from side to side, apply the granules to the desired area while walking at a steady pace. The product may be applied when the top growth is dense, but better control will be obtained when weeds are short or when excess growth is mowed and removed before applying.

#### WHEN TO APPLY

Best results will be obtained if applied shortly before or at the time plant growth begins. Light rains or thorough watering after application will cause the material to move to the root zone and thus speed up control. Do not use when ground is frozen or snow covered. Do not apply after September 15th.

#### PRECAUTIONS

The herbicide may persist in soil for several years, especially when used at the high rates. Do not use on areas that will be used for growing plants. DO not apply product on or near desirable trees or plants or on areas where their roots may extend or in locations where the chemical may be washed into contact with their roots, as severe injury or death may occur. Do not use on walks, driveways, lawns, patios, tennis courts, or similar areas where roots of desirable trees or other plants may extend or where product may be washed into contact with roots of desirable trees. Do not apply when the ground is frozen or snow covered. Keep from contact with pesticides, fertilizers, seeds and food. Clean all traces of product from application equipment after use.

#### NOTICE TO USER

This control product is to be used only in accordance with the directions on this label. It is an offense under the Pest Control Products Act to use a control product under unsafe conditions.

NOTICE TO BUYER

Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))