CSG 1000

DISINFECTANT CLEANER FOR FOOD
MEAT AND POULTRY PROCESSING

COMMERCIAL
DIN 693057

CAUTION
CORROSIVE

READ THE LABEL BEFORE USING

REGISTRATION NO. 19417
PEST CONTROL PRODUCTS ACT

GUARANTEE:

N-Alkyl($5\%C_{12}$,$60\%C_{14}$,$30\%C_{16}$,$5\%C_{18}$)
dimethyl benzyl ammonium chloride..............0.8%

N-Alkyl($68\%C_{12}$,$32\%C_{14}$)
dimethyl ethyl benzyl ammonium
chloride....................................0.8%

20 LITRES
INDO PRO-PORTION

W.E. GREER LTD.
14704 - 119 Avenue
EDMONTON, ALBERTA
T5L 2P1

FOR INDUSTRIAL AND INSTITUTIONAL USE ONLY

DIRECTIONS:
DISINFECTION - of hard surfaces, industrial floors, walls and
food processing equipment, table tops, counters, display racks in
meat and poultry processing and packing plants, supermarket meat
rooms, kitchens and other food processing areas, add 1 part per
25 parts water. Allow solution to wet all surfaces thoroughly
and remain wet for 10 minutes.

MILDEWSTAT - To control mold and mildew on pre-cleaned, hard non-porous surfaces, add 1 part "CSG 1000" to 25 parts water. Wet surfaces completely. Let air dry. Repeat application at weekly intervals or when mildew growth reappears.

SANITIZING - To sanitize pre-cleaned, rinsed non-porous food contact surfaces, compare 200 ppm active QUAT solution by adding 1 part "CSG 1000" to 80 parts water. Allow solution to contact surface for at least 60 seconds. Let air dry. Prepare fresh solution for each use.

DISINFECTION - At 1 part "CSG 1000" to 25 parts water, this product exhibits effective disinfectant activity against: Escherichia coli, Salmonella choleraesuis, Staphlyococcus aureus. At this level the product is also fungicidal against the pathogenic fungi, Trichophyton mentagrophytes. At 1 part per 21 parts dilution, this product is an effective hospital disinfectant and demonstrates activity against Pseudomonas aeruginosa. Efficacy tests have demonstrated that this product is an effective bactericide, fungicide and virucide in the presence of organic soil (5% blood serum). "CSG 1000" is an effective sanitizer when diluted with water up to 250 ppm hardness ($CaCO_3$).

PRECAUTION: Keep out of reach children. Causes eye and skin damage. Do not get in eyes, skin or on clothing. Harmful if swallowed. Wear glasses or face shield and rubber, gloves when handling. Avoid contamination of food.

When used on surfaces coming in direct contact with food, rinse thoroughly with potable water. Do not mix with soap or anionic solutions.

CONTAINS: Surfactants, silicate, phosphate, sequestrant and dye.

FIRST AID INSTRUCTIONS: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, contact a physician. Remove and wash all contaminated clothing before re-use. If swallowed, drink milk, egg whites, gelatin solution or if none of these are available, drink large quantities of water. Call a physician immediately.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

TOXICOLOGICAL INFORMATION: Probable mucosal damage may
contraindicate the use of gastric lavage. Measures against
circulatory shock, respiratory depression and convulsion may be
needed.

ALL SURFACES ON WHICH THIS PRODUCT IS USED AND WHICH COME IN
CONTACT WITH FOOD, ARE TO BE RINSED IN POTABLE WATER

HMIS HAZARD RATING
HEALTH   3   0 - Least
FLAMMABILITY   0   1 - Slight
REACTIVITY   0   2 - Moderate
PERSONAL PROCTECTION   0   3 - High
                                 4 - Extreme

DOES NOT REQUIRE WHMIS LABEL UNDER THE HAZARDOUS PRODUCTS ACT.
READ MATERIAL SAFETY DATA SHEET.

         ****

+))