

87.05.14

DISTINCTIVE CHEMICAL SPECIALTIES, RESEARCH TODAY FOR  
PRODUCTS OF TOMORROW

INSECT SPACE AND CONTACT SPRAY  
LIQUID-COMMERCIAL

READ THE LABEL BEFORE USING

CONTAINS PYRETHRINS, PIPERONYL BUTOXIDE  
AND N-OCTYL BICYCLOHEPTENE DICARBOXIMIDE

KILLS COCKROACHES - FLIES - MOSQUITOES - GNATS - SILVERFISH -  
ANTS - FLEAS - BEDBUGS - CLOTHES MOTHS

FOR USE IN DWELLINGS, INSTITUTIONS, FOOD PLANTS, RESTAURANTS, AND  
OTHER COMMERCIAL AND INDUSTRIAL LOCATIONS

GUARANTEE:

PYRETHRINS.....	0.10%
PIPERONYL BUTOXIDE.....	0.50%
N-OCTYL BICYCLOHEPTENE DICARBOXIMIDE.....	0.50%

REGISTRATION NO. 9783  
PEST CONTROL PRODUCTS ACT

NET CONTENTS LITRES  
PRODUCT NO. 4816(R01/87)

COPELAND LABORATORIES, TORONTO  
REXDALE, ONTARIO, CANADA, M9W 2Z6

#### DIRECTIONS

TO KILL COCKROACHES AND SILVERFISH: They must be hit by spray. Spray around refrigerators, sinks, all cabinets, around pantry shelves, into all cracks and crevices in moulding and woodwork, pipe openings in walls and floors or wherever these insects are likely to hide. Repeat treatment as often as necessary.

TO KILL BEDBUGS: They must be hit by spray. Bedsteads should be sprayed thoroughly into all corners, cracks and crevices. Springs and mattresses should be replaced or sprayed after the bed is dismantled, paying particular attention to cracks,

crevices, tufts and seams on mattresses, wallpaper that is loose, loose moulding and any place where bugs may hide. Repeat treatment as necessary.

TO KILL FLIES, MOSQUITOES, AND GNATS: Apply 100 to 200 mL of spray per 100 cu. metres. Close doors and windows directing the spray up towards the ceiling. The room should be filled with mist and remain closed for 10-15 minutes. Ventilate for half an hour before re-entry. Sweep up dead insects and destroy them. Repeat treatment as often as necessary.

TO KILL CLOTHES FLIES AND CARPET BEETLES: Take special precaution to see that cracks in floors and openings bellow baseboards are wetted with spray liquid, Wool, lint and organic matter accumulating in these places will serve as breeding materials for such pests. Clothing to be stored should be cleaned, aired and brushed and sprayed thoroughly but carefully from a distance of 30-60 cm. Chests in which woolens are to be stored should be sprayed before being filled with clothes. Closets should be sprayed at least twice a month, direct the spray on the garments.

TO KILL FLEAS: Liberally spray to point of run off all infested places - rugs and under rugs, basements, under porches, and wherever pet animals make their beds. Replace or spray bedding of household pets. Do not spray animals directly. Repeat as required.

TO KILL ANTS: Use the spray so as to hit as many insects as possible, paying special attention to nests, trails, runways and points of entry. Repeat treatment as often as necessary.

IN MEAT PACKING AND FOOD PROCESSING PLANTS: Spray only when plant is not in operation. No exposed meat products, ingredients or packing materials are to be left in the room. Cover food handling equipment. Any treated surface that may contact meat food products or other food products should be washed and rinsed thoroughly with potable water after spraying and before re-use for food processing.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed. Do not direct toward open flame. Do not spray directly on food or food utensils. all treated surfaces which might contact meat or meat food products should be washed down with potable water prior to contact with meat or meat food products.

FIRST AID TREATMENT: This product contains petroleum distillates, if ingested, do not induce vomiting. If patient is unconscious, give him air. Obtain medical attention immediately. If on skin, remove by washing with soap and water. If in eyes flush with water. If irritation persists, seek medical attention.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))