

96.07.12

ENDBAC (R) 128

SC Johnson(R) Professional

For Hospital, Food Plant, Institutional and Industrial Use

DISINFECTANT CLEANER CONCENTRATE

Bactericide Fungicide Virucide Malodour Counteractant

REGISTRATION NO. 24486

PEST CONTROL PRODUCTS ACT

DIN 0216575

COMMERCIAL

WARNING

POISON CORROSIVE

GUARANTEE:

|                                     |       |
|-------------------------------------|-------|
| n-Alkyl (40% C12, 50% C14, 10% C16) |       |
| dimethyl benzyl ammonium chloride   | 4.09% |
| Didecyl dimethyl ammonium chloride  | 4.35% |

18.9 LITRES

S.C. Johnson and Son, Limited  
Brantford, Ont., Canada  
N3T 5R1

READ THE LABEL BEFORE USING

54715

CORROSIVE LIQUIDS, N.O.S.  
(QUATERNARY AMMONIUM COMPOUNDS)  
UN1760

WHMIS Classification: Exempt -  
regulated under Food & Drug Act and P.C.P. Act

ENDBAC 128 DISINFECTANT  
CLEANER CONCENTRATE

PRECAUTIONS: Keep out of reach of children. Corrosive. Causes irreversible eye and severe skin damage. Harmful or fatal if swallowed or inhaled. Do not get in eyes, on skin or clothing. Do not inhale vapours. When handling the concentrate, wear eye goggles, chemical resistant gloves and aprons and long sleeved shirts and pants. Promptly decontaminate footwear. Use only in well ventilated areas. Avoid contamination of food. When handling diluted product, wear impermeable gloves.

FIRST AID:

In case of contact, immediately flush eyes or skin with plenty of water for at least 20 minutes. Following eye flush, call a physician. Remove and wash contaminated clothing before re-use. If swallowed, do not induce vomiting, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call physician or poison control centre immediately.

TOXICOLOGICAL INFORMATION: Probable mucosal damage may contraindicate the use of gastric lavage.

See Material Safety Data Sheet.

SC JOHNSON PROFESSIONAL (R) (R)Can. Trade Mark Reg'd to S.C. Johnson & Son Inc., Reg'd User S.C. JOHNSON AND SON, LIMITED, Brantford, Ont., Canada N3T 5R1

ENDBAC(R) 128  
DISINFECTANT CLEANER CONCENTRATE  
BACTERICIDE FUNGICIDE VIRUCIDE MALODOUR COUNTERACTANT

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

ENDBAC 128 is a bactericide/fungicide/virucide, and malodour counteractant specifically formulated for hospital, food plant, institutional and industrial use.

**BACTERICIDAL** Proven effective in destroying (in the official A.O.A.C. Use-Dilution test for germicides) the following pathogenic bacteria: Pseudomonas aeruginosa, Salmonella choleraesius, Staphylococcus aureus, Staphylococcus aureus (methicillin-resistant strain - MRSA), Escherichia coli (0157:H7), Klebsiella pneumoniae, Listeria monocytogenes, Proteus mirabilis, Proteus vulgaris, Salmonella enteritidis, Salmonella pullorum, Salmonella typhi, Serratia marcescens, Streptococcus agalactiae, Streptococcus faecalis, Streptococcus pyogenes.

VIRUCIDAL against H.I.V.-1\*, Influenza A2/Hong Kong virus, Adenovirus Type 2, Herpes Simplex Type 1, and Herpes Simplex Type

2, on hard non-porous surfaces.

FUNGICIDAL Destroys *Candida albicans*, *Aspergillus niger* and *Trichophyton mentagrophytes* on hard non-porous surfaces.

DIRECTIONS FOR USE: Dilute 1 part product with 128 parts water (8mL/Litre = 660 ppm quaternary). Mop floor. For walls, woodwork and equipment, use a sponge or cloth. Treated surfaces must remain wet for 10 minutes. A potable water rinse is necessary following treatment of food contact surfaces. Not for use in dishwashing. Recommended for hard non-porous surface disinfection in all areas of hospitals, nursing homes, veterinary hospitals and food plants.

For heavily soiled areas, a pre-cleaning step is required prior to disinfection.

**\*H.I.V. DISINFECTION:** ENDBAC 128 is effective against H.I.V. (Human Immunodeficiency Virus) in situations where contamination by blood or body fluids is likely. Personnel involved in such procedures should wear appropriate barrier protection (i.e. glove, gowns, masks, etc.) A 1:128 dilution of ENDBAC 128 inactivates H.I.V. after a one minute contact time. Blood and body fluids must be thoroughly cleaned from surfaces prior to application of disinfectant.

Disposal of blood and body fluids and contaminated cleaning materials should comply with hospital recommended disposal procedures.

DISPOSAL:

1. Rinse the emptied container thoroughly and add the rinsings to the treatment site.
2. Follow provincial/territorial instructions for any required additional cleaning of the container prior to its disposal or reconditioning.
3. Dispose of the container in accordance with provincial requirements.
4. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the provincial/territorial Regulatory Agency or SC Johnson Professional.

DO NOT STORE IN FOOD PROCESSING AREAS OR FOOD STORAGE AREAS.

KEEP FROM FREEZING

Questions? Comments: Write Customer Service Department, SC Johnson Professional, 1 Webster Street, Brantford, Ont., N3T 5R1

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))