

10-SEP-1996

GREEN CROSS7

BANISECT7

DOMESTIC

CONCENTRATE INSECTICIDE

Kills white grubs, cutworm, spiders and elm bark beetles

NET CONTENTS: 250mL, 500 mL

GUARANTEE:

Chlorpyrifos.....100 g/L

This product contains the DURSBAN* brand of chlorpyrifos.
*DURSBAN is a registered trademark of DowElanco Canada Inc.

DANGER POISON

READ THE LABEL AND PAMPHLET BEFORE USING

KEEP OUT OF REACH OF CHILDREN

REG. NO.: 17262 P.C.P. ACT

The Solaris Group
A Unit of Monsanto Canada Inc.
600 - 25 Watline Avenue
Mississauga, Ont.
L4Z 2Z1

PRECAUTIONS:

KEEP OUT OF REACH OF CHILDREN. Do not allow spray to contact food, food preparing surfaces, utensils or drinking water. Wash contaminated food surfaces and utensils with soap and water before using. Do not use in poultry houses or other animal buildings. May cause irritation to skin or eyes: avoid contact. Avoid inhaling spray. Wash hands thoroughly with soap and water after using. Do not permit children or pets to contact sprayed areas until dry.

WARNING:

This product is toxic to fish and crustaceans. Avoid contamination of ornamental

fish ponds and fish bowls.

DISPOSAL:

Do not reuse container. Dispose of empty container in household garbage.

FIRST AID:

If swallowed, do not induce vomiting. Contains petroleum distillate solvent. Seek medical attention or call a Poison Control Centre. Flush contaminated eyes and skin with plenty of water. For eyes get prompt medical attention.

TOXICOLOGICAL INFORMATION:

Chlorpyrifos is a cholinesterase inhibitor. Treat symptomatically. Atropine by injection only is an antidote.

NOTICE TO BUYER:

Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

Product Use Information: 1-800-668-5669

7 Registered trademark of Monsanto Company, Monsanto Canada Inc. licensee

((PAMPHLET))

GREEN CROSS⁷

BANISECT⁷

DOMESTIC

CONCENTRATE INSECTICIDE

Kills white grubs, cutworm, spiders and elm bark beetles

GUARANTEE:

Chlorpyrifos.....100 g/L

This product contains the DURS^{BAN}* brand of chlorpyrifos.
*DURS^{BAN} is a registered trademark of DowElanco Canada Inc.

DANGER

POISON

READ THE LABEL AND PAMPHLET BEFORE USING

KEEP OUT OF REACH OF CHILDREN

REG. NO. : 17262 P.C.P. ACT

The Solaris Group
A Unit of Monsanto Canada Inc.
600 - 25 Watline Avenue
Mississauga, Ont.
L4Z 2Z1

DIRECTIONS FOR USE:

FOR USE ON	TO CONTROL	DILUTION RATES/ COVERAGE AREA		TIMING/ APPLICATION
		GREEN CROSS DIAL-A SPRAY ⁷ SETTING*	COMPRESSED AIR SPRAYER	

		20			
TURF AND LAWNS	White grubs, European chafer larvae, Japanese beetle larvae	A 250 mL container will cover 125 square metres (1,350 square feet).	A 500 mL container will cover 250 square metres (2,700 square feet).	Mix 20 mL per litre of water, to cover 10 square metres (110 square feet).	Apply when grubs are small and feeding near soil surface, usually late July or August. Spray areas to give thorough coverage and water into turf. Make no more than 2 applications per season.
FOR USE ON	TO CONTROL	DILUTION RATES/ COVERAGE AREA			TIMING/ APPLICATION
		GREEN CROSS DIAL-A SPRAY ⁷ SETTING*		COMPRESSED AIR SPRAYER	
		10			
TURF AND LAWNS - cont'd	Ants, chinch bugs and mosquitoes	A 250 mL container will treat 250 square metres (2,700 square feet).	A 500 mL container will treat 500 square metres (5,400 square feet).	Mix 10 mL per litre of water, to cover 10 square metres (110 square feet).	Spray ant nests and surrounding areas. Repeat once if ants return. For chinch bugs apply when insects first appear. Apply as a coarse low pressure spray. Lawn should be moist at time of application. Make no more than 2 applications per season.
TURF	Crane fly	A 250 mL	A 500 mL	Mix 10-12 mL	Apply as a

AND LAWNS - cont'd	larvae (leather jackets)	container will treat 250 square metres (2,700 square feet).	container will treat 500 square metres (5,400 square feet).	per litre of water, to cover 10 square metres (110 square feet).	drenching spray in water in the late fall after the flight of adult crane flies (leather jackets) has ceased for the year. Make no more than 2 applications per season.
--------------------------	--------------------------------	---	---	---	--

FOR USE ON	TO CONTROL	DILUTION RATES/ COVERAGE AREA		TIMING/ APPLICATION
		GREEN CROSS DIAL-A-SPRAY ⁷ SETTING*	COMPRESSED AIR SPRAYER	
		10		
ORNAMEN TAL SHRUBS AND BUSHES DO NOT USE ON ROSES, AZALEAS , CAMELLI AS, POINSET TIAS, GERANIU MS, OXALIS, COLEUS OR VARIEGA TED IVY.	Ants, crickets, earwigs, sowbugs, spiders, cutworms, white grubs, European chafer larvae, Japanese beetle larvae	Spray to provide uniform coverage, but not to the point of run-off.	Mix 10 mL per litre of water, to cover 10 square metres (110 square feet).	Spray soil around plants to give good coverage. Make no more than 2 applications per season.

	Foliar insect pests	10	Mix 10 mL per litre of water.	Spray to give uniform coverage. Make no more than 2 applications per season.
--	---------------------	----	-------------------------------	--

FOR USE ON	TO CONTROL	DILUTION RATES/ COVERAGE AREA		TIMING/ APPLICATION
		GREEN CROSS DIAL-A-SPRAY ⁷ SETTING*	COMPRESSED AIR SPRAYER	
ELM TREES	Native Elm Bark Beetle (Insect Vector of Dutch Elm Disease)		Mix 50 mL per litre of water.	To prevent overwintering of adult beetles in healthy trees, spray the lower 2.5 metres of the trunk down to the base of root flares. Wet the bark thoroughly but do not spray to run off. Use a sprayer (e.g. A pump-up@ or compressed air type) with sufficient

				pressure so the spray penetrates into the crevices of the bark. Make only 1 application per season.
--	--	--	--	---

FOR USE ON	TO CONTROL	DILUTION RATES/ COVERAGE AREA			TIMING/ APPLICATION
		GREEN CROSS DIAL-A SPRAY ⁷ SETTING*		COMPRESSED AIR SPRAYER	
		10			
GARDENS: Carrots, onions	Cutworms and root maggots	A 250 mL container will treat 700 metres (2,300 feet) of row.	A 500 mL container will treat 1,400 metres (4,600) feet of row.	Mix 12 mL per litre of water to cover 33 metres (110 feet) of row.	When damage from cutworms and root maggots is evident. Spray to give uniform coverage. Make no more than 1 application per season.
FOR USE ON	TO CONTROL	DILUTION RATES/ COVERAGE AREA			TIMING/ APPLICATION
		GREEN CROSS DIAL-A SPRAY (R) SETTING*		COMPRESSED AIR SPRAYER	
		6			
GARDENS - cont'd Straw- berries	Cutworms and root maggots	A 250 mL container will treat 415 square metres (4,500 square feet).	A 500 mL container will treat 830 square	Mix 6 mL per litre of water to cover 10 square metres (110 square	When damage from cutworms and root maggots is evident. Spray to give

			metres (9,000 square feet).	feet).	uniform coverage. Apply once between June 1 and June 15. Make no more than 1 application per season.
GARDENS - cont'd Broccoli, Brussels sprouts, cabbage, Chinese cabbage, cauliflower, celery, cucumber, green pepper, sweet corn, tomatoes, potatoes	Cutworms and root maggots	A 250 mL container will treat 1,400 metres (4,600 feet) of row.	A 500 mL container will treat 2,800 metres (9,200 feet) of row.	Mix 6 mL per litre of water to cover 33 metres (110 feet) of row.	When damage from cutworms and root maggots is evident. Spray to give uniform coverage. Make no more than 1 application per season.

FOR USE ON	TO CONTROL	DILUTION RATES/ COVERAGE AREA		TIMING/ APPLICATION	
		GREEN CROSS DIAL-A SPRAY ⁷ SETTING*	COMPRESSED AIR SPRAYER		
		4			
GARDENS - cont'd Potatoes	Potato flea beetle and tarnished plant bug	A 250 mL container will treat 625 square metres (6,750 square feet).	A 500 mL container will treat 1,250 square metres (13,500 square feet).	Mix 4 mL per litre of water to cover 10 square metres (110 square feet).	Apply weekly as needed. Do not make more than 9 applications during one season.

DO NOT USE ON GREEN BUNCHING ONIONS.
 SEE TABLE FOR DAYS TO WAIT BETWEEN APPLICATION AND HARVEST.

DAYS TO WAIT BETWEEN APPLICATION AND HARVEST CROP:
 Potato.....7
 Strawberry.....20
 Broccoli, Brussels sprouts, Cabbage, Cauliflower,
 Chinese cabbage.....32
 Green pepper.....40
 Carrot, Cucumber, Onion.....60
 Celery, Sweet corn, Tomato.....70

FOR USE ON	TO CONTROL	DILUTION RATES/ COVERAGE AREA		TIMING/ APPLICATION
		GREEN CROSS DIAL-A- SPRAY7 SETTING*	COMPRESSED AIR SPRAYER	
INSECT PESTS INDOORS	Cockroaches, ants, crickets, firebrats, silverfish, spiders and sowbugs		Mix 25 mL per litre of water.	Spot treatment: Apply as a coarse spray along baseboards and behind fixtures where these pests are a problem. Repeat as needed but not more than once every 2 months.

	Fleas, ticks and carpet beetles		Mix 50 mL per litre of water.	For fleas and ticks, apply spray to pet beds, resting quarters and nearby cracks and crevices. Cover or remove all food before treatment. Replace bedding after treatment. DO NOT TREAT PETS. Repeat as needed but not more than once every 2 months.
--	---------------------------------	--	-------------------------------	---

NOTE: 1 tablespoon = 15 mL

* The GREEN CROSS DIAL-A-SPRAY⁷ is a hose-end sprayer with various settings. The number of the setting is the number of mL of product being applied per litre of water. Please refer to the DIAL-A-SPRAY label for use instructions.

PRECAUTIONS:

KEEP OUT OF REACH OF CHILDREN. Do not allow spray to contact food, food preparing surfaces, utensils or drinking water. Wash contaminated food surfaces and utensils with soap and water before using. Do not use in poultry houses or other animal buildings. May cause irritation to skin or eyes: avoid contact. Avoid inhaling spray. Wash hands thoroughly with soap and water after using. Do not permit children or pets to contact sprayed areas until dry.

WARNING:

This product is toxic to fish and crustaceans. Avoid contamination of ornamental fish ponds and fish bowls.

DISPOSAL:

Do not reuse container. Dispose of empty container in household garbage.

FIRST AID:

If swallowed, do not induce vomiting. Contains petroleum distillate solvent. Seek medical attention or call a Poison Control Centre. Flush contaminated eyes and skin with plenty of water. For eyes get prompt medical attention.

TOXICOLOGICAL INFORMATION:

Chlorpyrifos is a cholinesterase inhibitor. Treat symptomatically. Atropine by injection only is an antidote.

Product Use Information: 1-800-668-5669

7Registered trademark of Monsanto Company, Monsanto Canada Inc. licensee

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))