

87.02.16

CO-OP (R) CRAWLING INSECT KILLER

350 G

DOMESTIC

Guarantee:

| | |
|---|-------|
| Pyrethrins..... | .05% |
| Technical Piperonyl Butoxide..... | .10% |
| Propoxur..... | .50% |
| N-Octyl Bicycloheptene Dicarboximide..... | .166% |

Pressurized Contact and Residual Crack,
Crevice and Surface Insecticide Spray

KILLS: Ants, Roaches, Earwigs & Fleas

READ LABEL BEFORE USING

DANGER

EXPLOSIVE

EXTREMELY FLAMMABLE

REG. NO. 19771 P.C.P. Act

Interprovincial Cooperative Limited
P. O. Box 1050, Saskatoon, Saskatchewan, S7K 3M9

Winnipeg Mississauga Montreal Moncton

For use as a residual spot or crack and crevice treatment. Kills Spiders, Sowbugs, Earwigs, Silverfish, Roaches, Crickets, Millipedes, Ants, Fleas, Carpet Beetles, Brown Dog Ticks.

INDOOR USE: Thoroughly treat cracks and crevices and spots along baseboards, underneath furniture and equipment, around garbage containers, localized areas of floors and floor coverings and other places where insects habitate. For ants, spray trails and

places where ants enter premises such as window and door sills.

OUTDOOR USE: Spot Treatment, Spray outside surfaces of screens, doors, window frames, foundations, patios, light fixtures and other places where insects may alight, or congregate and enter. For ants, spray hills and runways.

DIRECTIONS: Hold container approximately 30 cm from surface being sprayed and spray until wet. Thorough applications produce a coating which will vaporize into cracks and crevices for insect control. If reinfestations occur, repeat applications as necessary. Provide adequate ventilation after indoor use. KEEP PETS AND CHILDREN AWAY FROM SURFACE UNTIL DRY.

PRECAUTION; KEEP OUT OF REACH OF CHILDREN. In dwellings, remove or cover exposed foods, cooking utensils and food preparation surfaces to avoid contamination. Not to be used in food storage, handling or packaging areas. Contents under pressure. Do not place in hot water or near radiators, stove or other sources of heat, or store at temperatures over 50 degrees C. Do not spray near open flame or spark. Harmful if swallowed, inhaled or absorbed through skin. Avoid contact with eyes, skin, or clothing. Wash hands after using. DO NOT USE ON HUMANS, PLANTS, ANIMALS, FOOD STUFF, FOOD UTENSILS, FISHBOWLS OR ANIMAL FEED AREAS. DO NOT USE AS A SPACE SPRAY.

FIRST AID TREATMENT; Contains volatile petroleum distillate. If swallowed, do not induce vomiting. Call physician immediately. Propoxur is a cholinesterase inhibitor. Atropine is antidotal. In case of contact with skin, wash with soap and water. If in eyes, flush with water 15 minutes, get medical attention.

DISPOSAL; When container is empty, press button to release all pressure, then dispose in household garbage. Do not puncture or incinerate.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))