

2000/2005

For Hospital, Institutional and Industrial Use

REGISTRATION NO. 24161

PEST CONTROL PRODUCTS ACT

DIN 02164078

SC Johnson®

Professional

TRIAD™ II

Disinfectant Cleaner

Fungicide • Mildewstat • Virucide • Deodorizer

GUARANTEE:

n-Alkyl (40% C ₁₂ , 50% C ₁₄ , 10% C ₁₆)	
dimethyl benzyl ammonium chloride	1.520%
Octyl decyl dimethyl ammonium chloride	1.140%
Dioctyl dimethyl ammonium chloride	0.456%
Didecyl dimethyl ammonium chloride	0.684%

S.C. JOHNSON AND SON, LTD.

BRANTFORD, ONT.

CANADA

N3T 5R1

18.9 LITRES

READ THE LABEL BEFORE USING

53959

COMMERCIAL

CAUTION

CORROSIVE

POISON

CORROSIVE LIQUID, N.O.S.

(QUATERNARY AMMONIUM COMPOUNDS,
TETRASODIUM SALT OF EDTA)
UN1760

NOT REGULATED BY W.H.M.I.S.

PRECAUTIONARY STATEMENTS:

KEEP OUT OF REACH OF CHILDREN. DANGER: CORROSIVE TO EYES. DO NOT GET IN EYES, ON SKIN OR ON CLOTHING. HARMFUL IF SWALLOWED. AVOID CONTAMINATION OF FOOD.

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 20 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

TOXICOLOGICAL INFORMATION: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

SC JOHNSON PROFESSIONAL®
®Can. Trade Mark Reg'd to
S.C. Johnson & Son, Inc.,
Reg'd User S.C. JOHNSON AND SON LIMITED
Brantford, Ont. Canada
N3T 5R1

NOTICE TO USER:

This control product is to be used only in accordance with the directions on this label. It is an offense under the Pest Control Products Act to use a control product under unsafe conditions.

TRIAD™ II has been formulated to aid in the reduction of cross-contamination in institutions, schools and hospitals. TRIAD II is a one-step disinfectant cleaner that is effective against a broad spectrum of bacteria, is virucidal, fungicidal and will prevent the growth of mold and mildew and

their odors when used as directed.

When used as directed, TRIAD II will deodorize surfaces in toilet areas, behind and under sinks and counters, garbage cans and garbage storage areas and other places where bacterial growth can cause malodors.

DIRECTIONS FOR USE:

Apply TRIAD II to walls, floors and other hard (inanimate) non-porous surfaces such as tables, chairs, countertops, sinks and bedframes with a cloth, or mop so as to thoroughly wet surfaces. For heavily soiled areas, a preliminary cleaning is required. Prepare a fresh solution daily or when use solution becomes visibly dirty.

DISINFECTION: To disinfect hard, non-porous surfaces, add 17 mL/L of water. Treated surfaces must remain wet for 10 minutes. At this use level, TRIAD II is also virucidal, fungicidal and mildewstatic.

For hospitals and nursing homes: Add 17 mL/L of water. This broad spectrum activity of TRIAD II has been evaluated in the presence of 5% serum and found to be effective against the following organisms by the AOAC Use-Dilution test:

Pseudomonas aeruginosa, *Staphylococcus aureus*, *Salmonella choleraesuis*, *Escherichia coli*, *Serratia marcescens*, *Klebsiella pneumoniae*, *Enterobacter aerogenes*, *Salmonella schottmuelleri*, *Streptococcus faecalis*, *Shigella dysenteriae*, *Brevibacterium ammoniagenes*.

AOAC Fungicidal Test: TRIAD II at 9 mL/L is an effective fungicide against *Trichophyton mentagrophytes* (the athlete's foot fungus) when used on surfaces in areas such as locker rooms, dressing rooms, shower and bath areas, exercise facilities, etc.

Mold and Mildew Control: at 4 mL/L TRIAD II will effectively inhibit the growth of mold and mildew and the odors caused by them when applied to hard, non-porous surfaces (as indicated in general instructions above). Allow to dry on surface and repeat when mildew growth returns.

Virucidal Performance: at 9 mL/L use-level, TRIAD II was evaluated in the presence of 5% serum and found to be effective against the influenza A/Brazil Virus on inanimate non-porous surfaces.

For schools, non-medical institutional and industrial uses: at 9 mL/L of water. TRIAD II delivers excellent cleaning and germicidal effectiveness. It is effective against Staphylococcus aureus, Salmonella choleraesuis and Escherichia coli. The same AOAC tests used above to confirm suitable performance for hospitals were used.

SANITIZING: Non-Food Contact Surfaces (such as floors walls, tables etc.): at 5 mL/L use-level, TRIAD II is an effective sanitizer against Staphylococcus aureus and Klebsiella pneumoniae in the presence of 5% serum on porous and non-porous environmental surfaces. To sanitize porous or non-porous, non-food contact surfaces, add 5 mL/L of water. Treated surfaces must remain wet for 60 seconds.

Instructions for Cleaning and Decontaminating Against HIV-1 on Surfaces and Objects Soiled with Blood or Bodily Fluids:

This product is effective against HIV-1 (Human Immunodeficiency Virus) in the presence of organic soil (5% blood serum).

Personal Protection: When handling items soiled with blood or bodily fluids, always wear disposable latex gloves, gowns, masks, and eye coverings.

Cleaning Procedure: Thoroughly clean blood or bodily fluids from surfaces before applying TRIAD II.

Contact Time: To kill HIV-1, apply TRIAD II at 9 mL per litre of water and allow surface to remain wet for 10 minutes.

Disposal of infectious Material: Blood, body fluids, cleaning materials and clothing should be autoclaved and disposed of according to local regulations for infectious waste disposal.

DISPOSAL:

1. Rinse the emptied container thoroughly and add the rinsings to treatment site.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
3. Dispose of the container in accordance with provincial requirements.

4. For information on the disposal of unused, unwanted product and the cleanup of spills contact the regional office of Environment Canada.
5. Make the empty container unsuitable for further use.

Questions? Comments:
Write Customer Service Department,
SC Johnson Professional,
1 Webster Street,
Brantford, Ont.,
N3T 5R1.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))