

85.12.31

MGK

BIG GAME

REPELLENT

POWDER - BGR-P

For repelling Black-tailed deer (mule deer), White-tailed deer and Roosevelt elk that browse or uproot conifer seedlings. Also repels White-tailed deer from listed ornamentals.

COMMERCIAL

REGISTRATION NO. 17826
PEST CONTROL PRODUCTS ACT

GUARANTEE:

Putrescent Whole Egg Solids:..... 36%

U.S. Patents 3,980,773; 4,065,576, 4,065,577

Canadian Patent 1,048.408

WARNING:

EYE IRRITANT

KEEP OUT OF REACH OF CHILDREN

See Side Panel for Additional Precautions

READ THE LABEL BEFORE USING

Net Contents _____

Manufactured by:

MC LAUGHLIN GORMLEY KING COMPANY
8810 Tenth Avenue North
Minneapolis MN 55427
Telephone (612) 544-0341

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

WARNING: EYE IRRITANT

Causes eye irritation. Do not get in eyes, on skin, or on clothing. Avoid inhalation of dust. Harmful if swallowed. Wash contaminated skin with soap and water. In case of eye contact, flush eyes with plenty of water. Get medical attention.

Environmental Hazards

Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

STORAGE AND DISPOSAL

Storage: Store in a cool, dry place. Keep container closed.

Pesticide Disposal: Pesticide that cannot be used should be disposed of in a landfill approved for pesticides or buried in a safe place away from water. Consult disposal authorities.

DIRECTIONS FOR USE

Use Only as Directed on This Label

WEATHER CONDITIONS: BGR-P can be applied only to plants that are moist: during a light rain, after a rain or heavy dew, or after light misting of dry plants.

CONIFERS: TIMING OF TREATMENT: To protect young seedlings from Winter browsing, apply repellent before onset of browsing. To protect against Spring browsing of new growth, treat wet seedlings after bud break and before new shoots exceed 1" in length.

METHOD OF APPLICATION: TO TREAT PLANTS IN THE FIELD: Using a suitable shaker duster, apply a light dusting of powder to the plant. Too heavy a dusting will cause the repellent to slide to the ground where it will not be an effective deterrent to browsing. If only the terminal whorl is to be treated, apply approximately one gram of BGR-P to it. If applying BGR-P in the rain, do not allow the powder in the applicator to become wet, as plugging will result.

TO TREAT PLANTS IN THE NURSERY OR FIELD JUST BEFORE OUT-PLANTING: Using one bundle of conifer seedlings at a time, briefly immerse

seedling tops in a bucket of water, then dust wet tops lightly with BGR-P, striving to deposit some repellent on each seedling. Proceed with planting as usual.

ORNAMENTAL SHRUB PLANTINGS - DORMANT USE ONLY: To protect dormant Canadian yew, arborvitae, Douglas fir, flowering crab, hemlock, Scotch pine and honeysuckle, apply a light dusting when the plant is moist, to those parts of the shrub to be protected from browsing. Do not overtreat, since the excess powder will fall from the treated surface to the ground.

NOTICE TO USER:

This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))