

28-FEB-2005

**CO-OP®
PREMIUM
LAWN WEED
KILLER LIQUID**

Controls: Dandelion, Plantain, Chickweed, Clover,
Creeping Charlie and most other lawn weeds.

CAUTION POISON
REG. NO. 18951
P.C.P. ACT

500 mL
DOMESTIC
GUARANTEE: 2,4-D
95 g/L, Mecoprop
(d-isomer) 50 g/L,
Dicamba 9 g/L;
All present as Dimethyl Amines

**READ LABEL AND ATTACHED BROCHURE BEFORE USING
KEEP OUT OF REACH OF CHILDREN**

INTERPROVINCIAL COOPERATIVE LIMITED, P.O. BOX 1050, SASKATOON,
SASKATCHEWAN S7K 3M9

RC 830-0904

CO-OP PREMIUM LAWN WEED KILLER LIQUID

Controls Dandelion, Plantain, Chickweed, Clover, Creeping Charlie, and most other lawn weeds.

DOMESTIC

GUARANTEE: 2,4-D 95 g/L
MECOPROP (d-ISOMER) : 50 g/L
DICAMBA : 9 g/L
ALL PRESENT AS DIMETHYL AMINES

READ THE LABEL AND BROCHURE BEFORE USING

KEEP OUT OF REACH OF CHILDREN

REG.NO. 18951
P.C.P. ACT

CAUTION POISON

Interprovincial Cooperative Limited
PO Box 1050
Saskatoon Saskatchewan S7K 3M9

CO-OP PREMIUM LAWN WEED KILLER LIQUID

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Avoid contact with skin, eyes or clothing. **Protective Clothing and Equipment:** Wear long-sleeved shirt, long pants, socks, shoes and chemical-resistant (e.g., rubber) gloves. **Operator-use Precautions:** Rinse gloves before removal. Wash hands before eating, drinking, using tobacco or using the toilet. If pesticide penetrates clothing, remove immediately; then wash thoroughly and put on clean clothing. Remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water, then shower. **Re-use gloves for pesticide application only.** **General Precautions:** Do not apply during hot, dry spells. Do not mow for at least three days before spraying. Do not spray if rain is forecast. Do not allow spray mist or vapours to contact fruit, vegetables, or ornamentals. Do not spray on windy days. Susceptible plants include, cabbage, beans, turnips, tomatoes and many other broadleaf fruits, ornamentals and vegetables. To avoid spray drift use a low pressure and a coarse spray pattern. Do not use a sprayer which has contained Co-Op Premium Lawn Weed Killer Liquid for spraying another pesticide on susceptible crops. Keep in original containers. Do not store near seeds, fertilizers, insecticides, fungicides, feed or food. Do not contaminate streams, lakes or ponds, irrigation water, water for

livestock or domestic purposes. **Re-entry Interval for Turf: Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treated areas until spray has thoroughly dried.**

DIRECTIONS: Weeds Controlled: Dandelion, Plantain, Black Medick (yellow clover), Buttercup, Chickweed, Clover, English Daisy, Ground Ivy (Creeping Charlie), Knotweed (ironweed), Poison Ivy, Ragweed, Shepherd's Purse, Bedstraw, Heal-All, Devil's Paint Brush.

Turf: (Other than Bentgrass). On established turf, apply at the rate of 60 mL in 5 L of water per 50 m². For best results, apply when weeds are growing quickly, May and early June and late August and September. **Maximum application frequency to Turf: For good turf/lawn management, normally two applications per year per treatment site are adequate. This does not include spot treatments.** On irrigated or watered areas where weeds are not under drought stress and hard to kill, apply any time. Application during drought or when weeds are under stress will result in poorer control. Do not water turf within 24 hours of application. Do not apply to newly seeded lawns. Wait until after the third mowing. Grass seed can be safely sown 1-2 weeks after application at recommended rate.

FIRST AID: If in eyes, flush with running water for 15 minutes. **If on skin,** wash thoroughly with soap and water. **If swallowed,** induce vomiting (syrup of Ipecac is recommended). Get medical attention or contact a poison control centre IMMEDIATELY. Take container label or product name and Pest Control Product Registration number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Eye irritation may occur on contact. Call a physician immediately. Treat symptomatically.

DISPOSAL: Do not re-use empty container. Wrap empty container and discard in household garbage.

RC 823-0904

BASE LABEL

CO-OP PREMIUM LAWN WEED KILLER LIQUID

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Avoid contact with skin , eyes, or clothing. **Protective clothing and equipment; Wear long sleeved shirt, long pants, socks, shoes, and chemical-resistant (e.g. rubber) gloves. Operator use precautions: Rinse gloves before removal. Wash hands before eating, drinking, using tobacco, or using the toilet. If pesticide penetrates clothing, remove immediately; then wash thoroughly and put on clean clothing. Remove clothing and launder separately before re-use and promptly and thoroughly wash hands and exposed skin with soap and water, then shower. Re-use gloves for pesticide application only.**

General Precautions: Do not apply during hot, dry spells. Do not mow for at least three days before spraying. Do not spray if rain is forecast. Do not allow spray mist or vapours to contact fruit, vegetables, or ornamentals. Do not spray on windy days. Susceptible plants include cabbage, beans, turnips, tomatoes and many other broadleaf fruits, vegetables, or ornamentals. To avoid spray drift, use a low pressure and a coarse spray pattern. Do not use a sprayer that has contained Co-op Premium Lawn Weed Killer Liquid for spraying another pesticide on susceptible crops. Keep in original containers. Do not store near seeds, fertilizers, insecticides, fungicides, feed, or food. Do not contaminate streams, lakes or ponds, irrigation water, water for livestock, or domestic purposes. **Re-entry Interval for Turf: Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treated areas until spray has thoroughly dried.**

FIRST AID: **If in eyes:** flush with running water for 15 minutes. **If on skin,** wash thoroughly with soap and water. **If swallowed,** induce vomiting (syrup of Ipecac is recommended). Get medical attention or contact a poison control centre IMMEDIATELY. Take container label, or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Eye irritation may occur on contact. Call a physician immediately. Treat symptomatically.

DISPOSAL: Do not reuse empty container. Wrap empty container and discard in household garbage.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.