

85.12.31

TETRALATE READY TO USE COMMERCIAL CONCENTRATE
CONTAINS A COMBINATION OF TWO SYNTHETIC PYRETHROID COMPOUNDS
COMMERCIAL

GUARANTEE:

TETRAMETHRIN285%
*RESMETHRIN295%

*CIS/TRANS ISOMER RATIO :
MAX 30% (+) CIS AND MIN. 70% (+) TRANS.

REGISTRATION NO. 16958

PEST CONTROL PRODUCTS ACT

READ THE LABEL BEFORE USING

TETRALATE : REGISTERED TRADEMARK OF
FAIRFIELD AMERICAN CORPORATION

FAIRFIELD CHEMICAL CANADA LTD
238 WILSON AVENUE
NEWARK, NJ
07105 USA

DIRECTIONS FOR USE

Shake well before using.

To control flies, gnats, mosquitoes and small flying moths :
Close doors and windows and shut off ventilating systems. Apply
as a fog or fine mist directing the spray toward the upper
portions of the room and towards windows and other light sources
which attract these insects. Thoroughly fill the area with mist
using 50 to 100 mL per 100 cubic meters of space. Keep area
closed for at least 15 minutes. Vacate after treatment and
ventilate before reoccupying. Repeat treatment as needed.

To control ants : Spray trails, nests and points of entry. Spray
directly on ants when possible. Repeat as necessary.

To control centipedes, cockroaches, earwigs, crickets, silverfish, sowbugs and spiders : Apply as a coarse droplet spray directed into cracks, crevices and other hiding places along baseboards, around the appliances and cupboards. Spray badly infested areas daily. In other areas, repeat treatments twice weekly or when reinfestation occurs. Spray insects directly if possible.

Indoors : On House Plants and in Greenhouses For control of aphids, two-spotted spider mites and whiteflies (adult) on the following plants :

African Violets	Ivies
Azaleas	Jerusalem Cherry
Chrysanthemum	Lantanas
Cineraria	Neanth Bella Palms
Diffenbachia	Petunias
Fuschia	Roses
Glaxinia	Snapdragons

Shake well before using. Hold spray container 50 cm from the plants, directing the spray so that upper and lower leaf surfaces are contacted. Use caution on new growth and tender foliage. Repeat treatment as necessary. When using outdoors on azalea, mums, crabapple, cherry, euonymus, ivy, marigold, petunia, plum, rose, snapdragon, zinnia, spray when air is still. DO NOT SPRAY BEARING FRUIT TREES.

PRECAUTION : KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed. foods, cooking utensils and fish bowls should be removed or covered during treatment. All food processing surfaces should be thoroughly cleaned before using. Avoid breathing of vapor or skin contact. Avoid contact with eyes. Do not smoke while spraying. Remove pets, birds and cover fish aquariums before spraying. Wash hand before eating and after work.

FIRST AID : If on skin, wash with soap and water. If in eyes, flush with plenty of water. See physician. If swallowed, see physician.

DISPOSAL : Wrap and dispose of with garbage.

NOTICE TO USER : This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

NOTICE TO BUYER : Seller's guarantee shall be limited to the terms set out on the label and subject thereto. The buyer

assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))