

86.12.14

KS PYRETHRUM COMMERCIAL INSECTICIDE

COMMERCIAL

GUARANTEE

PYRETHRINS.....0.13%
PIPERONYL BUTOXIDE.....1.30%

REGISTRATION NUMBER 19679 PEST CONTROL PRODUCTS ACT

READ THE LABEL BEFORE USING

NET CONTENTS 4L / 20 L

READ THE LABEL BEFORE USING

KEMSAN INC.

P.O. BOX 727

OAKVILLE, ONTARIO L6J 5C1

An insecticide formulated for use in electric foggers, aerosol generators, and thermal foggers as a space and contact spray for use in food processing and beverage plants, dairies, meat packing and processing plants, bakeries, flour mills, grain elevators, cereal processing plants, warehouses, industrial plants, restaurants, kitchens and cafeterias. Also for use in and apartments.

DIRECTIONS: PREPARATIONS FOR SPRAYING AND FOGGING:

Evacuate area to be treated before fogging. Reduce air movement in area by closing doors, windows and ventilators and air conditioning. Extinguish all possible sources of ignition in area to be treated. Where applicable, remove food and food

handling equipment to avoid contamination, or wash food and food handling equipment thoroughly after treatment. After fogging, keep area closed for 30 minutes. Ventilate thoroughly, for 30 minutes, before re-entering treated area.

CONTROL OF ANTS, COCKROACHES, CRICKETS, SILVERFISH, WASPS, AND SPIDERS IN FEED MILLS, FOOD PROCESSING AND FOOD SERVICE ESTABLISHMENTS, FOOD STORAGE AREAS:

Apply as a contact spray: Remove or destroy infested products to prevent reinfestation. Clean area before treatment. Spray surfaces where insects are found and direct spray into cracks and crevices where insects hide. Hit insects directly if possible. Use 5-7 L per 100 sq. meters applied as a coarse droplet spray. Repeat every 2 - 3 days until infestation is eliminated.

In electric fog generators: Direct spray towards cracks and crevices where insects hide. Use 100-400 mL per 100 cubic meters. Apply during shut down periods only.

CONTROL OF FLIES, MOSQUITOES, GNATS, FRUIT FLIES IN WAREHOUSES, INDUSTRIAL PLANTS, RESTAURANTS, KITCHENS, CAFETERIAS, FEED MILLS, FOOD PROCESSING PLANTS, FOOD SERVICE ESTABLISHMENTS, FOOD STORAGE AND FOOD TRANSPORTATION VEHICLES:

SPACE SPRAY: Apply as a space spray using 200 mL of insecticide per 100 cu. meters of space. Repeat fogging treatment as necessary to maintain control. Apply during shut-down periods only.

CONTROL OF EXPOSED STAGES OF INDIAN MEAL MOTH, FLOUR AND GRAIN BEETLES, AND FLOUR AND GRAIN WEEVILS IN FLOUR MILLS, GRAIN ELEVATORS, CEREAL PROCESSING PLANTS AND BAKERIES:

SPACE SPRAY: Apply as a space spray at the rate of 200 mL of insecticides per 100 cubic meters of space using an electric fog generator or air fogger. Where heavy infestation exists, first fumigate to clean up the infestation. Direct fog to treat empty storage bins, conveying processing and handling equipment and other harbourages. Pay special attention to dark enclosures and around stored product containers where adult insects may be resting. Fog to contact directly as many insects as possible.

SURFACE CONTACT SPRAY: This insecticide may also be used as a residual or contact insecticide in empty grain bins and around mill machinery. Clean all farinaceous material out of bins, elevator boots, spouts and other equipment. Apply with a pressure sprayer. Spray surfaces until moist, especially insect hiding and breeding areas. Spray to contact directly as many insects as possible. Repeat fogging or spraying treatments as

often as necessary to maintain control.

FOR CONTROL OF FLIES, MOSQUITOES, AND FRUIT FLIES IN FOOD PROCESSING PLANTS, MEAT PACKING PLANTS AND PROCESSING PLANTS AND DAIRIES:

SPACE SPRAY: Apply as a space spray using an using 200 mL of insecticide per 100 cu. meters of space. Repeat fogging treatments necessary to maintain control.

CAUTION:

In meat packing and food processing plants, only spray when plant is not in operation. No exposed food products, ingredients or packaging materials to be left in the room. Cover food handling equipment. Any treated surface that may contact meat food products or other food products, should be washed and rinsed thoroughly with potable water after spraying and before re-use for food processing.

PRECAUTIONS:

Keep out of reach of children. Harmful if swallowed, Avoid contact with skin and avoid inhalation of fog or spray. Do not contaminate food or food processing equipment. Thoroughly wash with potable water all treated food preparation surfaces and food processing equipment. Keep container closed and store away from heat sources. Prior to fogging, all possible sources of ignition should be extinguished in area to be treated.

DISPOSAL AND DECONTAMINATION:

Do not re-use empty container. Destroy container by perforating or crushing and dispose of the container according to provincial requirements. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the regional office of Environment Protection Service, Environment Canada.

FIRST AID:

For external contact, wash with soap and water. If in eyes, flush with plenty of water. Get prompt medical attention. This product contains petroleum distillate. If swallowed do not induce vomiting. If patient is unconscious give him air. Get prompt medical attention.

NOTICE TO USER:

This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest

Control Products Act to use a control product under unsafe conditions.

NOTICE TO BUYER:

Seller's guarantee shall be limited to the terms set out on the label and subject thereto. The buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))