

30-MAR-2005

29-JAN-2008 Notification - Change in Registrant

TREATS 200 m²
(TREATS 400 m²)
(TREATS 800 m²)

**Later's
WEED-STOP[®]
Lawn Weed Killer**

KILLS LISTED* WEEDS ROOTS AND ALL

Specially formulated to control
many different weeds in the lawn.

DOMESTIC

REG. NO.11495 P.C.P. ACT

GUARANTEE:

2, 4-D 100 g/L
mecoprop (d-isomer) 100 g/L
(both present as amines)

**READ THE LABEL BEFORE USING
KEEP OUT OF REACH OF CHILDREN**

CAUTION – POISON

250 mL (500 mL) (1 L)

Notification Change

~~Spectrum Brands IP Inc.,
10 Craig St.,
Brantford, ON
N3R 7J1~~

Sure-Gro IP Inc.
P.O. Box 21001
Brantford ON
N3R 7W9

DIRECTIONS FOR USE:

Later's WEED-STOP® Lawn Weed Killer is concentrated and contains a special formula to control many different lawn weeds, roots and all*. Mixed with water and when used as directed, it will not harm lawn grass. For best results, apply when weeds are actively growing and weather is warm in spring, summer and fall. Do not use during a long, excessively dry or hot period (over 29°C). Do not apply when rain is expected. Do not water lawn within 24 hours of application. Spray evenly and thoroughly. Repeat as necessary. Newly seeded lawns may be treated after they have been mowed at least 3 times. A watering can or hose-end sprayer may be used.

Maximum Application Frequency to Turf: For good turf/lawn management, normally two applications per year per treatment site are adequate. This does not include spot treatments.

***WEEDS CONTROLLED:**

Dandelion	Dock	Knotweed	Ragweed
Black Medic	English Daisy	Mallow	Shepherd's Purse
Buttercup	Fall Hawkbit	Mossy Stonecrop	Speedwell
Chickweed	Grass Leaved	Narrow Leaved	Thyme-Leaved
Clover	Stitchwort	Plantain	Sandwort
Cornspurry	Ground Ivy	Ox-Eye Daisy	Wild White Clover
Curled Dock	Heal-All	Poison Ivy	

TOP GROWTH ONLY: Bindweed and Canada Thistle.

15 mL = 1 tbsp

1 m = 1 long pace

5 L = approx. 1 gal. (Imperial)

25 m² = 5 x 5 paces (approx.)

HOW TO USE: Mix 30 mL of **Later's WEED-STOP® Lawn Weed Killer** with 5 L of water to cover 25 m² (or 6 mL with 1 L of water per 5 m²).

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Avoid inhalation and contact with skin, eyes or clothing. **Protective Clothing:** Wear long-sleeved shirt, long pants, socks, shoes and chemical-resistant (e.g., rubber) gloves. **Operator Use Precautions:** Rinse gloves before removal. Wash hands before eating, drinking, using tobacco or using the toilet. If pesticide penetrates clothing, remove immediately; then wash thoroughly and put on clean clothing. Remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water, then shower. Reuse gloves for pesticide application only. **Re-entry Interval:** Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treated areas until spray has thoroughly dried. **ENVIRONMENTAL HAZARDS:** Do not contaminate streams, lakes, or ponds. Avoid spray drift onto desirable plants as spray could injure cultivated species. Bent grass may be injured or killed. Do not use same sprayer for other purposes.

FIRST AID: If swallowed, INDUCE VOMITING and contact a doctor or poison control centre IMMEDIATELY. Never give anything by mouth to an unconscious person. **If in eyes,** flush with water for 15 minutes and get medical attention. **If on skin,** remove contaminated clothing and wash skin thoroughly with soap and water. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Treat symptomatically.

STORAGE: Keep product in original container. Store in a cool, dry place away from food, feed, seeds, fertilizers, insecticides or fungicides.

DISPOSAL: Do not reuse empty container. Rinse thoroughly and use rinse water with regular spray. Wrap container and discard in household garbage.

NOTICE TO BUYER: Seller's guarantee shall be limited to the terms set out on the label and, subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.