

92.05.11

DISPAR

DISVAP 50

POUDRE MOUILLABLE
WETTABLE POWDER

Poudre mouillable a pulveriser
pour traiter la volaille
et les batiments pour betail

Poultry and Livestock Premise Spray

AGRICOLE/AGRICULTURAL

GARANTIE/GUARANTEE:

50% P/P W/W
TETRACHLORVINPHOS

LIRE L'ETIQUETTE AVANT L'EMPLOI
READ LABEL BEFORE USING

REGISTRATION NO. 18969 PEST CONTROL PRODUCTS ACT
NO. D'HOMOLOGATION 18969 DE LA LOI SUR LES PRODUITS
ANTIPARASITAIRES

ATTENTION/CAUTION

POISON

PRODUITS VETERINAIRES DISPAR LTEE
DISPAR VETERINARY PRODUCTS LTD
JOLIETTE, QUE, J6E 3Z1

GENERAL DIRECTIONS

DISVAP 50 WP is suitable for use in conventional powder or low pressure knapsack sprayers. Occasional agitation is recommended to prevent undue settling of the suspension. Follow the directions for use for the proper

method for a specific insect and areas or types of wall surfaces. Refer to DILUTION TABLE for the quantity of insecticide needed to make the recommended percent solution.

POULTRY USE DIRECTIONS

INSECT	TYPE OF HOUSING	% SOLUTION	REMARKS
Lice & Mites	Wired Cages	0.5%	Apply directly to birds (4 litres/100 birds). Spray vent and fluff areas from below. Repeat when necessary. Do not repeat more than every 14 days. For individual bird treatment, apply 30 mL of the mixture per bird. NOTE: For maximum lasting control of the northern fowl mite, penetration of the feathers around the vent area is absolutely essential. Use powder sprayer at 7-9 kg/sq cm at no LESS THAN RECOMMENDED PRESSURE. More attention must be given to each individual bird when using low-pressure equipment. Treat rooster carefully and thoroughly to avoid reinfestation in breeding flocks.
	Floor Management Dust Box	50% W.P.	Mix evenly throughout top layer of box contents using 150 g/100 birds.
Lice, Mites & Lesser Mealworms	Floor Management Roost Plant	1.0%	Treat with brush or spray thoroughly, particularly cracks and crevices using 145-185 mL/10 m.
	Floor Management Litter	1.0%	Apply 1-4 litres/100 sq. m evenly for penetration into litter surface. Also apply thoroughly to walls, roost, cracks, crevices and interiors. Spray birds lightly.
	Floor Management Litter	50% W.P.	Treat evenly and thoroughly using 75 g/10 sq. m. Use a rotary or mechanical duster (wear a dust mask during this operation).

Fowl Tick	All Types	1.0%	Apply 3-4 litres/10 sq. m thoroughly to walls, ceiling, floor cracks and crevices with a power sprayer.
-----------	-----------	------	---

PREMISE USE DIRECTIONS

INSECT	PROBLEM AREAS	% SOLUTION	REMARKS
Flies	Dairy barns, poultry houses, swine barns other livestock buildings	2.0%	For dry whitewashed wood or concrete blocks - 8 litres of solution/100 sq. m.
		1.0%	For unpainted wood or painted concrete blocks - 8 litres of solution/100 sq. m.
		1.0%	For masonite or galvanized sheet metal - 4 litres of solution/ 100 sq. m.
Maggots	Poultry droppings manure or garbage piles under feed troughs	1.0%	Apply 4 litres of solution/ 10 sq. m penetrate problem area first time-repeat every 7-10 days thereafter.
Ticks	Campgrounds, backyards, picnic areas, recreational parks, other outdoor living areas	0.5%	Spray infested areas thoroughly (approximately 100 litres of solution/ 2.5 hectares). Spray along foot paths and roadsides leading to such areas.

DILUTION TABLE

AMOUNT OF DISVAP 50% WP (WETTABLE POWDER)	AMOUNT OF WATER FOR		
	SOLUTION 0.5%	SOLUTION 1%	SOLUTION 2%
250 g	25 litres	12.5 litres	6.25 litres
1 kg	100 litres	50 litres	25 litres
2 kg	200 litres	100 litres	50 litres
4 kg	400 litres	200 litres	100 litres

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN AND LIVESTOCK. Harmful if swallowed or absorbed through skin. Avoid breathing spray mist and dust. Do not get in eyes, on skin or clothing. Wash thoroughly with soap and water after handling and before eating or smoking. Avoid contamination of feed and foodstuffs. Toxic to fish. Do not contaminate water by disposal of waste. Do not re-use empty container.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

LIMITATION OF WARRANTY: Seller's guarantee shall be limited to the terms set out on the label and subject thereto. The buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

FIRST AID: Do not induce vomiting or give anything by mouth to an unconscious person. If ingested, drink 1 or 2 glasses of water and induce vomiting by touching back of the throat with finger. Repeat until fluid is clear. Call a physician immediately. If inhaled: Remove victim to fresh air. Resuscitate as necessary. If on skin: Remove contaminated clothing and wash affected area with soap and water. If in eyes: Flush eyes with water for 15 minutes. Call a physician if irritation persists.

TOXICOLOGICAL INFORMATION: Tetrachlorvinphos is of the organophosphate family and is a cholinesterase inhibitor. Atropine is administered intravenously in doses of 1-2 mg, at 10 minute intervals, is the drug of choice for treating cases of intoxication.

DISPOSAL: Thoroughly empty the container into the application device. Make the empty container unsuitable for further use. Dispose of the container in accordance with provincial requirements. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the regional office of Environmental Protection, Environment Canada.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))