

93.08.04

AQUA 100

DESTROYS BACTERIA AND ALGAE
in Swimming Pool Water

COMMERCIAL

CHLORINATING GRANULES

WARNING

POISON

CORROSIVE

READ THE LABEL BEFORE USING

REGISTRATION NO. 23112.50

PEST CONTROL PRODUCTS ACT

GUARANTEE:

Lithium hypochlorite: 29%
Available Chlorine Content: 35%
Hypochlorite de lithium: 29%
Teneur en chlore libre: 35%

20 kg

43 kg

AQUAPAR INC.
LES SPECIALISTES DU TRAITEMENT DE L'EAU
8084, TRANS CANADA
VILLE ST-LAURENT (QUEBEC) H4S 1M5
For Assistance

Montréal: (514)334-4442 - Canada: 1-800-465-0278

NOTICE TO USER

This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

PRECAUTIONS

- Keep out of reach of children.
- Dangerous gas formed when mixed with acid.
- Do not mix with any other chemical.
- Strong oxidizing agent.
- Avoid contact with skin and eyes.
- Harmful if swallowed.
- Keep container closed and store in a cool, dry location.
- Rinse container thoroughly before discarding. Do not reuse.

FIRST AID

If splashed in eyes or on skin, flush thoroughly with water for 15 minutes. For eye contact, get medical attention. If swallowed, drink one glass of milk or water. Call a physician IMMEDIATELY.

DIRECTIONS FOR USE

Maintain proper daily levels as determined by testing kit.

Free available chlorine: 1.0 - 3.0 ppm

pH: 7.2 - 7.8

Total alkalinity: 80 - 120 ppm

Calcium Hardness: 200 - 300 ppm

Superchlorinate pool water initially by broadcasting over the pool's surface, 2.75 kg of AQUA 100 per 100,000 L of pool water. For best results, superchlorinate at dusk.

Maintain proper chlorine residual by broadcasting daily over the pool's surface. 500 g of AQUA 100 per 100,000 L of pool water, or as needed.

NOTE: Hot weather, heavy pool usage, and rain may require higher usage rates to maintain proper chloride residuals.

Superchlorinate weekly by adding 2.75 kg of AQUA 100 per 100,000 L of pool water when average daily temperature is 25 - 32°C. Otherwise, superchlorinate every other week.

For visible algae, superchlorinate with 4.5 g of AQUA 100 per 100,000 L of pool water. Heavy algae infestation may require dosages up to 8.5 kg per 100,000 L. Vacuum pool when dead algae settles.

NOTE: For outdoor pools, chlorine residuals can be protected from destruction by sun's rays by addition of stabilizer.

DISPOSAL

1. Rinse the emptied container thoroughly and add the rinsings to treatment site.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal or reconditioning.
3. Dispose of the container in accordance with provincial requirements.
4. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the regional office of Environment Canada.
5. For small spills. Recover free liquid. Soak up residue with solids absorbent. DO NOT FLUSH INTO SURFACE STREAMS. INFORM ENVIRONMENT CANADA AS IN #4.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))