

D1998/E2001

CO-OP®

WARBLE POWDER

5% WETTABLE POWDER

7 kg

READ THE LABEL BEFORE USING

AGRICULTURAL

GUARANTEE 5% ROTENONE

REGISTRATION NO. 4863
PEST CONTROL PRODUCT ACT

WARNING POISON

Interprovincial Cooperative Limited
P.O. Box 1050, Saskatoon, Canada S7K 3M9

Winnipeg Mississauga Montreal Moncton

DIRECTIONS:

WASH APPLICATION

Mix 60 grams of Co-op Warble Powder per litre of water. Apply 8 litres to 25-35 animals, depending on size, thickness of coat and infestation. Apply the mixture with a brush to the backs of the animals. Brush in well, break scabs that may have formed over the air holes in skin. Apply three treatments as recommended below. Add the powder to a small amount of water to make a creamy mix. Then dilute to the required volume.

SPRAY APPLICATION

Mix 1 kg of Co-op Warble Powder in 100 litres of water. Treat each animal with four litres in a strip 60 cm wide along the back bone. Use a high pressure sprayer with a nozzle pressure of 3000 kPa. Hold nozzle 25 cm from animal's skin. Apply at an angle between 60°EC-90°EC

to the skin surface.

WHEN TO APPLY

In Western Canada: Apply when scabs first form, usually about March 1st. Make two more applications leaving 22-27 days between treatments.

In Eastern Canada: Apply when scabs first form, usually about March 1st. Make two more applications leaving 22-27 days between treatment.

PRECAUTIONS: Keep out of reach of children.

May be harmful if swallowed or inhaled. Avoid breathing dust or spray mist. Avoid contact with skin, eyes and clothing. Wash after handling and before eating, drinking or smoking. Do not contaminate food, feed or any of water. Very toxic to fish. Toxic to hogs if swallowed. Do not use on hogs. Keep product away from heat, strong light and moisture and free alkalies.

DISPOSAL

1. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
2. Make the empty container unsuitable for further use.
3. Dispose of the container in accordance with provincial requirements.
4. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the regional office of Environmental Protection, Environment Canada.

FIRST AID

If swallowed, cause vomiting, repeat until vomit fluid is clear, call a physician. If on skin, wash with soap and water. If in eyes flush with plenty of water and obtain medical attention.

NOTICE TO USER

This control product is to be used only in accordance with the directions on the label. It is an offence under the PEST CONTROL PRODUCTS ACT to use a control product under unsafe condition.

NOTICE TO BUYER

Seller's guarantee shall be limited to the terms set out on the label

and subject thereto, the buyer assumes the risk to persons or property arising out of the use or handling of the product and accepts the product on that condition.

CONTAINS: Rotenone
Wettable Powder Insecticide
For use on Lactating and Non-Lactating Cattle.
Mixes Readily with water.
Use as Spray or Wash.

®Reg. T.M. Interprovincial Cooperative Limited

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))