---- CARTON ----

**HAGEN®** 

Flea collar for Cats with CHOKE RELEASE Feature

**HAGEN®** 

NET WT. 14 g

FLEA COLLAR FOR CATS

PREVENTS FLEA INFESTATION

WITH CHOKE RELEASE FEATURE

- Kills fleas for up to 4 months
- Aids in the control of American Dog and Brown Dog Ticks

3

ART. # C-140

DOMESTIC

READ LABEL BEFORE USING

GUARANTEE- Carbaryl 8.5%

REG. NO. 19602 P.C.P. ACT

Distributed by:
Rolf C. Hagen Inc.,
Montreal, Quebec
H4R 1E8

---- INSERT ----

**HAGEN®** 

Flea Collar for Cats with Choke Release feature

## kills cat fleas up to 4 months

## DOMESTIC

GUARANTEE: Carbaryl.....8.5%

READ ENTIRE LABEL BEFORE USING

REGISTRATION NO. 19602 P.C.P. ACT

Distributed by:
ROLF C. HAGEN INC.
3225 SARTELON
MONTREAL, QUEBEC
H4R 1E8

## **DIRECTIONS:**

Thread flat end of the collar through buckle hole and tighten as necessary, so that at least two ridges are covered by the buckle. Collar must be worn loosely, but securely enough to prevent easy removal. Cut off any excess length and discard in garbage.

The expandable section molded into the collar will stretch under the weight of an average size cat and allow the cat to free itself if it becomes hooked or entangled by the collar. Since both the expandable section and plastic buckle are molded into the collar, the probability of neck irritation and buckle failure is reduced.

To release the collar, squeeze buckle between thumb and finger and pull sharply.

Do not use on kittens under 3 months of age.

The fleas on the cat will be killed and new ones which may temporarily appear on the cat will also be killed during the 4 months (17 weeks) collar is worn. For continuous protection, replace collar when effectiveness diminishes. Wrap and dispose of expired collars, any excess collar and pouch with household garbage.

## PRECAUTIONS:

Do not open inner envelope until ready to use. DO NOT ALLOW CHILDREN TO PLAY WITH THIS COLLAR. This collar is intended for use as an insecticide generator and is not to be taken internally

by man or animal. Not intended for use on humans. Hands should be washed following application.

Some animals may be sensitive to this collar. Any collar, when fastened too tightly, may cause skin irritation. If irritation persists after proper adjustment, remove the collar and consult a veterinarian. Do not use on sick or convalescing animals. Do not use on animals under drug or pesticide treatment. Before using on pregnant animals consult a veterinarian.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))